PATENT COOPERATION TREATY

From the INTERNATIONAL BUREAU

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents
United States Patent and Trademark Office
Box PCT
Washington, D.C.20231
ÉTATS-UNIS D'AMÉRIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 06 December 1999 (06.12.99)	
International application No. PCT/US99/06644	**Applicant's or agent's file reference** FCCC 98-02
International filing date (day/month/year) 26 March 1999 (26.03.99)	**Priority date** (day/month/year) 27 March 1998 (27.03.98)
Applicant KRUH, Gary et al	

1. The designated Office is hereby notified of its election made:

   [X] in the demand filed with the International Preliminary Examining Authority on:

   22 October 1999 (22.10.99)

   [ ] in a notice effecting later election filed with the International Bureau on:

2. The election [X] was

   [ ] was not

   made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO **34, chemin des Colombettes** **1211 Geneva 20, Switzerland**	Authorized officer Olivia RANAIVOJAONA
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

WO 99/49735
PCT/US99/06644

PATENT COOPERATION TREATY

From the INTERNATIONAL BUREAU

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

To:
RIGAUT, Kathleen, D.
Dann, Dorfman, Herrell and Skillman
Suite 720
1601 Market Street
Philadelphia, PA 19103
ÉTATS-UNIS D'AMÉRIQUE

Date of mailing (day/month/year) 07 October 1999 (07.10.99)	
Applicant's or agent's file reference FCCC 98-02	**IMPORTANT NOTICE**

International application No.	**International filing date** (day/month/year)	**Priority date** (day/month/year)
PCT/US99/06644	26 March 1999 (26.03.99)	27 March 1998 (27.03.98)

Applicant
FOX CHASE CANCER CENTER et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice:
   AU,EP,JP,US

   In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:
   CA

   The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on
   07 October 1999 (07.10.99) under No. WO 99/49735

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, **a demand for international preliminary examination** must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the **national phase**, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau f WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No. (41-22) 740.14.35

Authorized officer
J. Zahra

Telephone No. (41-22) 338.83.38

PATENT COOPERATION TREATY

PCT

REC'D 03 JUL 2000

WIPO PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FCCC 98-02	**FOR FURTHER ACTION**	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No. PCT/US99/06644	International filing date *(day/month/year)* 26 MARCH 1999	Priority date *(day/month/year)* 27 MARCH 1998
International Patent Classification (IPC) or national classification and IPC Please See Supplemental Sheet.		
Applicant FOX CHASE CANCER CENTER		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.

2. This REPORT consists of a total of 5 sheets.

   ☐ This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority. (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

   These annexes consist of a total of 0 sheets.

3. This report contains indications relating to the following items:

   - I ☒ Basis of the report
   - II ☐ Priority
   - III ☐ Non-establishment of report with regard to novelty, inventive step or industrial applicability
   - IV ☐ Lack of unity of invention
   - V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
   - VI ☐ Certain documents cited
   - VII ☐ Certain defects in the international application
   - VIII ☒ Certain observations on the international application

Date of submission of the demand	Date of completion of this report
22 OCTOBER 1999	12 JUNE 2000
Name and mailing address of the IPEA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231	Authorized officer Kristina Laurence for SHIN-LIN CHEN
Facsimile No. (703) 305-3230	Telephone No. (703) 308-0196

Form PCT/IPEA/409 (cover sheet) (July 1998)★

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.
PCT/US99/06644

I. Basis of the report

1. With regard to the **elements** of the international application:*

[X] the international application as originally filed

[X] the description:
pages 1-62 , as originally filed
pages NONE , filed with the demand
pages NONE , filed with the letter of _____

[X] the claims:
pages 63-71 , as originally filed
pages NONE , as amended (together with any statement) under Article 19
pages NONE , filed with the demand
pages NONE , filed with the letter of _____

[X] the drawings:
pages 1-56 , as originally filed
pages NONE , filed with the demand
pages NONE , filed with the letter of _____

[X] the sequence listing part of the description:
pages 1-19 , as originally filed
pages NONE , filed with the demand
pages NONE , filed with the letter of _____

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.
These elements were available or furnished to this Authority in the following language _____ which is:

[ ] the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).

[ ] the language of publication of the international application (under Rule 48.3(b)).

[ ] the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

[X] contained in the international application in printed form.

[X] filed together with the international application in computer readable form.

[ ] furnished subsequently to this Authority in written form.

[ ] furnished subsequently to this Authority in computer readable form.

[ ] The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

[ ] The statement that the information recorded in computer readable form is identical to the writen sequence listing has been furnished.

4. [X] The amendments have resulted in the cancellation of:

[X] the description, pages NONE

[X] the claims, Nos. NONE

[X] the drawings, sheets/~~fig~~ NONE

5. [X] This report has been drawn as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

** Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).*

***Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.*

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. statement

Novelty (N)	Claims	1-20, 23-32, 34-43, 45-59	YES
	Claims	21, 22, 33, 44	NO
Inventive Step (IS)	Claims	1-20, 23-32, 34-43, 45-59	YES
	Claims	21, 22, 33, 44	NO
Industrial Applicability (IA)	Claims	1-59	YES
	Claims	NONE	NO

2. citations and explanations (Rule 70.7)

Claims 21, 22, 33 and 44 lack novelty under PCT Article 33(2) as being anticipated by GenBank Accession Nos. U66687, D77412, U66674 and R97754, respectively.

Because U66687 has nucleotide sequence 97.4% identical to base 4064 to 4808 of SEQ ID NO. 3 encoding amino acids of SEQ ID NO. 4, D77412 has nucleotide sequence 82.2% identical to base 134 to 408 of SEQ ID NO. 1 encoding the amino acids of SEQ ID NO. 2, U66674 contains nucleotide sequence 97.7% identical to base 1946 to 3134 of SEQ ID No. 5 encoding the amino acids of SEQ ID NO. 6, and R97754 contains nucleotide sequence 98.2% identical to base 4 to 221 of SEQ ID NO. 7 encoding the amino acids of SEQ ID NO. 8. Thus claims 21, 22, 33 and 44 are clearly anticipated by GenBank Accession Nos. U66687, D77412, U66674 and R97754, respectively.

Since claims 21, 22, 33 and 44 all lack novelty, so they also lack inventive step. On the other hand, claims 1-20, 23-32, 34-43 and 45-59 all have inventive step and novelty.

---------- NEW CITATIONS ----------

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

Claim 44 is objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because the claim is indefinite for the following reason(s): SEQ ID NO. 7 represents nucleotide sequence instead of amino acid sequence.

Claims 53-55 are objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because the claim are indefinite for the following reason(s): There is no antecedent basis for the term "said mouse" in claims 53-55.

The description is objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 5 because it fails to adequately enable practice of the claimed invention because: Claims 48-52 are drawn to a host cell comprising the nucleotide sequence of SEQ ID No. 1, 3, 5 or 7 and a host animal comprising said nucleotide sequence *in vivo*. Claims 53-55 are drawn to a host animal, such as a transgenic mouse, harboring a homozygous null mutation in its endogenous MOAT gene. It was unpredictable at the time of the invention in making a transgenic animal harboring a transgene under the control of a promoter. One skilled in the art would not be able to predict the phenotype of the transgenic animal produced. The vector used, the coding sequence, the non-coding sequence, the promoter and the integration site of the transgene in the genome of the host cells are all important factors in contributing to the resulting phenotypes of a transgenic animal. The specification of the present application fails to provide adequate guidance for making a transgenic animal via embryonic stem cells except using mouse embryonic stem cells. Thus, it would have required a skilled artisan to engage in undue experimentation to practice the claimed invention. The description of the present application neither enables making a transgenic animal harboring any transgene, nor enables making a host cell derived from said transgenic animal.

Claims 48-55 objected to as lacking clarity under PCT Rule 66.2(a)(v) because practice of the claimed invention is not adequately described in writing, as required under PCT Rule 5.1(a)(iii), for the reasons set forth in the immediately preceding paragraph.

Supplemental Box
(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: Boxes I - VIII

CLASSIFICATION:

The International Patent Classification (IPC) and/or the National classification are as listed below:
IPC(7): A01N 63/00, A61K 39/395, C12N 15/00, A01N 61/00, C07H 21/02 and US Cl.: 424/93.1, 93.2, 130.1; 435/320.1, 325; 514/1; 536/23.1; 800/13, 18

I. BASIS OF REPORT:

5. (Some) amendments are considered to go beyond the disclosure as filed:
NONE

MRP-Related ABC Transporter Encoding Nucleic Acids and Methods of Use Thereof

Pursuant to 35 U.S.C. §202(c) it is acknowledged that the U.S. Government has certain rights in the invention described herein, which was made in part with funds from the National Institutes of Health, Grant Numbers, CA63173 and CA06927.

FIELD OF THE INVENTION

The present invention relates to the fields of medicine and molecular biology. More specifically, the invention provides nucleic acid molecules and proteins encoded thereby which are involved in the development of resistance to pharmacological and chemotherapeutic agents in tumor cells.

BACKGROUND OF THE INVENTION

Several publications are referenced in this application in parentheses in order to more fully describe the state of the art to which this invention pertains. The disclosure of each of these publications is incorporated by reference herein.

P-glycoprotein, the product of the *MDR1* gene, was the first ABC transporter shown to confer resistance to cytotoxic agents. Pgp functions as an ATP-dependent efflux pump that reduces the intracellular concentration of a variety of chemotherapeutic agents by transporting them across the plasma membrane (1). The multidrug resistance phenotype associated with overexpression of Pgp

is of considerable clinical interest because natural product drugs are second only to alkylating agents in clinical utility, and many effective chemotherapeutic regimens contain more than one natural product agent. More recently, we and others have reported transfection studies indicating that MRP, another ABC family transporter, confers a multidrug resistance phenotype that includes many natural product drugs, but is distinct from the resistance phenotype associated with Pgp (2-6). MRP shares only limited amino acid identity with Pgp, and this is reflected in the different substrate specificities of the two transporters. In contrast to Pgp, MRP can transport a wide range of anionic organic conjugates, including glutathione S-conjugates (7). In addition to Pgp and MRP there may be other transporters that are involved in cytotoxic drug resistance. In the case of natural product drugs, resistant cell lines have been described that display a multidrug resistant phenotype associated with a drug accumulation deficit, but do not overexpress Pgp or MRP (8). ABC transporters have also been linked to cisplatin resistance, and several lines of evidence suggest the possibility that pumps specific for organic anions may be involved: 1) decreased cisplatin accumulation is consistently observed in cisplatin resistant cell lines (9); 2) cisplatin is conjugated to glutathione in the cell, and this anionic conjugate is toxic in an *in vitro* biochemical assay (10); and 3) biochemical studies using membrane vesicle preparations have shown that cisplatin resistant cells lines have enhanced expression of an ATP-dependent transporter of CDDP-glutathione and other glutathione S-conjugates such as the cystinyl leukotriene LTC_4 (11, 12). These data thus suggest that an organic anion transporter may contribute

to cisplatin resistance by exporting CDDP-glutathione. While MRP is an organic anion transporter, the reported drug resistance profile of MRP-transfected cells does not extend to this agent (5, 6), and to date only one cisplatin resistant cell line has been reported to overexpress MRP (13). This suggests that organic anion transporters other than MRP may contribute to cisplatin resistance. Consistent with this possibility, the canalicular multispecific organic anion transporter, cMOAT, an MRP-related transporter that functions as the major organic anion transporter in liver, has been reported to be overexpressed in cisplatin resistant cell lines (14, 15). A more direct link between cMOAT and cytotoxic drug resistance is suggested by a recent report in which transfection of a cMOAT antisense construct into a liver cancer cell line resulted in sensitization to cisplatin, daunorubicin and other cytotoxic agents (16).

Clearly, a need exists for identifying the essential components and mechanisms giving rise to drug resistance and the transport of anticancer agents out of the tumor cell. The elucidation of these mechanisms may be used to advantage for the design of efficacious chemotherapeutic agents.

SUMMARY OF THE INVENTION

This invention provides novel, biological molecules useful for identification, detection, and/or molecular characterization of components involved in the acquisition of drug resistance in tumor cells. According to one aspect of the invention, an isolated nucleic acid molecule is provided which includes a sequence encoding a protein transporter of a size between about 1300 and 1350 amino acids in length. The encoded protein, referred to herein

as MOAT-B, comprises a multi- domain structure including a tandem repeat of nucleotide binding folds appended C-terminal to a hydrophobic domain that contains several potential membrane spanning helices. Conserved Walker A and B ATP binding sites are present in each of the nucleotide binding folds.

In a preferred embodiment of the invention, an isolated nucleic acid molecule is provided that includes a cDNA encoding a human MOAT-B protein. In a particularly preferred embodiment, the human MOAT-B protein has an amino acid sequence the same as Sequence I.D. No. 2. An exemplary MOAT-B nucleic acid molecule of the invention comprises Sequence I.D. No. 1.

According to another aspect of the invention, a second isolated nucleic acid molecule is provided which includes a sequence encoding a transporter between about 1400 and 1450 amino acids. The encoded protein, referred to herein as MOAT-C contains a multi-domain structure including a tandem repeat of nucleotide binding folds appended C-terminal to a hydrophobic domain that contains several potential membrane spanning helices. Conserved Walker A and B ATP binding sites are present in each of the nucleotide binding folds. While similar in structure to MOAT-B described above, MOAT-C contains distinct sequence differences.

In a preferred embodiment of the invention, an isolated nucleic acid molecule is provided that includes a cDNA encoding a human MOAT-C protein. In a particularly preferred embodiment, the human MOAT-C protein has an amino acid sequence the same as Sequence I.D. No. 4. An exemplary MOAT-C nucleic acid molecule of the invention comprises Sequence I.D. No. 3.

According to yet another aspect of the invention, an

isolated nucleic acid molecule is provided which includes a sequence encoding a protein of a size between about 1500 and 1550 amino acids in length. The encoded protein, referred to herein as MOAT-D, contains a multidomain structure including an N-terminal hydrophobic extension which harbors five transmembrane spanning helices.

In a preferred embodiment of the invention, an isolated nucleic acid molecule is provided that includes a cDNA encoding a MOAT-D protein. In a particularly preferred embodiment, the human MOAT-D protein has an amino acid sequence the same as Sequence I.D. No. 6. An exemplary MOAT-D nucleic acid molecule of the invention comprises Sequence I.D. No. 5.

According to yet another aspect of the invention, an isolated nucleic acid molecule is provided which includes a sequence encoding a protein of a size between about 1480 and 1530 amino acids in length. The encoded protein, referred to herein as MOAT-E, contains a multidomain structure including an N-terminal hydrophobic extension which harbors several transmembrane spanning helices. While similar in structure to MOAT-D described above, MOAT-E contains distinct sequence differences.

In a preferred embodiment of the invention, an isolated nucleic acid molecule is provided that includes a cDNA encoding a MOAT-E protein. In a particularly preferred embodiment, the human MOAT-E protein has an amino acid sequence the same as Sequence I.D. No. 8. An exemplary MOAT-E nucleic acid molecule of the invention comprises Sequence I.D. No. 7.

According to another aspect of the present invention, an isolated nucleic acid molecule is provided, which has a sequence selected from the group consisting of: (1) Sequence I.D. No. 1; (2) a sequence specifically

hybridizing with preselected portions or all of the complementary strand of Sequence I.D. No. 1 comprising nucleic acids encoding amino acids 1-1154 of Sequence ID No. 2; (3) a sequence encoding preselected portions of Sequence I.D. No. 1 within nucleotides 1-3462, (4) Sequence I.D. No. 3; (5) a sequence specifically hybridizing with preselected portions or all of the complementary strand of Sequence I.D. No. 3 comprising nucleic acids encoding amino acids 1-442 of Sequence ID No. 4; (6) a sequence encoding preselected portions of Sequence I.D. No. 3 within nucleotides 1-1326, (7) Sequence I.D. No. 5; (8) a sequence specifically hybridizing with preselected portions or all of the complementary strand of Sequence I.D. No. 5 comprising nucleic acids encoding amino acids 1-1036 of Sequence ID No. 6; (9) a sequence encoding preselected portions of Sequence I.D. No. 5 within nucleotides 1-3108, (1) Sequence I.D. No. 7; (2) a sequence specifically hybridizing with preselected portions or all of the complementary strand of Sequence I.D. No. 7 comprising nucleic acids encoding amino acids 1-998 of Sequence ID No. 8; (3) a sequence encoding preselected portions of Sequence I.D. No. 7 within nucleotides 1-300.

Such partial sequences are useful as probes to identify and isolate homologues of the MOAT genes of the invention. Additionally, isolated nucleic acid sequences encoding natural allelic variants of the nucleic acids of Sequence I.D. Nos., 1, 3, 5 and 7 are also contemplated to be within the scope of the present invention. The term natural allelic variants will be defined hereinbelow.

According to another aspect of the present invention, antibodies immunologically specific for the human MOAT proteins described hereinabove are provided.

In yet another aspect of the invention, host cells comprising at least one of the MOAT encoding nucleic acids are provided. Such host cells include but are not limited to bacterial cells, fungal cells, insect cells, mammalian cells, and plant cells. Host cells overexpressing one or more of the MOAT encoding nucleic acids of the invention provide valuable research tools for assessing transport of chemotherapeutic agents out of cells. MOAT expressing cells also comprise a biological system useful in methods for identifying inhibitors of the MOAT transporters.

Another embodiment of the present invention encompasses methods for screening cells expressing MOAT encoding nucleic acids for chemotherapy resistance. Such methods will provide the clinician with data which correlates expression of a particular MOAT genes with a particular chemotherapy resistant phenotype.

Diagnostic methods are also contemplated in the present invention. Accordingly, suitable oligonucleotide probes are provided which hybridize to the nucleic acids of the invention. Such probes may be used to advantage in screening biopsy samples for the expression of particular MOAT genes. Once a tumor sample has been characterized as to the MOAT gene(s) expressed therein, inhibitors identified in the cell line screening methods described above may be administered to prevent efflux of the beneficial chemotherapeutic agents from cancer cells.

The methods of the invention may be applied to kits. An exemplary kit of the invention comprises MOAT gene specific oligonucleotide probes and/or primers, MOAT encoding DNA molecules for use as a positive control, buffers, and an instruction sheet. A kit for practicing the cell line screening method includes frozen cells

comprising the MOAT genes of the invention, suitable culture media, buffers and an instruction sheet.

In a further aspect of the invention, transgenic knockout mice are disclosed. Mice will be generated in which at least one MOAT gene has been knocked out. Such mice will provide a valuable in biological system for assessing resistance to chemotherapy in an in vivo tumor model.

Various terms relating to the biological molecules of the present invention are used hereinabove and also throughout the specification and claims. The terms "percent similarity" and "percent identity (identical)" are used as set forth in the UW GCG Sequence Analysis program (Devereux et al. NAR 12:387-397 (1984)).

With reference to nucleic acids of the invention, the term "isolated nucleic acid" is sometimes used. This term, when applied to DNA, refers to a DNA molecule that is separated from sequences with which it is immediately contiguous (in the 5' and 3' directions) in the naturally occurring genome of the organism from which it originates. For example, the "isolated nucleic acid" may comprise a DNA or cDNA molecule inserted into a vector, such as a plasmid or virus vector, or integrated into the genomic DNA of a prokaryote or eukaryote.

With respect to RNA molecules of the invention, the term "isolated nucleic acid" primarily refers to an RNA molecule encoded by an isolated DNA molecule as defined above. Alternatively, the term may refer to an RNA molecule that has been sufficiently separated from RNA molecules with which it would be associated in its natural state (i.e., in cells or tissues), such that it exists in a "substantially pure" form (the term "substantially pure" is defined below).

With respect to protein, the term "isolated protein" or "isolated and purified protein" is sometimes used herein. This term refers primarily to a protein produced by expression of an isolated nucleic acid molecule of the invention. Alternatively, this term may refer to a protein which has been sufficiently separated from other proteins with which it would naturally be associated, so as to exist in "substantially pure" form.

The term "substantially pure" refers to a preparation comprising at least 50-60% by weight the compound of interest (e.g., nucleic acid, oligonucleotide, protein, etc.). More preferably, the preparation comprises at least 75% by weight, and most preferably 90-99% by weight, the compound of interest. Purity is measured by methods appropriate for the compound of interest (e.g. chromatographic methods, agarose or polyacrylamide gel electrophoresis, HPLC analysis, and the like). With respect to antibodies of the invention, the term "immunologically specific" refers to antibodies that bind to one or more epitopes of a protein of interest (e.g., MOAT-B, MOAT-C or MOAT-D), but which do not substantially recognize and bind other molecules in a sample containing a mixed population of antigenic biological molecules.

With respect to nucleic acids and oligonucleotides, the term "specifically hybridizing" refers to the association between two single-stranded nucleotide molecules of sufficiently complementary sequence to permit such hybridization under pre-determined conditions generally used in the art (sometimes termed "substantially complementary"). When used in reference to a double stranded nucleic acid, this term is intended to signify that the double stranded nucleic acid has been subjected to denaturing conditions, as is well known to those of

skill in the art. In particular, the term refers to hybridization of an oligonucleotide with a substantially complementary sequence contained within a single-stranded DNA or RNA molecule of the invention, to the substantial exclusion of hybridization of the oligonucleotide with single-stranded nucleic acids of non-complementary sequence.

One common formula for calculating the stringency conditions required to achieve hybridization between nucleic acid molecules of a specified sequence homology (Sambrook et al., 1989):

T_m = 81.5°C + 16.6Log [Na+] + 0.41(% G+C) - 0.63 (% formamide) - 600/#bp in duplex

As an illustration of the above formula, using [Na+] = [0.368] and 50% formamide, with GC content of 42% and an average probe size of 200 bases, the T_m is 57°C. The T_m of a DNA duplex decreases by 1 - 1.5°C with every 1% decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C. Such sequences would be considered substantially homologous to the nucleic acid sequences of the invention.

The nucleic acids, proteins, antibodies, cell lines, methods, and kits of the present invention may be used to advantage to identify targets for the development of novel agents which inhibit the aberrant transport of cytoxic agents out of tumor cells. The transgenic mice of the invention may be used an in vivo model for chemotherapy resistance.

The human MOAT molecules methods and kits described above may also be used as research tools and will facilitate the elucidation of the mechanism by which tumor

cells acquire a drug resistant phenotype.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows the predicted structure of MOAT-B and comparison with human MRP. The vertical lines indicate identical amino acids and the vertical dots indicate conserved amino acids. Gaps are indicated by periods. The overbars indicate potential transmembrane spanning segments as predicted by the TMAP program. The first and second nucleotide binding folds (NBF 1 and NBF 2) are indicated by horizontal arrows. The C-terminal 34 amino acids (residues 1291 - 1325) are replaced in the second class of MOAT-B cDNA clones by the following amino acids: ILQKKLSTYWSH. The Alignment was performed using the GAP program (gap weight 3.0, length weight 0.1) in the Genetics Computer Group Package. H. MRP: human MRP.

Figures 2A and 2B depict a comparison of the nucleotide binding folds and hydropathy profile of MOAT-B with those of other eukaryotic ABC transporters. Fig. 1A shows the comparison of the nucleotide binding folds of MOAT-B. Amino acids that are identical to those of MOAT-B are shaded, and gaps are indicated by periods. Walker A and B motifs, and the ABC transporter family signature sequence C, are underlined. Amino acid positions are indicated to the right. Amino acid sequences were aligned using the PILEUP program (gap weight 3.0, length weight 0.1) in the Genetics Computer Group Package. Fig. 1B shows a comparison of the MOAT-B hydropathy profile. To facilitate comparison, the proteins are aligned so that the N-terminal nucleotide binding folds (NBF) are roughly in register. NBF's are indicated by bars. Values above

and below the horizontal lines indicate hydrophobic and hydrophilic regions, respectively. Hydrophobicity plots were generated using the Kyte-Doolittle algorithm with a window of 7 residues. The transporters shown are: human multidrug-associated protein, H. MRP (P33529); human multispecific organic anion transporter, H. MOAT (U63970); Saccharomyces cerevisiae yeast cadmium factor 1, S. YCF1 (P39109); rat sulfonylurea receptor, R. SUR (Q09427); human cystic fibrosis transmembrane conductance regulator, H. CFTR (M28668); Leishmania P-glycoprotein, L. PgpA (P21441) and human mdr1 gene product, H. MDR1 (P08183). Accession numbers are shown in parentheses.

Figure 3 is a Northern blot showing the tissue distribution of MOAT-B transcript. Membranes containing poly (A)+ RNA prepared from human tissues were hybridized with a radiolabeled MOAT-B or GAPDH probe. Top panels show MOAT-B transcript and bottom panels show the control GAPDH transcript. Arrows indicate the position of MOAT-B transcript. Prolonged exposure of the film revealed a low level signal in liver.

Figure 4 shows the chromosomal localization of the gene encoding *MOAT-B*. Human metaphase spreads were hybridized with a biotin-labeled MOAT-B cDNA probe and detected by FITC-conjugated avidin. Hybridization signals at chromosome 13q32 in two metaphase spreads are indicated by arrows. The inset shows paired hybridization signals at band q32 of chromosome 13 from three other metaphase spreads.

Figures 5A and 5B show the predicted structures of MOAT-C and MOAT-D. Fig. 5A presents the structure of

MOAT-C. Fig. 5B shows the structure of MOAT-D. Numbered overbars indicate potential transmembrane spanning helices. Horizontal arrows indicate the positions of the amino terminal (NBF1) and C-terminal (NBF2) nucleotide binding folds. Walker A and B motifs, and the ABC transporter family signature sequence C are underlined. Bullets indicate the positions of potential N-linked glycosylation sites that are conserved with previously reported N-glycosylation sites in MRP. The indicated MOAT-C transmembrane spanning helices were predicted using the TMAP program and an input alignment of MOAT-B and MOAT-C. The indicated MOAT-D transmembrane helices are based upon inspection of an alignment with MRP.

Figures 6A and 6B show a comparison of the nucleotide binding folds and hydropathy profiles of MOAT-C and MOAT-D with those of other related ABC transporters. Fig. 6A depicts the comparison of the nucleotide binding folds. The alignment was produced using the PILEUP command (gap weight 3.0, length weight 0.1) in the Genetics Computer Group Package Version 9.1. Amino acid positions conserved in at least 4 of the 8 proteins are shaded. Periods indicate gaps in the alignment. Walker A and B, and the ABC transporter family signature sequence C are indicated by underbars. Fig. 6A shows the comparison of hydropathy profiles. To facilitate comparisons, gaps were introduced at the N-termini of some proteins in order to bring the first nucleotide binding folds into register. Nucleotide binding folds are indicated by bars. Values above and below the horizontal lines indicate hydrophobic and hydrophilic regions, respectively. Hydrophobicity plots were generated using the Kyte-Doolittle algorithm with a window of 7 residues. Accession numbers are as follows:

MRP, P33529; cMOAT, U63970, SUR, Q09428; CFTR, P-13569; MDR1, P08183.

Figure 7 is a Northern blot showing the tissue distribution of MOAT-C and MOAT-D transcripts. Blots containing poly A+ RNA prepared from various human tissues were hybridized with MOAT-C, MOAT-D and actin probes. Arrows indicate the position of the MOAT-C (top panel) and MOAT-D (middle panel) transcripts. The bottom panel shows the control actin transcript.

Figures 8A and 8B show the chromosomal localization of the *MOAT-C* and *MOAT-D* genes. Human metaphase spreads were hybridized with a biotin-labeled MOAT-C and MOAT-D cDNA probes and detected by FITC-conjugated avidin. Fig. 8A shows the localization of *MOAT-C*. Hybridization signals at chromosome 3q27 in two metaphase spreads are indicated by arrows (top). The inset shows paired hybridization signals at band q27 of chromosome 3 from three other metaphase spreads. Fig. 8B shows the localization of *MOAT-D*. Hybridization signals at chromosome 17q21-22 in two metaphase spreads are indicated by arrows (top). The inset shows paired hybridization signals at band q21-22 of chromosome 17 from three other metaphase spreads.

Figure 9 shows predicted amino acid sequence of MOAT-E. Also shown are the location of the potential transmembrane helices (overbars), the potential N-glycosylation site (black dot) and the two nucleotide binding folds (NBF1 and NBF2). Walker A and B motifs, as well as the signature C motif of ABC transporters, are also indicated.

Figure 10 shows a comparison of the hydropathy profile of MOAT-E with other members of the MRP-cMOAT subfamily. The profile reveals that MOAT-E has a hydrophobic N-terminal segment which is absent in MOAT-B and MOAT-C.

Figure 11 is a RNA blot which reveals that MOAT-E is expressed only in the liver and the kidney, suggesting that MOAT-E may participate in the excretion of substances into urine and bile. The lower panel shows hybridization of an actin probe to assess RNA loading.

Figures 12A-12J show the cDNA (SEQ ID NO: 1) and amino acid sequences (SEQ ID NO: 2)encoded by MOATB.

Figures 13A-13K show the cDNA (SEQ ID NO: 3) and amino acid sequences (SEQ ID NO: 4) encoded by MOATC.

Figures 14A-14K show the cDNA (SEQ ID NO: 5) and amino acid sequences (SEQ ID NO: 6) encoded by MOATD.

Figures 15A-15K show the cDNA (SEQ ID NO: 7) and amino acid sequences (SEQ ID NO: 8) encoded by MOATE.

DETAILED DESCRIPTION OF THE INVENTION

MRP and cMOAT are closely related mammalian ABC transporters that export organic anions from cells. Transfection studies have established that MRP confers resistance to natural product cytotoxic agents, and recent evidence suggests the possibility that cMOAT may contribute to cytotoxic drug resistance as well. Based upon the potential importance of these transporters in

clinical drug resistance, and their important physiological roles in the export of the amphiphilic products of phase I and phase II metabolism, we sought to identify other MRP-related transporters. Using a degenerate PCR approach, a cDNA molecule was isolated which encodes a novel ABC transporter designated herein as MOAT-B. The MOAT-B gene was mapped using fluorescence *in situ* hybridization to chromosome band 13q32. Comparison of the MOAT-B predicted protein with other transporters revealed that it is most closely related to MRP, cMOAT, and the yeast organic anion transporter YCF1. While MOAT-B is closely related to these transporters, it is distinguished by the absence of approximately 200 amino acid N-terminal hydrophobic extension that is present in MRP and cMOAT, and which is predicted to encode several transmembrane spanning segments. In addition, the MOAT-B tissue distribution is distinct from MRP and cMOAT. In contrast to MRP, which is widely expressed in most tissues, including liver, and cMOAT, whose expression is largely restricted to liver, the MOAT-B transcript is widely expressed, with particularly high levels in prostate, but is barely detectable in liver. These data indicate that MOAT-B is a ubiquitously expressed transporter that is closely related to MRP and cMOAT, and indicate that it is an organic anion pump relevant to cellular detoxification.

Three additional MRP/cMOAT-related transporters, MOAT-C, MOAT-D and MOAT-E are also disclosed herein. MOAT-C encodes a 1437 amino acid protein that is most closely related to MRP, cMOAT and MOAT-B, among eukaryotic transporters (33% - 37% identity). However, based upon amino acid identity, MOAT-C is considerably less related to MRP and cMOAT than the latter transporters are to each

other (48% identity). In addition, the MOAT-C topology is distinct from that of MRP and cMOAT in that it, like MOAT-B, lacks an N-terminal transmembrane spanning domain. MOAT-D encodes a 1530 amino acid transporter that is highly related to MRP (57% identity) and cMOAT (47% identity). MOAT-E encodes 1503 amino acid transporter that is highly related to MOAT-D, MRP and cMOAT (39-45% identity). The topology of MOAT-D and MOAT-E are quite similar to MRP and cMOAT, in that they have an N-terminal hydrophobic extension that is predicted to harbor five transmembrane spanning helices. *MOAT-C* and *MOAT-D* were mapped to chromosome bands 3q27 and 17q21-22, respectively, by fluorescence *in situ* hybridization.

The expression patterns of MOAT-C, MOAT-D and MOAT-E are distinct from those of MRP, cMOAT and MOAT-B. MOAT-C transcript is widely expressed, with highest levels in skeletal muscle, kidney and testis, but is expressed at barely detectable levels in liver and lung. MOAT-D transcript has a more restricted expression pattern, with high levels in colon, pancreas, liver and kidney. Data presented herein reveal that MOAT-E expression is restricted to liver and kidney.

Based upon degree of amino acid identity, and protein topology, the MRP-related transporters fall into two groups, with the first group consisting of MRP, cMOAT, MOAT-D and MOAT-E, and the second group consisting of MOAT-B and MOAT-C. The isolation of MOAT-C, MOAT-D and MOAT-E thus helps to define the MRP/cMOAT subfamily. The high degree of amino acid identity and topological similarity of MOAT-D and MOAT-E to MRP and cMOAT suggest that they function as organic anion transporters, and play a role in cytotoxic drug resistance. In contrast, the lower degree of amino acid identify and distinct topology

of MOAT-B and MOAT-C suggest the possibility that their substrate specificities and functions may be distinct from that of MRP, cMOAT, MOAT-D and MOAT-E.

The compositions, methods, kits and transgenic mice of the invention disclosed herein will facilitate the identification of drugs that cripple the ability of MOAT genes and proteins encoded thereby to effect the efflux of clinically beneficial pharmacological agents in malignant cells.

I. Preparation of MOAT-Encoding Nucleic Acid Molecules, MOAT Proteins, and Antibodies Thereto

A. Nucleic Acid Molecules

Nucleic acid molecules encoding the MOAT proteins of the invention may be prepared by two general methods: (1) synthesis from appropriate nucleotide triphosphates, or (2) isolation from biological sources. Both methods utilize protocols well known in the art. The availability of nucleotide sequence information, such as cDNAs having Sequence I.D. Nos. 1, 3, 5, or 7 enables preparation of an isolated nucleic acid molecule of the invention by oligonucleotide synthesis. Synthetic oligonucleotides may be prepared by the phosphoramidite method employed in the Applied Biosystems 38A DNA Synthesizer or similar devices. The resultant construct may be purified according to methods known in the art, such as high performance liquid chromatography (HPLC). Long, double-stranded polynucleotides, such as a DNA molecule of the present invention, must be synthesized in stages, due to the size limitations inherent in current oligonucleotide synthetic methods. Thus, for example, a 5 kb double-stranded molecule may be synthesized as several smaller segments of appropriate complementarity. Complementary segments thus

produced may be annealed such that each segment possesses appropriate cohesive termini for attachment of an adjacent segment. Adjacent segments may be ligated by annealing cohesive termini in the presence of DNA ligase to construct an entire 5 kb double-stranded molecule. A synthetic DNA molecule so constructed may then be cloned and amplified in an appropriate vector.

Nucleic acid sequences encoding the MOAT proteins of the invention may be isolated from appropriate biological sources using methods known in the art. In a preferred embodiment, a cDNA clone is isolated from a cDNA expression library of human origin. In an alternative embodiment, utilizing the sequence information provided by the cDNA sequence, human genomic clones encoding MOAT proteins may be isolated. Alternatively, cDNA or genomic clones having homology with MOAT-B, MOAT-C, MOAT-D or MOAT-E may be isolated from other species using oligonucleotide probes corresponding to predetermined sequences within the MOAT encoding nucleic acids.

In accordance with the present invention, nucleic acids having the appropriate level of sequence homology with the protein coding region of Sequence I.D. Nos. 1, 3, 5, and 7 may be identified by using hybridization and washing conditions of appropriate stringency. For example, hybridizations may be performed, according to the method of Sambrook et al., (supra) using a hybridization solution comprising: 5X SSC, 5X Denhardt's reagent, 1.0% SDS, 100 μg/ml denatured, fragmented salmon sperm DNA, 0.05% sodium pyrophosphate and up to 50% formamide. Hybridization is carried out at 37-42°C for at least six hours. Following hybridization, filters are washed as follows: (1) 5 minutes at room temperature in 2X SSC and 1% SDS; (2) 15 minutes at room temperature in 2X SSC and

0.1% SDS; (3) 30 minutes-1 hour at 37°C in 1X SSC and 1% SDS; (4) 2 hours at 42-65°in 1X SSC and 1% SDS, changing the solution every 30 minutes.

Nucleic acids of the present invention may be maintained as DNA in any convenient cloning vector. In a preferred embodiment, clones are maintained in a plasmid cloning/expression vector, such as pBluescript (Stratagene, La Jolla, CA), which is propagated in a suitable *E. coli* host cell.

MOAT-encoding nucleic acid molecules of the invention include cDNA, genomic DNA, RNA, and fragments thereof which may be single- or double-stranded. Thus, this invention provides oligonucleotides (sense or antisense strands of DNA or RNA) having sequences capable of hybridizing with at least one sequence of a nucleic acid molecule of the present invention, such as selected segments of the cDNA having Sequence I.D. No. 1. Such oligonucleotides are useful as probes for detecting or isolating MOAT genes. Antisense nucleic acid molecules may be targeted to translation initiation sites and/or splice sites to inhibit the translation of the MOAT-encoding nucleic acids of the invention. Such antisense molecules are typically between 15 and 30 nucleotides and length and often span the translational start site of MOAT encoding mRNA molecules.

It will be appreciated by persons skilled in the art that variants of these sequences exist in the human population, and must be taken into account when designing and/or utilizing oligos of the invention. Accordingly, it is within the scope of the present invention to encompass such variants, with respect to the MOAT sequences disclosed herein or the oligos targeted to specific locations on the respective genes or RNA transcripts.

With respect to the inclusion of such variants, the term "natural allelic variants" is used herein to refer to various specific nucleotide sequences and variants thereof that would occur in a human population. The usage of different wobble codons and genetic polymorphisms which give rise to conservative or neutral amino acid substitutions in the encoded protein are examples of such variants. Additionally, the term "substantially complementary" refers to oligo sequences that may not be perfectly matched to a target sequence, but the mismatches do not materially affect the ability of the oligo to hybridize with its target sequence under the conditions described.

B. **Proteins**

Full-length MOAT-B, MOAT-C, MOAT-D and MOAT-E proteins of the present invention may be prepared in a variety of ways, according to known methods. The proteins may be purified from appropriate sources, e.g., transformed bacterial or animal cultured cells or tissues, by immunoaffinity purification. However, this is not a preferred method due to the low amount of protein likely to be present in a given cell type at any time. The availability of nucleic acid molecules encoding MOAT proteins enables production of the proteins using *in vitro* expression methods known in the art. For example, a cDNA or gene may be cloned into an appropriate *in vitro* transcription vector, such as pSP64 or pSP65 for *in vitro* transcription, followed by cell-free translation in a suitable cell-free translation system, such as wheat germ or rabbit reticulocytes. *In vitro* transcription and translation systems are commercially available, e.g., from Promega Biotech, Madison, Wisconsin or Gibco-BRL,

Gaithersburg, Maryland.

Alternatively, according to a preferred embodiment, larger quantities of MOAT proteins may be produced by expression in a suitable prokaryotic or eukaryotic system. For example, part or all of a DNA molecule, such as a cDNA having Sequence I.D. No. 1, 3, 5 or 7 may be inserted into a plasmid vector adapted for expression in a bacterial cell, such as *E. coli*. Such vectors comprise the regulatory elements necessary for expression of the DNA in the host cell positioned in such a manner as to permit expression of the DNA in the host cell. Such regulatory elements required for expression include promoter sequences, transcription initiation sequences and, optionally, enhancer sequences.

The human MOAT proteins produced by gene expression in a recombinant procaryotic or eukaryotic system may be purified according to methods known in the art. In a preferred embodiment, a commercially available expression/secretion system can be used, whereby the recombinant protein is expressed and thereafter secreted from the host cell, to be easily purified from the surrounding medium. If expression/secretion vectors are not used, an alternative approach involves purifying the recombinant protein by affinity separation, such as by immunological interaction with antibodies that bind specifically to the recombinant protein or nickel columns for isolation of recombinant proteins tagged with 6-8 histidine residues at their N-terminus or C-terminus. Alternative tags may comprise the FLAG epitope or the hemagglutinin epitope. Such methods are commonly used by skilled practitioners.

The human MOAT proteins of the invention, prepared by the aforementioned methods, may be analyzed according to

standard procedures. For example, such proteins may be subjected to amino acid sequence analysis, according to known methods.

The present invention also provides antibodies capable of immunospecifically binding to proteins of the invention. Polyclonal antibodies directed toward human MOAT proteins may be prepared according to standard methods. In a preferred embodiment, monoclonal antibodies are prepared, which react immunospecifically with the various epitopes of the MOAT proteins described herein. Monoclonal antibodies may be prepared according to general methods of Köhler and Milstein, following standard protocols. Polyclonal or monoclonal antibodies that immunospecifically interact with MOAT proteins can be utilized for identifying and purifying such proteins. For example, antibodies may be utilized for affinity separation of proteins with which they immunospecifically interact. Antibodies may also be used to immunoprecipitate proteins from a sample containing a mixture of proteins and other biological molecules. Other uses of anti-MOAT antibodies are described below.

II. Uses of MOAT-Encoding Nucleic Acids, MOAT Proteins and Antibodies Thereto

Cellular transporter molecules have received a great deal of attention as potential targets of chemotherapeutic agents designed to effectively block the export of pharmacological reagents from tumor cells. The MOAT proteins of the invention play a pivotal role in the transport of molecules across the cell membrane.

Additionally, MOAT nucleic acids, proteins and antibodies thereto, according to this invention, may be used as research tools to identify other proteins that are

intimately involved in the transport of molecules into and out of cells. Biochemical elucidation of molecular mechanisms which govern such transport will facilitate the development of novel anti-transport agents that may sensitize tumor cells to conventional chemotherapeutic agents.

A. MOAT-Encoding Nucleic Acids

MOAT-encoding nucleic acids may be used for a variety of purposes in accordance with the present invention. MOAT-encoding DNA, RNA, or fragments thereof may be used as probes to detect the presence of and/or expression of genes encoding MOAT proteins. Methods in which MOAT-encoding nucleic acids may be utilized as probes for such assays include, but are not limited to: (1) *in situ* hybridization; (2) Southern hybridization (3) northern hybridization; and (4) assorted amplification reactions such as polymerase chain reactions (PCR).

The MOAT-encoding nucleic acids of the invention may also be utilized as probes to identify related genes from other animal species. As is well known in the art, hybridization stringencies may be adjusted to allow hybridization of nucleic acid probes with complementary sequences of varying degrees of homology. Thus, MOAT-encoding nucleic acids may be used to advantage to identify and characterize other genes of varying degrees of relation to the MOAT genes of the invention. Such information enables further characterization of transporter molecules which give rise to the chemoresistant phenotype of certain tumors. Additionally, they may be used to identify genes encoding proteins that interact with MOAT proteins (e.g., by the "interaction trap" technique), which should further accelerate

identification of the components involved in the acquisition of drug resistance. The MOAT encoding nucleic acids may also be used to generate primer sets suitable for PCR amplification of target MOAT DNA. Criteria for selecting suitable primers are well known to those of ordinary skill in the art.

Nucleic acid molecules, or fragments thereof, encoding MOAT genes may also be utilized to control the production of MOAT proteins, thereby regulating the amount of protein available to participate in cytotoxic drug efflux. As mentioned above, antisense oligonucleotides corresponding to essential processing sites in MOAT-encoding mRNA molecules may be utilized to inhibit MOAT protein production in targeted cells. Alterations in the physiological amount of MOAT proteins may dramatically affect the ability of these proteins to transport pharmacological reagents out of the cell.

Host cells comprising at least one MOAT encoding DNA molecule are encompassed in the present invention. Host cells contemplated for use in the present invention include but are not limited to bacterial cells, fungal cells, insect cells, mammalian cells, and plant cells. The MOAT encoding DNA molecules may introduced singly into such host cells or in combination to assess the phenotype of cells conferred by such expression. Methods for introducing DNA molecules are also well known to those of ordinary skill in the art. Such methods are set forth in Ausubel et al. eds., Current Protocols in Molecular Biology, John Wiley & Sons, NY, NY 1995, the disclosure of which is incorporated by reference herein.

The availability of MOAT encoding nucleic acids enables the production of strains of laboratory mice carrying part or all of the MOAT genes or mutated

sequences thereof. Such mice may provide an in vivo model for development of novel chemotherapeutic agents. Alternatively, the MOAT nucleic acid sequence information provided herein enables the production of knockout mice in which the endogenous genes encoding MOAT-B, MOAT-C, MOAT-D or MOAT-E have been specifically inactivated. Methods of introducing transgenes in laboratory mice are known to those of skill in the art. Three common methods include: 1. integration of retroviral vectors encoding the foreign gene of interest into an early embryo; 2. injection of DNA into the pronucleus of a newly fertilized egg; and 3. the incorporation of genetically manipulated embryonic stem cells into an early embryo.

The alterations to the MOAT gene envisioned herein include modifications, deletions, and substitutions. Modifications and deletions render the naturally occurring gene nonfunctional, producing a "knock out" animal. Substitutions of the naturally occurring gene for a gene from a second species results in an animal which produces an MOAT gene from the second species. Substitution of the naturally occurring gene for a gene having a mutation results in an animal with a mutated MOAT protein. A transgenic mouse carrying the human MOAT gene is generated by direct replacement of the mouse MOAT gene with the human gene. These transgenic animals are valuable for use in vivo assays for elucidation of other medical disorders associated with cellular activities modulated by MOAT genes. A transgenic animal carrying a "knock out" of a MOAT encoding nucleic acid is useful for the establishment of a nonhuman model for chemotherapy resistance involving MOAT regulation.

As a means to define the role that MOAT plays in mammalian systems, mice can be generated that cannot make

MOAT proteins because of a targeted mutational disruption of a MOAT gene.

The term "animal" is used herein to include all vertebrate animals, except humans. It also includes an individual animal in all stages of development, including embryonic and fetal stages. A "transgenic animal" is any animal containing one or more cells bearing genetic information altered or received, directly or indirectly, by deliberate genetic manipulation at the subcellular level, such as by targeted recombination or microinjection or infection with recombinant virus. The term "transgenic animal" is not meant to encompass classical cross-breeding or in vitro fertilization, but rather is meant to encompass animals in which one or more cells are altered by or receive a recombinant DNA molecule. This molecule may be specifically targeted to defined genetic locus, be randomly integrated within a chromosome, or it may be extrachromosomally replicating DNA. The term "germ cell line transgenic animal" refers to a transgenic animal in which the genetic alteration or genetic information was introduced into a germ line cell, thereby conferring the ability to transfer the genetic information to offspring. If such offspring in fact, possess some or all of that alteration or genetic information, then they, too, are transgenic animals.

The alteration or genetic information may be foreign to the species of animal to which the recipient belongs, or foreign only to the particular individual recipient, or may be genetic information already possessed by the recipient. In the last case, the altered or introduced gene may be expressed differently than the native gene.

The altered MOAT gene generally should not fully encode the same MOAT protein native to the host animal and

its expression product should be altered to a minor or great degree, or absent altogether. However, it is conceivable that a more modestly modified MOAT gene will fall within the compass of the present invention if it is a specific alteration.

The DNA used for altering a target gene may be obtained by a wide variety of techniques that include, but are not limited to, isolation from genomic sources, preparation of cDNAs from isolated mRNA templates, direct synthesis, or a combination thereof.

A preferred type of target cell for transgene introduction is the embryonal stem cell (ES). ES cells may be obtained from pre-implantation embryos cultured in vitro. Transgenes can be efficiently introduced into the ES cells by standard techniques such as DNA transfection or by retrovirus-mediated transduction. The resultant transformed ES cells can thereafter be combined with blastocysts from a non-human animal. The introduced ES cells thereafter colonize the embryo and contribute to the germ line of the resulting chimeric animal.

One approach to the problem of determining the contributions of individual genes and their expression products is to use isolated MOAT genes to selectively inactivate the wild-type gene in totipotent ES cells (such as those described above) and then generate transgenic mice. The use of gene-targeted ES cells in the generation of gene-targeted transgenic mice is known in the art.

Techniques are available to inactivate or alter any genetic region to a mutation desired by using targeted homologous recombination to insert specific changes into chromosomal alleles. However, in comparison with homologous extrachromosomal recombination, which occurs at a frequency approaching 100%, homologous plasmid-

chromosome recombination was originally reported to only be detected at frequencies between 10^{-6} and 10^{-3}. Nonhomologous plasmid-chromosome interactions are more frequent occurring at levels 10^{5}-fold to 10^{2}-fold greater than comparable homologous insertion.

To overcome this low proportion of targeted recombination in murine ES cells, various strategies have been developed to detect or select rare homologous recombinants. One approach for detecting homologous alteration events uses the polymerase chain reaction (PCR) to screen pools of transformant cells for homologous insertion, followed by screening of individual clones. Alternatively, a positive genetic selection approach has been developed in which a marker gene is constructed which will only be active if homologous insertion occurs, allowing these recombinants to be selected directly. One of the most powerful approaches developed for selecting homologous recombinants is the positive-negative selection (PNS) method developed for genes for which no direct selection of the alteration exists. The PNS method is more efficient for targeting genes which are not expressed at high levels because the marker gene has its own promoter. Non-homologous recombinants are selected against by using the Herpes Simplex virus thymidine kinase (HSV-TK) gene and selecting against its nonhomologous insertion with effective herpes drugs such as gancyclovir (GANC) or (1-(2-deoxy-2-fluoro-B-D arabinofluranosyl)-5-iodouracil, (FIAU). By this counter selection, the number of homologous recombinants in the surviving transformants can be increased.

As used herein, a "targeted gene" or "knock-out" is a DNA sequence introduced into the germline or a non-human animal by way of human intervention, including but not

limited to, the methods described herein. The targeted genes of the invention include DNA sequences which are designed to specifically alter cognate endogenous alleles.

Methods of use for the transgenic mice of the invention are also provided herein. Knockout mice of the invention can be injected with tumor cells or treated with carcinogens to generate carcinomas. Such mice provide a biological system for assessing chemotherapy resistance as modulated by a MOAT gene of the invention. Accordingly, therapeutic agents which inhibit the action of these transporters and thereby prevent efflux of beneficial chemotherapeutic agents from tumor cells may be screened in studies using MOAT knock out mice.

As described above, MOAT-encoding nucleic acids are also used to advantage to produce large quantities of substantially pure MOAT proteins, or selected portions thereof.

B. MOAT Proteins and Antibodies

Purified full length MOAT proteins, or fragments thereof, may be used to produce polyclonal or monoclonal antibodies which also may serve as sensitive detection reagents for the presence and accumulation of MOAT proteins (or complexes containing MOAT proteins) in mammalian cells. Recombinant techniques enable expression of fusion proteins containing part or all of MOAT proteins. The full length proteins or fragments of the proteins may be used to advantage to generate an array of monoclonal antibodies specific for various epitopes of MOAT proteins, thereby providing even greater sensitivity for detection of MOAT proteins in cells.

Polyclonal or monoclonal antibodies immunologically specific for MOAT proteins may be used in

a variety of assays designed to detect and quantitate the proteins. Such assays include, but are not limited to: (1) flow cytometric analysis; (2) immunochemical localization of MOAT proteins in tumor cells; and (3) immunoblot analysis (e.g., dot blot, Western blot) of extracts from various cells. Additionally, as described above, anti-MOAT antibodies can be used for purification of MOAT proteins and any associated subunits (e.g., affinity column purification, immunoprecipitation).

From the foregoing discussion, it can be seen that MOAT-encoding nucleic acids, MOAT expressing vectors, MOAT proteins and anti-MOAT antibodies of the invention can be used to detect MOAT gene expression and alter MOAT protein accumulation for purposes of assessing the genetic and protein interactions involved in the development of drug resistance in tumor cells.

C. Methods and Kits Employing the Compositions of the Present Invention

From the foregoing discussion, it can be seen that MOAT-encoding nucleic acids, MOAT-expressing vectors, MOAT proteins and anti-MOAT antibodies of the invention can be used to detect MOAT gene expression and alter MOAT protein accumulation for purposes of assessing the genetic and protein interactions giving rise to chemotherapy resistance in tumor cells.

Exemplary approaches for detecting MOAT nucleic acid or polypeptides/proteins include:

a) comparing the sequence of nucleic acid in the sample with the MOAT nucleic acid sequence to determine whether the sample from the patient contains mutations;or

b) determining the presence, in a sample from a patient, of the polypeptide encoded by the MOAT gene and,

if present, determining whether the polypeptide is full length, and/or is mutated, and/or is expressed at the normal level; or

c) using DNA restriction mapping to compare the restriction pattern produced when a restriction enzyme cuts a sample of nucleic acid from the patient with the restriction pattern obtained from normal MOAT gene or from known mutations thereof; or,

d) using a specific binding member capable of binding to a MOAT nucleic acid sequence (either normal sequence or known mutated sequence), the specific binding member comprising nucleic acid hybridizable with the MOAT sequence, or substances comprising an antibody domain with specificity for a native or mutated MOAT nucleic acid sequence or the polypeptide encoded by it, the specific binding member being labelled so that binding of the specific binding member to its binding partner is detectable; or,

e) using PCR involving one or more primers based on normal or mutated MOAT gene sequence to screen for normal or mutant MOAT gene in a sample from a patient.

A "specific binding pair" comprises a specific binding member (sbm) and a binding partner (bp) which have a particular specificity for each other and which in normal conditions bind to each other in preference to other molecules. Examples of specific binding pairs are antigens and antibodies, ligands and receptors and complementary nucleotide sequences. The skilled person is aware of many other examples and they do not need to be listed here. Further, the term "specific binding pair" is also applicable where either or both of the specific binding member and the binding partner comprise a part of a large molecule. In embodiments in which the specific

binding pair are nucleic acid sequences, they will be of a length to hybridize to each other under conditions of the assay, preferably greater than 10 nucleotides long, more preferably greater than 15 or 20 nucleotides long.

In most embodiments for screening for alleles giving rise to chemotherapy resistance, the MOAT nucleic acid in biological sample will initially be amplified, e.g. using PCR, to increase the amount of the analyte as compared to other sequences present in the sample. This allows the target sequences to be detected with a high degree of sensitivity if they are present in the sample. This initial step may be avoided by using highly sensitive array techniques that are becoming increasingly important in the art.

The identification of the MOAT gene and its association with a particular chemotherapy resistance paves the way for aspects of the present invention to provide the use of materials and methods, such as are disclosed and discussed above, for establishing the presence or absence in a test sample of a variant form of the gene, in particular an allele or variant specifically associated with chemotherapy resistance. This may be done to assess the propensity of the tumor to exhibit chemotherapy resistance.

In still further embodiments, the present invention concerns immunodetection methods for binding, purifying, removing, quantifying or otherwise generally detecting biological components. The encoded proteins or peptides of the present invention may be employed to detect antibodies having reactivity therewith, or, alternatively, antibodies prepared in accordance with the present invention, may be employed to detect the encoded proteins or peptides. The steps of various useful immunodetection methods have been

described in the scientific literature, such as, e.g., Nakamura et al. (1987).

In general, the immunobinding methods include obtaining a sample suspected of containing a protein, peptide or antibody, and contacting the sample with an antibody or protein or peptide in accordance with the present invention, as the case may be, under conditions effective to allow the formation of immunocomplexes.

The immunobinding methods include methods for detecting or quantifying the amount of a reactive component in a sample, which methods require the detection or quantitation of any immune complexes formed during the binding process. Here, one would obtain a sample suspected of containing a MOAT gene encoded protein, peptide or a corresponding antibody, and contact the sample with an antibody or encoded protein or peptide, as the case may be, and then detect or quantify the amount of immune complexes formed under the specific conditions.

In terms of antigen detection, the biological sample analyzed may be any sample that is suspected of containing the MOAT antigen, such as a tumor tissue section or specimen, a homogenized tissue extract, an isolated cell, a cell membrane preparation, separated or purified forms of any of the above protein-containing compositions.

Contacting the chosen biological sample with the protein, peptide or antibody under conditions effective and for a period of time sufficient to allow the formation of immune complexes (primary immune complexes) is generally a matter of simply adding the composition to the sample and incubating the mixture for a period of time long enough for the antibodies to form immune complexes with, i.e., to bind to, any antigens present. After this time, the sample-antibody composition, such as a tissue

section, ELISA plate, dot blot or Western blot, will generally be washed to remove any non-specifically bound antibody species, allowing only those antibodies specifically bound within the primary immune complexes to be detected.

In general, the detection of immunocomplex formation is well known in the art and may be achieved through the application of numerous approaches. These methods are generally based upon the detection of a label or marker, such as any radioactive, fluorescent, biological or enzymatic tags or labels of standard use in the art. U.S. Patents concerning the use of such labels include U.S. Pat. Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149 and 4,366,241, each incorporated herein by reference. Of course, one may find additional advantages through the use of a secondary binding ligand such as a second antibody or a biotin/avidin ligand binding arrangement, as is known in the art.

In one broad aspect, the present invention encompasses kits for use in detecting expression of MOAT encoding nucleic acids in biological samples, including biopsy samples. Such a kit may comprise one or more pairs of primers for amplifying nucleic acids corresponding to the MOAT gene. The kit may further comprise samples of total mRNA derived from tissues expressing at least one or a subset of the MOAT genes of the invention, to be used as controls. The kit may also comprise buffers, nucleotide bases, and other compositions to be used in hybridization and/or amplification reactions. Each solution or composition may be contained in a vial or bottle and all vials held in close confinement in a box for commercial sale. In a further embodiment, the invention encompasses a kit for use in detecting MOAT proteins in chemotherapy

resistant cancer cells comprising antibodies specific for MOAT proteins encoded by the MOAT nucleic acids of the present invention.

Another aspect of the present invention comprises screening methods employing host cells expressing one or more MOAT genes of the invention. An advantage of having discovered the complete coding sequenced of MOAT B-E is that cell lines that overexpress MOATB C D or E can be generated using standard transfection protocols. Cells that overexpress the complete cDNA will also harbor the complete proteins, a feature that is essential for biological activity of proteins. The overexpressing cell lines will be useful in several ways: 1)The drug sensitivity of overexpressing cell lines can be tested with a variety of known anticancer agents in order to determine the spectrum of anticancer agents for which the transporter confers resistance; 2)The drug sensitivity of overexpressing cell lines can be used to determine whether newly discovered anticancer agents are transported out of the cell by one of the discovered transporters; 3)Overexpressing cell lines can be used to identify potential inhibitors that reduce the activity of the transporters. Such inhibitors are of great clinical interest in that they may enhance the activity of known anticancer agents, thereby increasing their effectiveness. Reduced activity will be detected by restoration of anticancer drug sensitivity, or by reduction of transporter mediated cellular efflux of anticancer agents. In vitro biochemical studies designed to identify reduced transporter activity in the presence of potential inhibitors can also be performed using membranes prepared from overexpessing cell lines; and 4)Overexpressing cell lines can also be used to

determine whether pharmaceutical agents that are not anticancer agents are transported out of the cell by the transporters.

The following protocols are provided to facilitate the practice of the present invention.

Isolation of MOAT-B cDNA

Forward {CT(A/G/T) GT(A/G/T) GC(A/G/T) GT(A/G/T) GT(A/G/T) GG(A/G/C/T)}(SEQ ID NO:9) and reverse {(G/A)CT (A/G/C/T)A(A/G/C) (A/G/C/T)GC (A/G/C/T)(G/C)(T/A) (A/G/C/T)A(A/G) (A/G/C/T)GG (A/G/C/T)TC (A/G)TC}(SEQ ID NO:16) degenerate oligonucleotide primers were designed based upon the first nucleotide binding folds of human MRP, CFTR, and MDR1. Bacteriophage DNA isolated from a C200 cDNA library prepared in the λpCEV27 phagemid vector (17) was used as template in PCR reactions containing 250 ng cDNA, 5 μM primers, 50 mM KCl, 10 mM Tris-HCl, pH 8.3, 3 mM $MgCl_2$, .05% gelatin, 0.2 mM dNTP and Taq polymerase (Perkin Elmer Cetus). Five cycles of PCR were performed as follows: 94°C for 1 minute, 40°C for 2 minutes, 72°C for 3 minutes. Twenty five cycles were then performed as follows: 94°C for 1 minute, 55°C for 1 minute, and 72°C for 1 minute. The resulting reaction products were used as template in a second round of PCR, as described above, with nested forward {CGGGATCC AG(A/G) GA(A/G) AA(C/T) AT(A/C/T) CT(A/G/C/T) TTT GG(A/G/C/T)}(SEQ ID NO:17) and reverse {CGGAATTC (A/G/T/C)TC (A/G)TC (A/C/T)AG (A/G/C/T)AG (A/G)TA (A/T/G)AT (A/G)TC}(SEQ ID NO:18) degenerate oligonucleotide primers. PCR reaction products were isolated from an agarose gel and subcloned into the BamHI and EcoRI sites of pBluescript (Stratagene). Nucleotide sequence analysis

was performed on plasmid DNA prepared from ampicillin resistant transformants. Additional cDNA clones were isolated from C200 (ovary) and B5 (breast) cDNA libraries by plaque hybridization using the PCR product as the initial radiolabeled probe.

RNA Blot Analysis

Blots containing polyA$^+$ RNA isolated from human tissues (Clontech) were prehybridized at 45°C for 8 hours in 50% formamide, 4X SSC, 4X Denhardt's solution, 0.04 M sodium phosphate monobasic, pH 6.5, 0.8% (w/v) glycine, 0.1 mg/ml sheared denatured salmon sperm DNA. Hybridization was performed at 45°C with ^{32}P-labeled MOAT-B or GAPDH probes in a solution containing 50% formamide, 3X SSC, 0.04 M sodium phosphate pH 6.5, 10% dextran sulfate, 0.1 mg/ml sheared denatured salmon sperm DNA. Blots were washed 2 times for 15 min at 65°C in 2X SSC, 5 mM Tris-HCl pH7.4, 0.5% SDS, 2.5 mM EDTA, 0.1% sodium pyrophosphate pH 8.0, and subsequently washed 2 times for 15 min in 0.1X SSC. Blots were then subjected to autoradiography.

Chromosomal localization

Preparation of metaphase spreads from phytohemagglutinin-stimulated lymphocytes of a healthy female donor, and fluorescence *in situ* hybridization and detection of immunofluorescence were carried out as previously described (18). A 2.2-kb cDNA clone of MOAT-B inserted in pBluescript was biotinylated by nick translation in a reaction containing 1 μg DNA, 20 μM each of dATP, dCTP and dGTP, 1 μM dTTP, 25 mM Tris-HCl, pH 7.5, 5 mM $MgCl_2$, 10 mM ß-mercaptoethanol, 10μM biotin-16-dUTP (Boehringer Mannheim), 2 units DNA polymerase 1/DNase 1 (GIBCO, BRL) and water to a total volume of 50 μl. The

probe was denatured and hybridized to metaphase spreads overnight at 37°C. Hybridization sites were detected with fluorescein-labeled avidin (Oncor) and amplified by addition of anti-avidin antibody (Oncor) and a second layer of fluorescein-labeled avidin. The chromosome preparations were counterstained with DAPI and observed with a Zeiss Axiophot epifluorescence microscope equipped with a cooled charge coupled device camera (Photometrics, Tucson AZ) operated by a Macintosh computer work station. Digitized images of DAPI staining and fluorescein signals were captured, pseudo-colored and merged using Oncor Image version 1.6 software.

Isolation of MOAT-C and MOAT-D cDNA

MOAT-C and MOAT-D cDNA clones were isolated by plaque hybridization from bacteriophage cDNA libraries using the I.M.A.G.E. clones as the initial probes (ATCC).

RNA blot analysis

Blots containing polyA$^+$ RNA isolated from human tissues (Clontech) were purchased from Clontech, and hybridized with radiolabeled MOAT-C, MOAT-D or actin probes according to the manufacturer's directions.

Chromosomal localization

Preparation of metaphase spreads from phytohemagglutinin-stimulated lymphocytes of a healthy female donor, and fluorescence *in situ* hybridization and detection of immunofluorescence were carried out as previously described (18). A MOAT-C probe inserted in pBluescript, or MOAT-D probe inserted in pBluescript, was biotinylated by nick translation in a reaction containing 1 μg DNA, 20 μM each of dATP, dCTP and dGTP, 1 μM dTTP, 25

mM Tris-HCl, pH 7.5, 5 mM $MgCl_2$, 10 mM ß-mercaptoethanol, 10μM biotin-16-dUTP (Boehringer Mannheim), 2 units DNA polymerase 1/DNase 1 (GIBCO, BRL) and water to a total volume of 50 μl. The probe was denatured and hybridized to metaphase spreads overnight at 37°C. Hybridization sites were detected with fluorescein-labeled avidin (Oncor) and amplified by addition of anti-avidin antibody (Oncor) and a second layer of fluorescein-labeled avidin. The chromosome preparations were counterstained with DAPI and observed with a Zeiss Axiophot epifluorescence microscope equipped with a cooled charge coupled device camera (Photometrics, Tucson AZ) operated by a Macintosh computer work station. Digitized images of DAPI staining and fluorescein signals were captured, pseudo-colored and merged using Oncor Image version 1.6 software.

The following examples are provided to illustrate various embodiments of the invention. They are not intended to limit the invention in any way.

EXAMPLE I

Isolation of MOAT-B cDNA.

A degenerate PCR approach was used to isolate MRP-related transporters. Degenerate oligonucleotide primers were prepared based upon the N-terminal nucleotide binding folds of MRP and other eukaryotic transporters, and used in conjunction with DNA prepared from an ovarian cancer cell line bacteriophage library. Nucleotide sequence analysis of one of the resulting PCR products indicated that it encoded a segment of a novel nucleotide binding fold that was most closely related to MRP and cMOAT. Overlapping cDNA clones were isolated from ovarian and breast bacteriophage libraries by plaque hybridization using the PCR product as the initial probe. A total of

5.9 kB of cDNA was isolated. Nucleotide sequence analysis revealed two classes of cDNA clones that were about equally represented among isolates from each of the two bacteriophage libraries. The first class contained an open reading frame of 3975 bp that was bordered by in frame stop codons located at positions -76 and -42 (relative to the putative initiation codon) and 3976, and encoding a predicted protein of 1325 amino acids, which is designated MOAT-B. The open reading frame was followed by approximately 2 kB of 3' untranslated sequences. The most upstream ATG in the open reading frame was located in the sequence context $^{-4}$CAAG**ATG**C^{+4}. The A at position -3 of the putative translation initiation codon was in agreement with the major feature of the Kozak consensus sequence, but the C at position +4 was divergent from the more usual G. The second class of cDNA clones was identical to the first with the exception of a single nucleotide. These clones harbored an additional T following nucleotide 3872 of the first class of clones, close to the C-terminus of the predicted protein. This additional nucleotide resulted in a frame shift such that the predicted protein of the second class of cDNA clones was 22 residues shorter than that of the first class of cDNA clones, and in which the C-terminal 34 residues of the latter reading frame were replaced by 12 distinct residues. See brief description of Figure 1.

Analysis of the MOAT-B Predicted Structure.

Comparison of the MOAT-B predicted protein with complete coding sequences in protein data bases using the BLAST program indicated that it shared significant similarity with several eukaryotic ABC transporters. Table I.

Table I. Comparison of peptide domains of MOAT-B with those of other eukaryotic ABC transporters

MOAT-B Domain (peptide)	TM1 (88-376)	NBF1 (428-576)	linker region (577-705)	TM2 (706-992)	NBF2 (1058-1216)	C-terminus (1217-1325)	overall identity
	percent identity						
MRP human	28.6	55.6	27.9	33.3	61.6	51.6	39.2
YCF1 yeast	27	56	27.9	34	57.2	48.5	38.9
MOAT human	33.2	53.3	32.8	31.4	55.3	44.9	38
CFTR Human	30.5	48	27.9	37.7	44	21	36.3
SUR rat	28.1	41.3	28.2	30	52.8	42.8	32.9
MDR1 human	17.6	39.2	21.1	17.3	32.2	40.3	23.3

[B] The indicated domains are, TM1: segment containing the transmembrane spanning domain N-terminal to NBF1; NBF1 and NBF2: nucleotide binding folds 1 and 2; Linker region: segment located between NBF1 and TM2;TM2: segment containing the transmembrane spanning domain located between the two NBFs; C-terminus: segment between NBF2 and the C-terminus of the proteins. Sequence alignments were generated using the PILEUP program of the GCC package. Percent amino acid identity with MOAT-B domains are shown.

Typical features of eukaryotic ABC transporters were present in the predicted MOAT-B protein. See Figure 1. Overall the protein was composed of a tandem repeat of a nucleotide binding fold appended C-terminal to a hydrophobic domain that contained several potential transmembrane spanning helices. Conserved Walker A and B ATP binding sites were present in each of the nucleotide binding folds. See Figure 2A. In addition, a conserved C motif, the signature sequence of ABC transporters, was present in each nucleotide binding fold. Analysis of potential transmembrane motifs using the TMAP program (19) and an input sequence alignment of MOAT-B and MOAT-C, a transporter highly related to MOAT-B[4], predicted 12 transmembrane helices with 6 transmembrane segments in

each of the two hydrophobic domains. This 6 + 6 configuration of predicted transmembrane helices is in agreement with topological models proposed for MRP and other ABC transporters (20, 21), and is shown in Figure 1. However, alternative predictions of transmembrane segments were obtained using different program parameters or input sequence alignments. For example, when the TMAP program was used with an input sequence alignment consisting of human MRP, rat cMOAT, rat sulfonyl urea receptor (SUR), human cystic fibrosis conductance regulator (CFTR) and human P-glycoprotein, a 6 + 5 configuration was predicted. The only substantial difference between the latter prediction and the structure shown in Figure 1 is that transmembrane segments 9 (829-853) and 10 (855-878) were replaced by a single predicted transmembrane segment spanning amino acids 847 - 875.

Among ABC transporters, the degree of similarity of the nucleotide binding folds is considered to be the best indicator of functional conservation. Comparison of the nucleotide binding folds of MOAT-B with other eukaryotic ABC transporters indicated that it was most closely related to MRP, the yeast cadmium resistance protein (YCF1) and cMOAT (Table I), three transporters that have organic anions as substrates. The MOAT-B NBF1 was 55.6, 56.0 and 53.3 percent identical, and the MOAT-B NBF2 was 61.6, 57.2 and 55.3 percent identical to the first and second nucleotide binding folds of human MRP, YCF1 and human cMOAT, respectively. Aside from the latter transporters, the MOAT-B nucleotide binding folds were most closely related to those of CFTR and SUR. The MOAT-B nucleotide binding folds shared significantly less similarity with those of MDR1. Alignment of the MOAT-B nucleotide binding folds with those of other eukaryotic

transporters is shown in Figure 2A. Analysis of the overall amino acid identity of MOAT-B with other ABC transporters also indicated that it was most closely related to MRP, YCF1 and cMOAT (Table I). Overall MOAT-B was 39.2, 38.9 and 38 percent identical to these transporters, respectively. Figure 2B shows a comparison of the hydropathy profiles of MOAT-B with those of other eukaryotic transporters. This comparison reveals that MOAT-B (1325 amino acids) is approximately 200 amino acids smaller than MRP (1531 residues), cMOAT (1545 residues) and YCF1 (1515 residues), and that this size difference is largely accounted for by the absence in MOAT-B of an amino terminal hydrophobic extension that is present in MRP, cMOAT and YCF1 (22). This N-terminal hydrophobic segment is predicted to harbor several transmembrane spanning segments, and is also present in SUR.

Expression Pattern of MOAT-B in Human Tissues.

To gain insight into the possible function of MOAT-B, its expression pattern in a variety of human tissues was examined by RNA blot analysis. As shown in Figure 3, a MOAT-B transcript of approximately 6 kB was readily detected. The isolation of 5.9 kB of MOAT-B cDNA was consistent with this size. MOAT-B expression was detected in each of the 16 tissues analyzed. Transcript levels were highest in prostate and lowest in liver and peripheral blood leukocytes, for which prolonged exposure of film were required to detect expression. Intermediate levels of expression were observed in other tissues.

Chromosomal Localization of the *MOAT-B* Gene.

The *MOAT-B* chromosomal localization was determined by fluorescence *in situ* hybridization. As shown in Figure 4, hybridization of the MOAT-B probe to metaphase spreads revealed specific labeling at human chromosome band 13q32.

Fluorescent signals were detected on chromosome 13 in each of 19 metaphase spreads scored. Of 135 signals observed, 62 (46%) were on 13q. Among these signals, 61 localized at 13q32, near the boundary between 13q31 and 13q32. Paired (on sister chromatids) signals were only seen at band 13q32. In several metaphases, signals on a single chromatid were observed at chromosome bands 6p21 or 4q21, suggesting hybridization to distantly related sequences.

EXAMPLE II

Isolation of MOAT-C and MOAT-D cDNA.

Isolation of the MOAT-B_4 transporter as described above suggested the possibility that there were other MRP/cMOAT-related transporters. A blast search (36) of the nonredundent expressed sequence tag data base using MRP and related yeast transporters revealed two clones with significant similarity to MRP and cMOAT. The first of these sequences (I.M.A.G.E. consortium clone 113196) was 1.2 kb in length, 800 bp of which encoded an MRP-related peptide. A segment of this clone was used as a probe to screen ovarian and hematopoietic bacteriophage libraries. Analysis of these cDNA clones indicated that they contained approximately 2 kb of additional coding sequence not present in clone 113196. An additional 1655 bp of 5' sequence was obtained by several rounds of RACE using the bacteriophage DNA prepared from the ovarian cDNA library as template. The continuity of the sequences obtained by RACE with the cDNA clones isolated from bacteriophage libraries was confirmed by nucleotide sequence analysis of a 2 kb product obtained by RT/PCR using an upstream oligonucleotide primer located at the 5' end of the RACE sequence and a downstream primer located at the 5' end of the cDNA obtained by plaque

hybridization. A total of approximately 5.9 kb of cDNA sequences were isolated. Nucleotide sequence analysis revealed an open reading frame of 4311 bp that was preceded by an in frame stop codon located at positions -93 (relative to the putative initiation codon), and encoding a predicted protein of 1437 amino acids, which is designated MOAT-C herein. The open reading frame was followed by approximately 1.4 kB of 3' untranslated sequences in which a polyadenylation sequence (AAUAAA) was located 20 bp upstream of the poly(A) tail. The most upstream ATG in the open reading frame was located in the sequence context $^{-4}$GAAG**ATG**A^{+4}. The A at position -3 of the putative translation initiation codon was in agreement with the major feature of the Kozak consensus sequence, but the A at position +4 was divergent from the more usual G (37). The second sequence identified in our data base search (I.M.A.G.E. consortium clone 208097) was 1.2 kb in length, of which 588 bp encoded an MRP-related peptide. A segment of this clone was used as a probe to screen liver and monocyte bacteriophage cDNA libraries, and 5' cDNA segments of the isolated cDNA clones were used in a subsequent round of screening. Together approximately 5.2 kb of cDNA sequence were isolated. Nucleotide sequence analysis revealed an open reading frame of 4570 bp, which is designated MOAT-D herein. The open reading frame was followed by approximately 0.6 kb of 3' untranslated sequences in which a polyadenylation sequence (AAUAAA) was located 12 bp upstream of the poly(A) tail. An upstream in frame stop codon was not present in the MOAT-D cDNA clones, and attempts to obtain additional upstream sequences by RACE using as template cDNA prepared from sources in which MOAT-D is abundant were not successful. The most upstream ATG in the open reading frame

(nucleotide position 5-7), located in the sequence context -4ATGGATGG-4, was therefore designated as the translational initiation site. The G at position +4, was in good agreement with the Kozak consensus sequence, but the T at -3 was divergent from the more usual A (37). Although an upstream in frame stop codon was not identified in the MOAT-D cDNA clones, the size of the encoded protein was within one amino acid of the size of the transporter with which it shares the highest degree of identity (MRP), suggesting that the complete MOAT-D open reading frame was present in the isolated cDNA clones.

Analysis of the MOAT-C and MOAT-D Predicted Proteins.

Comparison of the MOAT-C and MOAT-D predicted proteins with complete coding sequences in protein data bases using the BLAST program indicated that they shared significant similarity with several eukaryotic ABC transporters. Typical features of eukaryotic ABC transporters were present in the predicted proteins. See Figure 5. Overall the proteins were composed of hydrophobic domains containing potential transmembrane spanning helices and two nucleotide binding folds. Conserved Walker A and B ATP binding sites, as well as a conserved C motif, the signature sequence of ABC transporters, was present in the nucleotide binding folds. Computer assisted analysis of potential transmembrane helices of MOAT-C using the TMAP program (19) predicted 12 transmembrane helices with 6 transmembrane spanning helices in each of two membrane spanning domains. This 6 + 6 (TM1-TM6 and TM7-TM12) configuration of predicted transmembrane helices is in agreement with topological models proposed for several other ABC transporters (20, 21), and is shown in Figure 5. However, alternative

predictions of transmembrane segments were obtained using different program parameters or input sequence alignments. Comparison of the hydropathy profiles of MOAT-C with other MRP/cMOAT-related transporters (Fig. 6B) indicates that its structure is similar to that of MOAT-B, which also has two membrane spanning domains.

In contrast to MOAT-C, hydrophobicity analysis of MOAT-D indicated that it has three membrane spanning domains. Similar to MRP, cMOAT and the yeast cadmium resistance factor 1 (YCF1), MOAT-D has an additional N-terminal hydrophobic domain that is not present in MOAT-B or MOAT-C (Figs. 5 and 6). A 5+6+6 configuration of transmembrane spanning helices has been proposed for MRP (38), in which the N-terminal extension harbors 5 transmembrane spanning helices, and 6 transmembrane helices are present in the second and third membrane spanning domain. An alignment of the MOAT-D predicted protein with MRP using the GAP program indicated that proposed MRP transmembrane spanning helices were conserved in MOAT-D. This 5+6+6 model for MOAT-D is shown in Fig. 5. Another configuration of transmembrane spanning helices (5+6+4) was predicted using computer assisted analysis. MRP has been reported to have two N-linked glycosylation sites in its N-terminus (Asn-19 and Asn-23) and another site located between the first and second transmembrane spanning helix of its third membrane spanning domain (Asn-1006). The alignment of MOAT-D with MRP indicated that an N-terminal (Asn-21) and a distal N-glycosylation sites (Asn-1008/1009) were conserved in analogous positions in MOAT-D. Only the distal N-glycosylation site of MRP is conserved in MOAT-C (Asn890) (Fig. 5) and MOAT-B[4] (Asn746/754).

Among ABC transporters, the degree of similarity of

the nucleotide binding folds is considered to be the best indicator of functional conservation. Comparison of the nucleotide binding folds of MOAT-C and MOAT-D with other eukaryotic ABC transporters indicated that they were most closely related to those of human MRP, human cMOAT and yeast YCF1, three transporters that have organic anions as substrates. As shown in Table 2, among the human transporters, the MOAT-C NBF1 was about equally related to MOAT-D, MRP and cMOAT (55-61% identity), and less similar to MOAT-B (49% identity).

Table II. Amino acid identity: nucleotide binding folds 1 and 2 of MRP/cMOAT sub-family members.

	MOAT-C	MOAT-D	MOAT-B	MRP	cMOAT	YCFI
			%IDENTIFY (BNF1/NBF20)			
MOAT-C	-----	57.3/58.9	49.3/59.1	60.0/59.4	61.3/60.6	55.3/58/8
MOAT-D	57.3/58/9	-----	55.3/54.1	70.173.8	67.3/70.0	52.7/61.3
MOAT-B	49.3/59.1	55.3/54.1	-----	57.3/61/6	53.3/55.3	56.0/57.2
MRP	60.0/59.4	70.7/73.7	57.3/61.6	-----	66.0/73.1	53.3/63.8
cMOAT	61/3/60.6	67.3/70.0	53.3/55.3	66.0/73.1	-----	50.7/61/3
YCF1	55.3/58.8	52.7/61.3	56.0/57.2	53.3/63.8	50.7/61.3	-----

The MOAT-C NBF2 shared about equal amino acid identity with the five other transporters in this group (59-61% identity). Overall, the MOAT-C protein was about equally related to the other five transporters in this group, with 33.1-36.5% identity. Aside from these

transporters, MOAT-C is most closely related to CFTR, with which its NBFs shared 44%/42 % identity, and SUR, with which its NBFs shared 49%/51% identity.

The MOAT-D NBFs were clearly most closely related to those of MRP and cMOAT, with which they shared considerable amino acid identity (67.3-73.8%). See Table III. Of the latter two transporters, the MOAT-D NBFs were slightly more related to those of MRP. In contrast, the MOAT-D NBFs shared only 55.3-58.9% identity with those of MOAT-C and MOAT-B. Overall, MOAT-D was again most closely related to MRP (57.3%) and cMOAT (46.9%), but significantly more related to MRP. Consistent with the analysis of NBFs, MOAT-D was much less related to MOAT-C and MOAT-B, with which it shared only 33.1% and 35.3% identity, respectively. Alignment of the MOAT-C and MOAT-D nucleotide binding folds with those of other eukaryotic transporters is shown in Fig. 6.

Table III. Overall amino acid identifying among MRP/cMOAT sub-family members

	MOAT-C	MOAT-D	MOAT-B	MRP	cMOAT	YCF1
			%identity			
MOAT-C	----	33.1	36.5	35.8	36.2	33.6
MOAT-D	33.1	----	35.3	57.3	46.9	38.1
MOAT-B	36.4	35.3	----	39.4	36.8	38.8
MRP	35.8	57.3	39.4	----	48.4	46.4
cMOAT	36.3	46.9	36.8	48.8	----	38.8
YCF1	33.6	38.1	38.8	40.4	38.8	----

Expression Pattern of MOAT-C and MOAT-D in Human Tissues.

To gain insight into the possible functions of MOAT-C and MOAT-D, their expression patterns in a variety of human tissues was examined by RNA blot analysis. As

shown in Fig. 7 (upper panels), a MOAT-C transcript of approximately 6.6 kB was readily detected in several tissues. MOAT-C transcript levels were highest in skeletal muscle, with intermediate levels in kidney, testes, heart and brain. Low levels were detected in most other tissues, including spleen, thymus, prostate, ovary, and placenta. Prolonged exposures were required for detection in lung and liver. MOAT-D was expressed as an approximately 6 kb transcript (middle panels). Compared to MOAT-C, the MOAT-D expression pattern was more restricted. MOAT-D was highly expressed in colon and pancreas, with lower levels in liver and kidney. Low levels were detected in small intestine, placenta and prostate. Prolonged exposures were required to detect MOAT- D in testes, thymus, spleen and lung.

Chromosomal localization of the *MOAT-C* and *MOAT-D* genes.

The *MOAT-C and MOAT-D* chromosomal localizations were determined by fluorescence *in situ* hybridization. As shown in Figure 8, hybridization of the MOAT-C probe to metaphase spreads revealed specific labeling at human chromosome band 3q27. Fluorescent signals were detected on chromosome 3q in each of 22 metaphase spreads scored. Of 75 signals observed, 43 (57%) were on 3q. Paired (on sister chromatids) signals were only seen at band 3q27. Hybridization of the MOAT-D probe revealed specific labeling at human chromosome band 17q21.3. Fluorescent signals were detected on chromosome 17 in each of 21 metaphase spreads scored. Of 83 signals observed, 34 (41%) were on 17q21.3. Paired (on sister chromatids) signals were only seen at band 17q21.3.

EXAMPLE III

Isolation of MOAT-E and MOAT-E cDNA.

Analysis of ara, a reported cDNA sequence that encodes a 453 amino acid transporter, revealed that it is a non-physiological sequence representing a combination of 5' MRP sequences fused to an MRP/cMOAT-related transporter. The MRP sequences extend to codon 8 of the reported predicted protein.

To isolate the complete physiological cDNA, a RT/PCR approach was employed in which primers were designed based upon a reported genomic sequence that encodes exons identical to the reported ara sequence. The MOAT-E cDNA was isolated in three segments. The first segment, spanning residues 1-616, was isolated by PCR using 5' primer ATGGCCGCGCCTGCTGAGC; (SEQ ID NO: 10)and 3' primer GTCTACGACACCAGGGTCAA (SEQ ID NO: 11). The second segment, spanning residues 1815-3187, was isolated by PCR using 5' CTGCCTGGAAGAAGTTGACC (SEQ ID NO: 12) and 3' primer CTGGAATGTCCACGTCAACC (SEQ ID NO: 13). The third segment, spanning residues 3158-1503, was isolated by PCR using 5' primer GGAGACAGACACGGTTGACG (SEQ ID NO: 14) and 3' primer GCAGACCAGGCCTGACTCC (SEQ ID NO: 15). The primer were designed based upon the nucleotide sequence of human genomic BAC clone CIT987SD-962B4. The template for these reactions was random-primed human kidney cDNA prepared from total RNA. Using this approach the physiological cDNA was isolated which is designated MOAT-E herein and set forth as Sequence I.D. No. 7.

Analysis of the MOAT-E Predicted Protein.

MOAT-E encodes a 1503 amino acid transporter. The MOAT-E predicted amino acid sequence is designated Sequence I.D. No. 8. See Figure 9. Also shown is the

location of potential transmembrane helices (overbars), potential N-glycosylation site (black dot) and the two nucleotide binding folds (NBF1 and NBF2). Walker A and B motifs, as well as the signature C motif of ABC transporters are also indicated. Comparison of MOAT-E with ara indicates that the ara predicted protein is not only a fused sequence, but also that it represents only 446 (~30%) of the 1503 MOAT-E residues.

Comparison of MOAT-E with the other members of the MRP/cMOAT subfamily, which include MRP, cMOAT, MOAT-B, MOAT-C and MOAT-E, is shown in Table IV. MOAT-E is highly related to MOAT-D, MRP and cMOAT, with which it shares 39-45% identity. This high degree of identity is also indicated by the high percent identities of the nucleotide binding folds, which range from 55-61%. In contrast, MOAT-E is less related to MOAT-B and MOAT-C, with which it shares ~31% and 34% identity, respectively.

Table IV. Amino acid identity among MRP/cMOAT sub-family members.[a] The bold type indicates the percent identity of the overall proteins, and the parentheses indicates the percent identity of the nucleotide binding folds.

	MOAT-E	MOAT-B	MOAT-C	MOAT-D	MRP	cMOAT
			% identity[b]			
MOAT-E	---	**33.9**	**30.6**	**43.6**	**45.1**	**38.9**
	---	(52.0/56.6)	(50.0/52.5)	(59.3/59.4)	(61.3/61.4)	(55.3/59.4)
MOAT-B	**33.9**	---	**36.4**	**35.3**	**39.4**	**36.8**
	(52.0/56.6)	---	(49.3/59.1)	(55.3/54.1)	(57.3/61.6)	(56.0/57 2)
MOAT-C	**30.0**	**36.4**	---	**33.1**	**35.8**	**36.2**
	(50.0/52.5)	(49.3/59.1)	---	(57.3/58.9)	(60.6/59.4)	(61.3/60.6)
MOAT-D	**43.6**	**35.3**	**33.1**	---	**57.3**	**46.9**
	(59.3/59.4)	(55.3/54.1)	(57.3/58.9)	---	(70 7/73.8)	(67.3/70.0)
MRP	**45.1**	**39.4**	**35.8**	**57.3**	---	**48.4**
	(61.3/61.9)	(57.3/61.6)	(60.0/59.4)	(70.7/73.8)	---	(66.0/73 1)
cMOAT	**38.9**	**36.8**	**36.2**	**46.9**	**48.4**	---
	(53.1/59.4)	(56.0/57.2)	(61.3/60.6)	(67.3/70.0)	(66.0/73.1)	---

[a]overall amino acid identifies are indicated in bold-face, and identities of nucleotide binding folds 1 and 2 are indicated in parentheses (NBF1/NBF2).
[b]percent identity was obtained using the GAP command in the GCG package.

Comparison of the hydropathy profile of MOAT-E with other members of the MRP/cMOAT subfamily if shown in figure 10. The data reveal that MOAT-E has a hydrophobic N-terminal segment that is present in its closest relatives, MOAT-D, MRP and cMOAT. This structural feature is present in all of the currently known organic anion transporters, and suggests that MOAT-E may share substrate specificity with MRP and cMOAT. MOAT-E may also share the drug resistance activity of the latter two proteins. In contrast, MOAT-B and MOAT-C do not have this hydrophobic N-terminal extension.

Expression Pattern of MOAT-E in Human Tissues.

In a Northern blot of RNA isolated from various tissues, MOAT-E expression is restricted to liver and kidney, suggesting that MOAT-E may participate the excretion of substances into the urine and bile. See Figure 11. This figure also shows that MOAT-E is expressed as an ~6 kB transcript. This is in contrast to the ~2.3 kB transcript that was reported for ara, clearly indicating that the fused ara transcript is unique to the cell line from which it was isolated, and is not a physiological transcript. Together, the isolation of MOAT-E and analysis of its sequence and expression pattern suggest that it may be involved in cellular resistance to drugs and/or the excretion of drugs into the urine and bile.

DISCUSSION

The present invention discloses additional MRP/cMOAT-related transporters which were identified by

using a degenerative PCR cloning approach in which the conserved amino terminal ATP-binding domain of known eukaryotic transporters was targeted. Using this approach the complete coding sequences of MOAT-B, MOAT-C, MOAT-D and MOAT-E were obtained. MOAT-B is a protein whose predicted structure indicates that it is a member of the ABC transporter family. Comparison of the MOAT-B predicted protein with other transporters reveals that it is most closely related to MRP, cMOAT and yeast YCF1, and thus extends the number of known full length MRP-related transporters. The similarity of MOAT-B to these transporters suggest that it shares a similar substrate specificity. Transport assays using membrane vesicle preparations indicate that MRP is capable of transporting diverse organic anions, including glutathione S-conjugates such as LTC_4, oxidized glutathione, and glucuronidated and sulfated conjugates of steroid hormones and bile salts (7). Although membrane vesicle transport assays of substrate specificity using cMOAT-transfected cells have not yet been reported, genetic and biochemical studies using TR- and EHBR rat strains, which are defective in the hepatobiliary excretion of glutathione and glucuronate conjugates, indicate that it is also an ATP-dependent transporter of organic anions. cMOAT, which is primarily expressed in the canalicular membrane of hepatocytes, has been reported to be absent in these rat strains, and hepatocyte canalicular membranes prepared from the mutant rats are deficient in the ATP-dependent transport of glutathione and glucuronate conjugates (23, 24). In addition, cMOAT protein has also been reported to be absent in the hepatocytes of patients with Dubin-Johnson syndrome (25), a disorder manifested by chronic

conjugated hyperbilirubinemia. YCF1, a yeast transporter, has also been demonstrated to transport glutathione complexes (26). Thus, based upon the similarity of MOAT-B to these three transporters, it is possible that it also functions to transport organic anions, an activity critical to the cellular detoxification of a wide range of xenobiotics.

MOAT-C, MOAT-D and MOAT-E are three other MRP/cMOAT-related transporters. The isolation of these two transporters extends the number of known full length members of this subfamily to six. Based upon the degree of amino acid similarity and overall topology these six proteins fall into two groups. The first group is composed of MOAT-D, MOAT-E, MRP and cMOAT. These four transporters are highly related, sharing ~39-45% amino acid identity. MOAT-D is more closely related to MRP (57% identity) than is cMOAT (48% identity), and is therefore the closest known relative of MRP. In addition to a high degree of amino acid identity, the similarity between MOAT-D, MRP and cMOAT, also extends to overall topology. Like MRP and cMOAT, MOAT-D and MOAT-E have three membrane spanning domains, including an N-terminal hydrophobic extension that is predicted to harbor ~5 transmembrane helices, and which is absent in transporters such as CFTR and MDR1. This N-terminal extension is also present in YCF1, a related yeast transporter that transports glutathione S-conjugates, and SUR, a more distantly related transporter involved in the regulation of potassium channels. The second group of MRP/cMOAT-related transporters is composed of MOAT-B and MOAT-C. These two transporters are distinguished from the first group by their lower level of amino acid similarity and distinct topology. Like MOAT-D and MOAT-E, MOAT-B

and MOAT-C are more closely related to MRP (39% and 36%, respectively) and cMOAT (37% and 36%, respectively) than to other eukaryotic transporters . However, they share considerably less similarity with MRP, cMOAT, MOAT-D and MOAT-E than the latter four transporters share with each other (~39-45% identity). In addition, in contrast to MRP, cMOAT, MOAT-D and MOAT-E, MOAT-B and MOAT-C do not have an N-terminal membrane spanning domain, and their topology is therefore more similar to many other eukaryotic ABC transporters that also have only two membrane spanning domains.

Defining the contributions of MOAT-B, MOAT-C, MOAT-D and MOAT-E to cytotoxic drug resistance will facilitate the design of novel chemotherapeutic agents. The multidrug resistance activity of MRP is well described. While the drug sensitivity pattern of cMOAT-transfected cells has not yet been reported, the possibility that it may also confer resistance to cytotoxic drugs is suggested by a recent report in which transfection of a cMOAT antisense vector was found to enhance the sensitivity of a human liver cancer cell line to both natural product drugs and cisplatin. Since MOAT-D and MOAT-E are more closely related to MRP than is cMOAT, the possibility that they will also confer resistance is particularly intriguing. The availability of the MOAT-B, MOAT-C, MOAT-D and MOAT-E cDNAs will facilitate the analysis of their possible contributions to cytotoxic resistance.

References

1. Gottesman, M. M. and Pastan, I. Biochemistry of multidrug resistance mediated by the multidrug transporter. Annu. Rev. Biochem., *62:* 385-427, 1993

2. Kruh, G. D., Chan, A., Myers, K., Gaughan, K., Miki, T., and Aaronson, S. A. Expression complementary DNA library transfer establishes mrp as a multidrug resistance gene. Cancer Res., *54:* 1649-52, 1994.

3. Zaman, G. J., Flens, M. J., van Leusden, M. R., de Haas, M., Mulder, H.S., Lankelma, J., Pinedo, H. M., Scheper, R. J., Baas, F., Broxterman, H.J., and Borst, P. The human multidrug resistance-associated protein MRP is a plasma membrane drug-efflux pump. Proc. Natl. Acad. Sci. U S A, *91:* 8822-6, 1994.

4. Grant, C. E., Valdimarsson, G., Hipfner, D. R., Almquist, K. C., Cole, S.P., and Deeley, R. G. Overexpression of multidrug resistance-associated protein (MRP) increases resistance to natural product drugs. Cancer Res., 54:357-61, 1994.

5. Breuninger, L. M., Paul, S., Gaughan, K., Miki, T., Chan, A., Aaronson, S. A., and Kruh, G. D. Expression of Multidrug Resistance-associated Protein in NIH/3T3 Cells Confers Multidrug Resistance Associated with Increased Drug Efflux and Altered Intracellular Drug Distribution. Cancer Res., *55:* 5342-5347, 1995.

6. Cole, S. P., Sparks, K. E., Fraser, K., Loe, D. W., Grant, C. E., Wilson, G. M., and Deeley, R. G. Pharmacological characterization of multidrug resistant MRP-transfected human tumor cells. Cancer Res., *54:* 5902-10, 1994.

7. Keppler, D., Leier, I., and Jedlitschky, G. Transport of glutathione conjugates and glucuronides by the multidrug resistance proteins MRP1 and MRP2. Biol. Chem., *378:* 787-91, 1997.

8. Lee, J. S., Scala, S., Matsumoto, Y., Dickstein, B., Robey, R., Zhan, Z., Altenberg, G., and Bates, S. E. Reduced drug accumulation and multidrug resistance in human breast cancer cells without associated P-glycoprotein or MRP overexpression. J. Cell. Biochem., *65:* 513-26, 1997.

9. Gately, D. P. and Howell, S. B. Cellular accumulation

of the anticancer agent cisplatin: a review. Br. J. Cancer, *67:* 1171-6, 1993.

10. Ishikawa, T. and Ali-Osman, F. Glutathione-associated cis-diamminedichloroplatinum(II) metabolism and ATP-dependent efflux from leukemia cells. Molecular characterization of glutathione-platinum complex and its biological significance. J. Biol. Chem., *268:* 20116-25, 1993.

11. Ishikawa, T., Wright, C. D., and Ishizuka, H. GS-X pump is functionally overexpressed in cis-diamminedichloroplatinum (II)-resistant human leukemia HL-60 cells and down-regulated by cell differentiation. J. Biol. Chem., *269:* 29085-93, 1994.

12. Fujii, R., Mutoh, M., Sumizawa, T., Chen, Z. S., Yoshimura, A., and Akiyama, S. Adenosine triphosphate-dependent transport of leukotriene C4 by membrane vesicles prepared from cisplatin-resistant human epidermoid carcinoma tumor cells [see comments]. J. Natl. Cancer Inst., *86:* 1781-4, 1994.

13. Ishikawa, T., Bao, J. J., Yamane, Y., Akimaru, K., Frindrich, K., Wright, C. D., and Kuo, M. T. Coordinated induction of MRP/GS-X pump and gamma-glutamylcysteine synthetase by heavy metals in human leukemia cells. J. Biol. Chem., *271:* 14981-8, 1996.

14. Taniguchi, K., Wada, M., Kohno, K., Nakamura, T., Kawabe, T., Kawakami, M., Kagotani, K., Okumura, K., Akiyama, S., and Kuwano, M. A human canalicular multispecific organic anion transporter (cMOAT) gene is overexpressed in cisplatin-resistant human cancer cell lines with decreased drug accumulation. Cancer Res., *56:* 4124-9, 1996.

15. Kool, M., de Haas, M., Scheffer, G. L., Scheper, R. J., van Eijk, M. J., Juijn, J. A., Baas, F., and Borst, P. Analysis of expression of cMOAT (MRP2), MRP3, MRP4, and MRP5, homologues of the multidrug resistance-associated protein gene (MRP1), in human cancer cell lines. Cancer Res., *57:* 3537-47, 1997.

16. Koike, K., Kawabe, T., Tanaka, T., Toh, S., Uchiumi, T., Wada, M., Akiyama, S., Ono, M., and Kuwano, M. A canalicular multispecific organic anion transporter (cMOAT) antisense cDNA enhances drug sensitivity in human hepatic cancer cells. Cancer Res., *57:* 5475-9, 1997.

17. Miki, T., Fleming, T. P., Crescenzi, M., Molloy, C. J., Blam, S. B., Reynolds, S. H., and Aaronson, S. A. Development of a highly efficient expression cDNA cloning system: application to oncogene isolation. Proc. Natl. Acad. Sci. U S A, *88:* 5167-71, 1991.

18. Bell, D. W., Taguchi, T., Jenkins, N. A., Gilbert, D. J., Copeland, N. G., Gilks, C. B., Zweidler-McKay, P., Grimes, H. L., Tsichlis, P. N., and Testa, J. R. Chromosomal localization of a gene, GF1, encoding a novel zinc finger protein reveals a new syntenic region between man and rodents. Cytogenet. Cell. Genet., *70:* 263-7, 1995.

19. Persson, B. and Argos, P. Prediction of transmembrane segments in proteins utilising multiple sequence alignments. J. Mol. Biol., *237:* 182-92, 1994.

20. Bakos, E., Hegedus, T., Hollo, Z., Welker, E., Tusnady, G. E., Zaman, G. J., Flens, M. J., Varadi, A., and Sarkadi, B. Membrane topology and glycosylation of the human multidrug resistance-associated protein. J. Biol. Chem., *271:* 12322-6, 1996.

21. Loo, T. W. and Clarke, D. M. Membrane topology of a cysteine-less mutant of human P-glycoprotein. J. Biol. Chem., *270:* 843-8, 1995.

22. Tusnady, G. E., Bakos, E., Varadi, A., and Sarkadi, B. Membrane topology distinguishes a subfamily of the ATP-binding cassette (ABC) transporters. FEBS Lett., *402:* 1-3, 1997.

23. Paulusma, C. C., Bosma, P. J., Zaman, G. J., Bakker, C. T., Otter, M., Scheffer, G. L., Scheper, R. J., Borst, P., and Oude Elferink, R. P. Congenital jaundice in rats with a mutation in a multidrug resistance-associated protein gene. Science, *271:* 1126-82, 1996.

24. Buchler, M., Konig, J., Brom, M., Kartenbeck, J., Spring, H.,Horie, T., and Keppler, D. cDNA cloning of the hepatocyte canalicular isoform of the multidrug resistance protein, cMrp, reveals a novel conjugate export pump deficient in hyperbilirubinemic mutant rats. J. Biol. Chem., *271:* 15091-8, 1996.

25. Kartenbeck, J., Leuschner, U., Mayer, R., and Keppler, D. Absence of the canalicular isoform of the MRP gene-encoded conjugate export pump from the hepatocytes

in Dubin-Johnson syndrome. Hepatology, *23:* 1061-6, 1996.

26. Li, Z. S., Szczypka, M., Lu, Y. P., Thiele, D. J., and Rea, P. A. The yeast cadmium factor protein (YCF1) is a vacuolar glutathione S-conjugate pump. J. Biol. Chem., *271:* 6509-17, 1996.

27. Wemmie, J. A. and Moye-Rowley, W. S. Mutational analysis of the Saccharomyces cerevisiae ATP-binding cassette transporter protein Ycf1p. Mol. Microbiol., *25:* 683-94, 1997.

28. Kruh, G. D., Gaughan, K. T., Godwin, A. K., and Chan, A. Expression Pattern of MRP in Human Tissues and Adult Solid Tumor Cell Lines. J. Natl. Cancer Inst., *87:* 1256-58, 1995.

29. Longhurst, T. J., O'Neill, G. M., Harvie, R. M., and Davey, R. A. The anthracycline resistance-associated (ara) gene, a novel gene associated with multidrug resistance in a human leukaemia cell line. Br. J. Cancer, *74:* 1331-5, 1996.

30. Allikmets, R., Gerrard, B., Hutchinson, A., and Dean, M. Characterization of the human ABC superfamily: isolation and mapping of 21 new genes using the expressed sequence tags database. Hum. Mol. Genet., *5:* 1649-55, 1996.

31. Shen, D.-w., Pastan, I., and Gottesman, M. M. Cross-Resistance to Methotrexate and Metals in Human Cisplatin-resistant Cell Lines Results from a Pleiotroic Defect n Accumulation of These Compounds Associated with Reduced Plasma Membrane Binding Proteins. Cancer Res., *58:* 268-275, 1998.

32. Naredi, P., Heath, D. D., Enns, R. E., and Howell, S. B. Cross-resistance between cisplatin and antimony in a human ovarian carcinoma cell line. Cancer Res., *54:* 6464-8, 1994.

33. Naredi, P., Heath, D. D., Enns, R. E., and Howell, S. B. Cross-resistance between cisplatin, antimony potassium tartrate, and arsenite in human tumor cells. J. Clin. Invest., *95:* 1193-8, 1995.

34. Wemmie, J. A., Szczypka, M. S., Thiele, D. J., and Moye-Rowley, W. S. Cadmium tolerance mediated by the yeast AP-1 protein requires the presence of an

ATP-binding cassette transporter-encoding gene, YCF1. J. Biol. Chem., *269:* 32592-7, 1994.

35. O'Dwyer, P. J., Johnson, S. W., and Hamilton, T. C. Cisplatin and its Analogues. *In:* V. T. J. DeVita, S. Hellman, and S. A. Rosenberg (eds.), Cancer Principles and Practice of Oncology, pp. 418-432. Philadelphia: Lippincott-Raven, 1997.

36. Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D. J. Basic Local Alignment Search Tool. J. Mol. Biol. *215*:403-10, 1990.

37. Kozak, M. Compilation and analysis of sequences upstream from the translational start site in eukaryotic mRNAs. Nuc. Acids. Res. *12*:857-72.

38. Tusnady, G.E., Bakos, E., Varadi, A., Sarkadi, B. Membrane topology distinguishes a subfamily of the ATP-binding cassette (ABC) transporters. FEBS Lett. *402*:1-3, 1997.

While certain of the preferred embodiments of the present invention have been described and specifically exemplified above, it is not intended that the invention be limited to such embodiments. Various modifications may be made thereto without departing from the scope and spirit of the present invention, as set forth in the following claims.

What is claimed is:

1. An isolated nucleic acid molecule having the sequence of SEQ ID NO:1, said nucleic acid molecule comprising a nucleotide sequence encoding a MOAT-B transporter protein about 1350 amino acids in length, said encoded transporter protein comprising a multi-domain structure including a tandem repeat of nucleotide binding folds appended C-terminal to a hydrophobic domain, said nucleotide binding folds having Walker A and B ATP binding sites, said C-terminal domain having a plurality of membrane spanning helices.

2. The nucleic acid molecule of claim 1, which is DNA.

3. The DNA molecule of claim 2, which is a cDNA comprising a sequence approximately 5.9 kilobase pairs in length that encodes said MOAT-B transporter protein.

4. The DNA molecule of claim 2, which is a gene comprising introns and exons, the exons of said gene specifically hybridizing with the nucleic acid of SEQ ID NO 1, and said exons encoding said MOAT-B transporter protein.

5. An isolated RNA molecule transcribed from the nucleic acid of claim 1.

6. The nucleic acid molecule of claim 1, wherein said sequence encodes a MOAT-B transporter

protein having an amino acid sequence selected from the group consisting of SEQ ID NO 2 and amino acid sequences encoded by natural allelic variants of said sequence.

7. The nucleic acid molecule of claim 6, which comprises SEQ ID NO 1.

8. An antibody immunologically specific for the protein encoded by the nucleic acid of claim 1.

9. An antibody as claimed in claim 8, said antibody being monoclonal.

10. An antibody as claimed in claim 8, said antibody being polyclonal.

11. An isolated nucleic acid molecule having the sequence of SEQ ID NO: 3, said nucleic acid molecule comprising a sequence encoding a MOAT-C transporter protein about 1450 amino acids in length, said transporter protein having a multi-domain structure including a tandem repeat of nucleotide binding folds, said nucleotide binding foldes having Walker A and B binding sites, and a C-terminal hydrophobic domain that contains several membrane spanning helices.

12. The nucleic acid molecule of claim 11, which is DNA.

13. The DNA molecule of claim 12, which is a cDNA comprising a sequence approximately 6.6 kilobase pairs in length that encodes said MOAT-C transporter protein.

14. The DNA molecule of claim 12, which is a gene comprising introns and exons, the exons of said gene specifically hybridizing with the nucleic acid of SEQ ID NO 3, and said exons encoding said MOAT-C transporter protein.

15. An isolated RNA molecule transcribed from the nucleic acid of claim 11.

16. The nucleic acid molecule of claim 11, wherein said sequence encodes a MOAT-C transporter protein having an amino acid sequence selected from the group consisting of SEQ ID NO 4 and amino acid sequences encoded by natural allelic variants of said sequence.

17. The nucleic acid molecule of claim 11, which comprises SEQ ID NO 3.

18. An antibody immunologically specific for the protein encoded by the nucleic acid of claim 11.

19. An antibody as claimed in claim 18, said antibody being monoclonal.

20. An antibody as claimed in claim 18, said antibody being polyclonal.

21. An oligonucleotide between about 10 and about 200 nucleotides in length, which specifically hybridizes with a protein translation initiation site in a nucleotide sequence encoding amino acids of SEQ ID NO 4.

22. An oligonucleotide between about 10 and about 200 nucleotides in length, which specifically hybridizes with a protein translation initiation site in a nucleotide sequence encoding amino acids of SEQ ID NO 2.

23. An isolated nucleic acid molecule having the sequence of SEQ ID NO: 5, said nucleic acid molecule comprising a sequence encoding a MOAT-D transporter protein about 1550 amino acids in length, said transporter protein having a multi-domain structure including a tandem repeat of nucleotide binding folds, said nucleotide binding foldes having Walker A and B binding sites, and a C-terminal hydrophobic domain that contains several membrane spanning helices.

24. The nucleic acid molecule of claim 23, which is DNA.

25. The DNA molecule of claim 24, which is a cDNA comprising a sequence approximately 6 kilobase pairs in length that encodes said MOAT-D transporter protein.

26. The DNA molecule of claim 24, which is a gene comprising introns and exons, the exons of said gene specifically hybridizing with the nucleic acid of SEQ ID NO 5, and said exons encoding said MOAT-D transporter protein.

27. An isolated RNA molecule transcribed from the nucleic acid of claim 23.

28. The nucleic acid molecule of claim 23, wherein

said sequence encodes a MOAT-D transporter protein having an amino acid sequence selected from the group consisting of SEQ ID NO 6 and amino acid sequences encoded by natural allelic variants of said sequence.

29. The nucleic acid molecule of claim 23, which comprises SEQ ID NO 5.

30. An antibody immunologically specific for the protein encoded by the nucleic acid of claim 23.

31. An antibody as claimed in claim 30, said antibody being monoclonal.

32. An antibody as claimed in claim 30, said antibody being polyclonal.

33. An oligonucleotide between about 10 and about 200 nucleotides in length, which specifically hybridizes with a protein translation initiation site in a nucleotide sequence encoding amino acids of SEQ ID NO 6.

34. An isolated nucleic acid molecule having the sequence of SEQ ID NO:7, said nucleic acid molecule comprising a nucleotide sequence encoding a MOAT-E transporter protein about 1503 amino acids in length, said transporter protein having a multi-domain structure including a tandem repeat of nucleotide binding folds, said nucleotide binding folds having Walker A and B binding sites, and a C-terminal hydrophobic domain that contains several membrane spanning helices.

35. The nucleic acid molecule of claim 34,

which is DNA.

36. The DNA molecule of claim 35, which is a cDNA comprising a sequence approximately 6 kilobase pairs in length that encodes said MOAT-E transporter protein.

37. The DNA molecule of claim 35, which is a gene comprising introns and exons, the exons of said gene specifically hybridizing with the nucleic acid of SEQ ID NO 7, and said exons encoding said MOAT-E transporter protein.

38. An isolated RNA molecule transcribed from the nucleic acid of claim 34.

39. The nucleic acid molecule of claim 34, wherein said sequence encodes a MOAT-E transporter protein having an amino acid sequence selected from the group consisting of SEQ ID NO 8 and amino acid sequences encoded by natural allelic variants of said sequence.

40. The nucleic acid molecule of claim 39, which comprises SEQ ID NO 7.

41. An antibody immunologically specific for the protein encoded by the nucleic acid of claim 34.

42. An antibody as claimed in claim 41, said antibody being monoclonal.

43. An antibody as claimed in claim 41, said antibody being polyclonal.

44. An oligonucleotide between about 10 and about 200 nucleotides in length, which specifically hybridizes with a protein translation initiation site in a nucleotide sequence encoding amino acids of SEQ ID NO 7.

45. A plasmid comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5 and SEQ ID NO:7.

46. A vector comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5 and SEQ ID NO:7.

47. A retroviral vector comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5 and SEQ ID NO:7.

48. A host cell comprising at least one nucleic acid molecule having a sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5 and SEQ ID NO:7.

49. A host cell as claimed in claim 48, wherein said host cell is selected from the group consisting of bacterial, fungal, mammalian, insect and plant cells.

50. A host cell as claimed in claim 48, wherein said nucleic acid is provided in a plasmid and is operably linked to mammalian regulatory elements which confer high expression and stability of mRNA transcribed from said nucleic acid.

51. A host cell as claimed in claim 48, wherein said nucleic acid is provided in a plasmid and is operably linked to mammalian regulatory control elements in reverse anti-sense orientation.

52. A host animal comprising at least one nucleic acid molecule selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 3, SEQ ID NO: 5 and SEQ ID NO: 7.

53. A host animal as claimed in claim 52, wherein said animal harbors a homozygous null mutation in its endogenous MOAT gene wherein said mutation has been introduced into said mouse or an ancestor of said mouse via homologous recombination in embryonic stem cells, and further wherein said mouse does not express a functional mouse MOAT protein.

54. The transgenic mouse of claim 53, wherein said mouse is fertile and transmits said null mutation to its offspring.

55. The transgenic mouse of claim 53, wherein said null mutation has been introduced into an ancestor of said mouse at an embryonic stage following microinjection of embryonic stem cells into a mouse blastocyt.

56. A method for screening a test compound for inhibition of MOAT mediated transport, comprising:

a) providing a host cell expressing at least one MOAT-encoding nucleic acid having a sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, and 7;

b) contacting said host cell with a compound suspected of inhibiting MOAT-mediated transporter activity; and

c) assessing inhibition of transport mediated by said compound.

57. A method as claimed in claim 56, wherein inhibition of MOAT mediated transport is indicated by restoration of anticancer drug sensitivity.

58. A method as claimed in claim 57, wherein said inhibition of MOAT mediated transport is indicated by a reduction of transporter mediated cellular efflux of anticancer agents.

59. A kit for detecting the presence of MOAT encoding nucleic acids in a sample, comprising:

a) oligonucleotide primers specific for amplification of MOAT encoding nucleic acids;

b) polymerase enzyme;

c) amplification buffer; and

d) MOAT specific DNA for use as a positive control.


MOAT-B
MRP 1 MALRGFCSADGSDPLWDWNVTWNTSNPDFTKCFQNTVLVWVPCFYLWACFPFYFLYLSRHDRGYIQMTPLNKTKTALGFLLWIVCWADLFYSFWERSRGI 100
MOAT-B 1 .....MLP 3
MRP 101 FLAPVFLVSPTLLGITTLLATFLIQLERRKGVQSSGIMLTFWLVALVCALAILRSKIMTALKEDAQVDLFRDITFYVYFSLLLIQLVLSCFSDRSPLFSE 200
MOAT-B 4 VYQEVKPNPLQDANICSRVFFWWLNPLFKIGHKRRLEEDDMYSVLPEDRSQHLGEELQGFWDKEVLRAENDAQK..... 77
MRP 201 TIHDPNPCPESSASFLSRITFWWITGLIVRGYRQPLEGSDLWSLNKEDTSEQVVPVLVKNWKKECAKTRKQPVKVVYSSKDPAQPKESSKVDANEEVEAL 300
MOAT-B 78 .....PSLTRAIIKCYWKSYLVLGIFTLIEESAKVIQPIFLGKIINYFENYDPMDSVALNTAYAYATVLTFCTLIL.AILHHLYFYHVQCAGMRL 166
MRP 301 IVKSPQKEWNPSLFKVLYKTFGPYFLMSFFFKAIHDLMMFSGPQILKLLIKFVNDTKAPDWQGY.....FYTVLLFVTACLQTLVLHQYFHICFVSGMRI 395
MOAT-B 167 RVAMCHMIYRKALRLSNMAMGKTTTGQIVNLLSNDVNKFDQVTVFLHFLWAGPLQAIAVTALLWMEIGISCLAGMAVLIILLPLQSCFGKLFSSLRSKTA 266
MRP 396 KTAVIGAVYRKALVITNSARKSSTVGEIVNLMSVDAQRFMDLATYINMIWSAPLQVILALYLLWLNLGPSVLAGVAVMVLMVPVNAVMAMKTKTYQVAHM 495
MOAT-B 267 TFTDARIRTMNEVITGIRIIKMYAWEKSFSNLITNLRKKEISKILRSSCLRGMNLASFFSASKIIVFVTFTTYVLLG..SVITASRVFVAVTLYGAVRLT 364
MRP 496 KSKDNRIKLMNEILNGIKVLKLYAWELAFKDKVLAIRQEELKVLKKSAYLSAVGTFTWVCTPFLVALCTFAVYVTIDENNILDAQTAFVSLALFNILRFP 595
MOAT-B 365 VTLFFPSAIERVSEAIVSIRRIQTFLLLDEIS....QRNRQLPSDGKKMVHVQDFTAFWDKASETPTLQGLSFTVRPGELLAVVGPVGAGKSSLLSAVLG 460
NBF1
MRP 596 LNI.LPMVISSIVQASVSLKRLRIFLSHEELEPDSIERRPVKDGGGTNSITVRNATFTWAR.SDPPTLNGITFSIPEGALVAVVGQVGCGKLSLLSALLA 693
MOAT-B 461 ELAPSHGLVSVHGRIAYVSQQPWVFSGTLRSNILFGKKYEKERYEKVIKACALKKDLQLLEDGDLTVIGDRGTTLSGGQKARVNLARAVYQDADIYLLDD 560
MRP 694 EMDKVEGHVAIKGSVAYVPQQAWIQNDSLRENILFGCQLEEPYYRSVIQACALLPDLEILPSGDRTEIGEKGVNLSGGQKQRVSLARAVYSNADIYLFDD 793
NBF1
MOAT-B 561 PLSAVDAEVSRHLFELCICQ..ILHEKITILVTHQLQYLKAASQILILKDGKMVQKGTYTEFLKSGIDFGSLLK.....KDNEESEQPPVPG..... 645
MRP 794 PLSAVDAHVGKHIFENVIGPKGMLKNKTRILVTHSMSYLPQVDVIIVMSGGKISEMGSYQELLARDGAFAEFLRTYASTEQEQDAEENGVTGVSGPGKEA 893
MOAT-B 646 .....TPTLRNRTFSESSVWSQQSSRPSLKDGALESQDT..ENVPVTLSEENRSEGKVGFQAYKNYFRAGAHWIVFIFLILLNTAAQVAYVLQ 731
MRP 894 KQMENGMLVTDSAGKQLQRQLSSSSSYSGDISRHHNSTAELQKAEAKKEETWKLMEADKAQTGQVKLSVYWDYMKAIGLFISFLSIFLF.MCNHVSALAS 992
MOAT-B 732 DWWLSYWANKQSMLNVTVNGGGNVTEKLDLNWYLGIYSGLTVATVLFGIARSLLVFYVLVNSSQTLHNKMFESILKAPVLFFDRNPIGRILNRFSKDIGH 831
MRP 993 NYWLSLWTD.....DPIVNGTQEHTKVR.....LSVYGALGISQGIAVFGYSMAVSIGGILASRCLHVDLLHSILRSPMSFFERTPSGNLVNRFSKELDT 1082
MOAT-B 832 LDDLLPLTFLDFIQTLLQVVGVVSVAVAVIPWIAIPLVPLGIIFIFLRRYFLETSRDVKRLESTTRSPVFSHLSSSLQGLWTIRAYKAEERCQELFDAHQ 931
MRP 1083 VDSMIPEVIKMFMGSLFNVIGACIVILLATPIAAIIIPPLGLIYFFVQRFYVASSRQLKRLESVSRSPVYSHFNETLLGVSVIRAFEEQERFIHQSDLKV 1182
MOAT-B 932 DLHSEAWFLFLTTSRWFAVRLDAICAMFVIIVAFGSLILAKTLDAGQVGLALSYALTLMGMFQWCVRQSAEVENMMISVERVIEYTDLEKEAPWEYQK.R 1030
MRP 1183 DENQKAYYPSIVANRWLAVRLECVGNCIVLFAALFAVISRHSLSAGLVGLSVSYSLQVTTYLNWLVRMSSEMETNIVAVERLKEYSETEKEAPWQIQETR 1282
NBF2
MOAT-B 1031 PPPAWPHEGVIIFDNVNFMYSPGGPLVLKHLTALIKSQEKVGIVGRTGAGKSSLISALFRLSE.PEGKIWIDKILTTEIGLHDLRKKMSIIPQEPVLFTG 1129
MRP 1283 PPSSWPQVGRVEFRNYCLRYREDLDFVLRHINVTINGGEKVGIVGRTGAGKSSLTLGLFRINESAEGEIIIDGINIAKIGLHDLRFKITIIPQDPVLFSG 1382
NBF2
MOAT-B 1130 TMRKNLDPFKEHTDEELWNALQEVQLKETIEDLPGKMDTELAESGSNFSVGQRQLVCLARAILRKNQILIIDEATANVDPRTDELIQKKIREKFAHCTVL 1229
MRP 1383 SLRMNLDPFSQYSDEEVWTSLELAHLKDFVSALPDKLDHECAEGGENLSVGQRQLVCLARALLRKTKILVLDEATAAVDLETDDLIQSTIRTQFEDCTVL 1482
MOAT-B 1230 TIAHRLNTIIDSDKIMVLDSGRLKEYDEPYVLLQNKESLFYKMVQQLGKAEAAALTETAKQVYFKRNYHIGHTDHMVTNTSNGQPSTLTIFETAL 1325
MRP 1483 TIAHRLNTIMDYTRVIVLDKGEIQEYGAPSDLLQQR.GLFYSMAKDAGLV 1531

Figure 1

Fig. 2A


Nucleotide Binding Fold I
Nucleotide Binding Fold II
H.MOAT-B
S.YCF1
H.MRP
H.cMOAT
H.CFTR
L.PgpA
H.SUR
H.MDR1

Fig. 2B


H.MOAT-B
H.MRP
H.cMOAT
S.YCF1
R.SUR
H.CFTR
H.MDR1
0
200
400
600
800
1000
12000
1400
1600 AA


heart
brain
placenta
lung
liver
skeletal muscle
kidney
pancreas
spleen
thymus
prostate
testis
ovary
small intestine
colon
blood leukocyte
kb
9.5
7.5
4.4
2.4
kb
9.5
7.5
4.4
2.4
GAPDH

Figure 3



Figure 4

Fig. 5A


1 MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRR TRPLECQDAL ETAARAEGLS
61 LDASMHSQLR ILDEEHPKGK YHHGLSALKP IRTTSKHQHP VDNAGLFSCM TFSWLSSLAR
121 VAHKKGELSM EDVWSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRRV VWIFCRTRLI
TM1
181 LSIVCLMITQ LAGFSGPAFM VKHLLEYTQA TESNLQYSLL LVLGLLLTEI VRSWSLALTW
TM2
241 ALNYRTGVRL RGAILTMAFK KILKLKNIKE KSLGELINIC SNDGQRMFEA AAVGSLLAGG
TM3
301 PVVAILGMIY NVIILGPTGF LGSAVFILFY PAMMFASRLT AYFRRKCVAA TDERVQKMNE
TM4
361 VLTYIKFIKM YAWVKAFSQS VQKIREEERR ILEKAGYFQG ITVGVAPIVV VIASVVTFSV
TM5
421 HMTLGFDLTA AQAFTVVTVF NSMTFALKVT PFSVKSLSEA SVAVDRFKSL FLMEEVHMIK
TM6
481 NKPASPHIKI EMKNATLAWD SSHSSIQNSP KLTPKMKKDK RASRGKKEKV RQLQRTEHQA
541 VLAEQKGHLL LDSDERPSPE EEEGKHIHLG HLRLQRTLHS IDLEIQEGKL VGICGSVGSG
NBF1
A
601 KTSLISAILG QMTLLEGSIA ISGTFAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS
661 CCLRPDLAIL PSSDLTEIGE RGANLSGGQR QRISLARALY SDRSIYILDD PLSALDAHVG
C
B
NBF1
721 NHIFNSAIRK HLKSKTVLFV THQLQYLVDC DEVIFMKEGC ITERGTHEEL MNLNGDYATI
781 FNNLLLGETP PVEINSKKET SGSQKKSQDK GPKTGSVKKE KAVKPEEGQL VQLEEKGQGS
TM7
841 VPWSVYGVYI QAAGGPLAFL VIMALFMLNV GSTAFSTWWL SYWIKQGSGN TTVTRGNETS
TM8
901 VSDSMKDNPH MQYYASIYAL SMAVMLILKA IRGVVFVKGT LRASSRLHDE LFRRILRSPM
TM9
961 KFFDTTPTGR ILNRFSKDMD EVDVRLPFQA EMFIQNVILV FFCVGMIAGV FPWFLVAVGP
TM10
1021 LVILFSVLHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEFLHRYQEL
TM11
TM12
1081 LDDNQAPFFL FTCAMRWLAV RLDLISIALI TTTGLMIVLM HGQIPPAYAG LAISYAVQLT
1141 GLFQFTVRLA SETEARFTSV ERINHYIKTL SLEAPARIKN KAPSPDWPQE GEVTFENAEM
NBF2
1201 RYRENLPLVL KKVSFTIKPK EKIGIVGRTG SGKSSLGMAL FRLVELSGGC IKIDGVRISD
A
1261 IGLADLRSKL SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE
NBF2
1321 SEVMENGDNF SVGERQLLCI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAFADCT
C
B
1381 MLTIAHRLHT VLGSDRIMVL AQGQVVEFDT PSVLLSNDSS RFYAMFAAAE NKVAVKG

Fig. 5B


1 MGPMDALCGS GELGSKFWDS NLSVHTENPD LTPCFQNSLL AWVPCIYLWV ALPCYLLYLR
61 HHCRGYIILS HLSKLKMVLG VLLWCVSWAD LFYSFHGLVH GRAPAPVFFV TPLVVGVTML
121 LATLLIQYER LQGVQSSGVL IIFWFLCVVC AIVPFRSKIL LAKAEGEISD PFRFTTFYIH
181 FALVLSALIL ACFREKPPFF SAKNVDPNPY PETSVGFLSR LFFWWFTKMA IYGYRHPLEE
241 KDLWSLKEED RSQMVVQQLL EAWRKQEKQT ARHKASAAPG KNASGEDEVL LGARPRPRKP
301 SFLKALLATF GSSFLISACF KLIQDLLSFI NPQLLSILIR FISNPMAPSW WGFLVAGLMF
361 LCSMMQSLIL QHYYHYIFVT GVKFRTGIMG VIYRKALVIT NSVKRASTVG EIVNLMSVDA
421 QRFMDLAPFL NLLWSAPLQI ILAIYFLWQN LGPSVLAGVA FMVLLIPLNG AVAVKMRAFQ
481 VKQMKLKDSR IKLMSEILNG IKVLKLYAWE PSFLKQVEGI RQGELQLLRT AAYLHTTTTF
541 TWMCSPFLVT LITLWVYVYV DPNNVLDAEK AFVSVSLFNI LRLPLNMLPQ LISNLTQASV
601 SLKRIQQFLS QEELDPQSVE RKTISPGYAI TIHSGTFTWA QDLPPTLHSL DIQVPKGALV
661 AVVGPVGCGK SSLVSALLGE MEKLEGKVHM KGSVAYVPQQ AWIQNCTLQE NVLFGKALNP
721 KRYQQTLEAC ALLADLEMLP GGDQTEIGEK GINLSGGQRQ RVSLARAVYS DADIFLLDDP
781 LSAVDSHVAK HIFDHVIGPE GVLAGKTRVL VTHGISFLPQ TDFIIVLADG QVSEMGPYPA
841 LLQRNGSFAN FLCNYAPDED QGHLEDSWTA LEGAEDKEAL LIEDTLSNHT DLTDNDPVTY
901 VVQKQFMRQL SALSSDGEGQ GRPVPRRHLG PSEKVQVTEA KADGALTQEE KAAIGTVELS
961 VFWDYAKAVG LCTTLAICLL YVGQSAAAIG ANVWLSAWTN DAMADSRQNN TSLRLGVYAA
1021 LGILQGFLVM LAAMAMAAGG IQAARVLHQA LLHNKIRSPQ SFFDTTPSGR ILNCFSKDIY
1081 VVDEVLAPVI LMLLNSFFNA ISTLVVIMAS TPLFTVVILP LAVLYTLVQR FYAATSRQLK
1141 RLESVSRSPI YSHFSETVTG ASVIRAYNRS RDFEIISDTK VDANQRSCYP YIISNRWLSI
1201 GVEFVGNCVV LFAALFAVIG RSSLNPGLVG LSVSYSLQVT FALNWMIRMM SDLESNIVAV
1261 ERVKEYSKTE TEAPWVVEGS RPPEGWPPRG EVEFRNYSVR YRPGLDLVLR DLSLHVHGGE
1321 KVGIVGRTGA GKSSMTLCLF RILEAAKGEI RIDGLNVADI GLHDLRSQLT IIPQDPILFS
1381 GTLRMNLDPF GSYSEEDIWW ALELSHLHTF VSSQPAGLDF QCSEGGENLS VGQRQLVCLA
1441 RALLRKSRIL VLDEATAAID LETDNLIQAT IRTQFDTCTV LTIAHRLNTI MDYTRVLVLD
1501 KGVVAEFDSP ANLIAARGIF YGMARDAGLA
TM1
TM2
TM3
TM4
TM5
TM6
TM7
TM8
TM9
TM10
TM11
NBF1
TM12
TM13
TM14
TM15
TM16
TM17
NBF2
A
B
C


Nucleotide Binding Fold I
MOAT-D
MRP
cMOAT
MOAT-C
MOAT-B
CFTR
SUR
MDR1
A
C
B
Nucleotide Binding Fold II
MOAT-D
MRP
cMOAT
MOAT-C
MOAT-B
SUR
CFTR
MDR1
A
C
B

Fig. 6A


HumMOATC
HumMOATD
HumMOATB
HumMRP
HumMOAT
YscYCFI
HumSUR
HumCFTR
HumMDR1
1
200
400
600
800
1000
1200
1400
1600
AA

Fig. 6B


Heart
Brain
Placenta
Lung
Liver
Skeletal Muscle
Kidney
Pancreas
Spleen
Thymus
Prostate
Testis
Ovary
Small Intestine
Colon
PBLs
kb
9.5–
7.5–
4.4–
MOAT-C
MOAT-D
2.4–
1.8–
actin

Figure 7



Figure 8

```
   1  MAAPAEPCAG QGVWNQTEPE PAATSLLSLC FLRTAGVWVP PMYLWVLGPI YLLFIHHHGR
  61  GYLRMSPLFK AKMVLGFALI VLCTSSVAVA LWKIQQGTPE APEFLIHPTV WLTTMSFAVF
 121  LIHTERKKGV QSSGVLFGYW LLCFVLPATN AAQQASGAGF QSDPVRHLST YLCLSLVVAQ
 181  FVLSCLADQP PFFPEDPQQS NPCPETGAAF PSKATFWWVS GLVWRGYRRP LRPKDLWSLG
 241  RENSSEELVS RLEKEWMRNR SAARRHNKAI AFKRKGGSGM KAPETEPFLR QEGSQWRPLL
 301  KAIWQVFHST FLLGTLSLII SDVFRFTVPK LLSLFLEFIG DPKPPAWKGY LLAVLMFLSA
 361  CLQTLFEQQN MYRLKVPQMR LRSAITGLVY RKVLALSSGS RKASAVGDVV NLVSVDVQRL
 421  TESVLYLNGL WLPLVWIVVC FVYLWQLLGP SALTAIAVFL SLLPLNFFIS KKRNHHQEEQ
 481  MRQKDSRARL TSSILRNSKT IKFHGWEGAF LDRVLGIRGQ ELGALRTSGL LFSVSLVSFQ
 541  VSTFLVALVV FAVHTLVAEN AMNAEKAFVT LTVLNILNKA QAFLPFSIHS LVQARVSFDR
 601  LVTFLCLEEV DPGVVDSSSS GSAAGKDCIT IHSATFAWSQ ESPPCLHRIN LTVPQGCLLA
                                                  NBF1
 661  VVGPVGAGKS SLLSALLGEL SKVEGFVSIE GAVAYVPQEA WVQNTSVVEN VCFGQELDPP
          A
 721  WLERVLEACA LQPDVDSFPE GIHTSIGEQG MNLSGGQKQR LSLARAVYRK AAVYLLDDPL
                 NBF1                  C                    B
 781  AALDAHVGQH VFNQVIGPGG LLQGTTRILV THALHILPQA DWIIVLANGA IAEMGSYQEL
 841  LQRKGALVCL LDQARQPGDR GEGETEPGTS TKDPRGTSAG RRPELRRERS IKSVPEKDRT
 901  TSEAQTEVPL DDPDRAGWPA GKDSIQYGRV KATVHLAYLR AVGTPLCLYA LFLFLCQQVA
 961  SFCRGYWLSL WADDPAVGGQ QTQAALRGGI FGLLGCLQAI GLFASMAAVL LGGARASRLL
1021  FQRLLWDVVR SPISFFERTP IGHLLNRFSK ETDTVDVDIP DKLRSLLMYA FGLLEVSLVV
1081  AVATPLATVA ILPLFLLYAG FQSLYVVSSC QLRRLESASY SSVCSHMAET FQGSTVVRAF
1141  RTQAPFVAQN NARVDESQRI SFPRLVADRW LAANVELLGN GLVFAAATCA VLSKAHLSAG
1201  LVGFSVSAAL QVTQALQWVV RNWTDLENSI VSVERMQDYA WTPKEAPWRL PTCAAQPPWP
                    NBF2
1261  QGGQIEFRDF GLRYRPELPL AVQGVSLKIH AGEKVGIVGR TGAGKSSLAS GLLRLQEAAE
                                                A
1321  GGIWIDGVPI AHVGLHTLRS RISIIPQDPI LFPGSLRMNL DLLQEHSDEA IWAALETVQL
                                                                NBF2
1381  KALVASLPGQ LQYKCADRGE DLSVGQKQLL CLARALLRKT QILILDEATA AVDPGTELQM
                          C                     B
1441  QAMLGSWFAQ CTVLLIAHRL RSVMDCARVL VMDKGQVAES GSPAQLLAQK GLFYRLAQES
1501  GLV
```

Figure 9


Hum/MOATE
Hum/MOATB
Hum/MOATC
Hum/MOATD
Hum/MRP
Hum/cMOAT
Hum/MDR1
1
200
400
600
800
1000
1200
1400
1600

Figure 10


kb
Heart
Brain
Placenta
Lung
Liver
Skeletal Muscle
Kidney
Pancreas
Spleen
Thymus
Prostate
Testis
Ovary
Small Intestine
Colon
PBLs
9.5
7.5
4.4
2.4
1.35
MOAT-E
(5' probe)
actin

Figure 11

MOAT B cDNA AND AMINO ACID SEQUENCE ENCODED THEREBY

```
      ATGCTGCCCGTGTACCAGGAGGTGAAGCCCAACCCGCTGCAGGACGCGAACATCTGCTCA
    1 ---------+---------+---------+---------+---------+---------+     60
      TACGACGGGCACATGGTCCTCCACTTCGGGTTGGGCGACGTCCTGCGCTTGTAGACGAGT

a     M  L  P  V  Y  Q  E  V  K  P  N  P  L  Q  D  A  N  I  C  S  -

      CGCGTGTTCTTCTGGTGGCTCAATCCCTTGTTTAAAATTGGCCATAAACGGAGATTAGAG
   61 ---------+---------+---------+---------+---------+---------+    120
      GCGCACAAGAAGACCACCGAGTTAGGGAACAAATTTTAACCGGTATTTGCCTCTAATCTC

a     R  V  F  F  W  W  L  N  P  L  F  K  I  G  H  K  R  R  L  E  -

      GAAGATGATATGTATTCAGTGCTGCCAGAAGACCGCTCACAGCACCTTGGAGAGGAGTTG
  121 ---------+---------+---------+---------+---------+---------+    180
      CTTCTACTATACATAAGTCACGACGGTCTTCTGGCGAGTGTCGTGGAACCTCTCCTCAAC

a     E  D  D  M  Y  S  V  L  P  E  D  R  S  Q  H  L  G  E  E  L  -

      CAAGGGTTCTGGGATAAAGAAGTTTTAAGAGCTGAGAATGACGCACAGAAGCCTTCTTTA
  181 ---------+---------+---------+---------+---------+---------+    240
      GTTCCCAAGACCCTATTTCTTCAAAATTCTCGACTCTTACTGCGTGTCTTCGGAAGAAAT

a     Q  G  F  W  D  K  E  V  L  R  A  E  N  D  A  Q  K  P  S  L  -

      ACAAGAGCAATCATAAAGTGTTACTGGAAATCTTATTTAGTTTTGGGAATTTTTACGTTA
  241 ---------+---------+---------+---------+---------+---------+    300
      TGTTCTCGTTAGTATTTCACAATGACCTTTAGAATAAATCAAAACCCTTAAAAATGCAAT

a     T  R  A  I  I  K  C  Y  W  K  S  Y  L  V  L  G  I  F  T  L  -

      ATTGAGGAAAGTGCCAAAGTAATCCAGCCCATATTTTTGGGAAAAATTATTAATTATTTT
  301 ---------+---------+---------+---------+---------+---------+    360
      TAACTCCTTTCACGGTTTCATTAGGTCGGGTATAAAAACCCTTTTTAATAATTAATAAAA

a     I  E  E  S  A  K  V  I  Q  P  I  F  L  G  K  I  I  N  Y  F  -

      GAAAATTATGATCCCATGGATTCTGTGGCTTTGAACACAGCGTACGCCTATGCCACGGTG
```

Figure 12A

```
361 ---------+---------+---------+---------+---------+---------+     420
  CTTTTAATACTAGGGTACCTAAGACACCGAAACTTGTGTCGCATGCGGATACGGTGCCAC

a   E N Y D P M D S V A L N T A Y A Y A T V -

  CTGACTTTTTGCACGCTCATTTTGGCTATACTGCATCACTTATATTTTTATCACGTTCAG
421 ---------+---------+---------+---------+---------+---------+     480
  GACTGAAAAACGTGCGAGTAAAACCGATATGACGTAGTGAATATAAAAATAGTGCAAGTC

a   L T F C T L I L A I L H H L Y F Y H V Q -

  TGTGCTGGGATGAGGTTACGAGTAGCCATGTGCCATATGATTTATCGGAAGGCACTTCGT
481 ---------+---------+---------+---------+---------+---------+     540
  ACACGACCCTACTCCAATGCTCATCGGTACACGGTATACTAAATAGCCTTCCGTGAAGCA

a   C A G M R L R V A M C H M I Y R K A L R -

  CTTAGTAACATGGCCATGGGGAAGACAACCACAGGCCAGATAGTCAATCTGCTGTCCAAT
541 ---------+---------+---------+---------+---------+---------+     600
  GAATCATTGTACCGGTACCCCTTCTGTTGGTGTCCGGTCTATCAGTTAGACGACAGGTTA

a   L S N M A M G K T T T G Q I V N L L S N -

  GATGTGAACAAGTTTGATCAGGTGACAGTGTTCTTACACTTCCTGTGGGCAGGACCACTG
601 ---------+---------+---------+---------+---------+---------+     660
  CTACACTTGTTCAAACTAGTCCACTGTCACAAGAATGTGAAGGACACCCGTCCTGGTGAC

a   D V N K F D Q V T V F L H F L W A G P L -

  CAGGCGATCGCAGTGACTGCCCTACTCTGGATGGAGATAGGAATATCGTGCCTTGCTGGG
661 ---------+---------+---------+---------+---------+---------+     720
  GTCCGCTAGCGTCACTGACGGGATGAGACCTACCTCTATCCTTATAGCACGGAACGACCC

a   Q A I A V T A L L W M E I G I S C L A G -

  ATGGCAGTTCTAATCATTCTCCTGCCCTTGCAAAGCTGTTTTGGGAAGTTGTTCTCATCA
721 ---------+---------+---------+---------+---------+---------+     780
  TACCGTCAAGATTAGTAAGAGGACGGGAACGTTTCGACAAAACCCTTCAACAAGAGTAGT

a   M A V L I I L L P L Q S C F G K L F S S -

  CTGAGGAGTAAAACTGCAACTTTCACGGATGCCAGGATCAGGACCATGAATGAAGTTATA
781 ---------+---------+---------+---------+---------+---------+     840
```

Figure 12B

```
      GACTCCTCATTTTGACGTTGAAAGTGCCTACGGTCCTAGTCCTGGTACTTACTTCAATAT

a     L R S K T A T F T D A R I R T M N E V I -

      ACTGGTATAAGGATAATAAAAATGTACGCCTGGGAAAAGTCATTTTCAAATCTTATTACC
841 ---------+---------+---------+---------+---------+---------+  900
      TGACCATATTCCTATTATTTTTACATGCGGACCCTTTTCAGTAAAAGTTTAGAATAATGG

a     T G I R I I K M Y A W E K S F S N L I T -

      AATTTGAGAAAGAAGGAGATTTCCAAGATTCTGAGAAGTTCCTGCCTCAGGGGGATGAAT
901 --------+---------+--------+-------+---------+--------+  960
      TTAAACTCTTTCTTCCTCTAAAGGTTCTAAGACTCTTCAAGGACGGAGTCCCCCTACTTA

a     N L R K K E I S K I L R S S C L R G M N -

      TTGGCTTCGTTTTTCAGTGCAAGCAAAATCATCGTGTTTGTGACCTTCACCACCTACGTG
961 -------+-------+-------+-------+-------+-------+  1020
      AACCGAAGCAAAAAGTCACGTTCGTTTTAGTAGCACAAACACTGGAAGTGGTGGATGCAC

a     L A S F F S A S K I I V F V T F T T Y V -

      CTCCTCGGCAGTGTGATCACAGCCAGCCGCGTGTTCGTGGCAGTGACGCTGTATGGGGCT
1021 -------+-------+-------+-------+-------+-------+  1080
      GAGGAGCCGTCACACTAGTGTCGGTCGGCGCACAAGCACCGTCACTGCGACATACCCCGA

a     L L G S V I T A S R V F V A V T L Y G A -

      GTGCGGCTGACGGTTACCCTCTTCTTCCCCTCAGCCATTGAGAGGGTGTCAGAGGCAATC
1081 -------+-------+-------+-------+-------+-------+  1140
      CACGCCGACTGCCAATGGGAGAAGAAGGGGAGTCGGTAACTCTCCCACAGTCTCCGTTAG

a     V R L T V T L F F P S A I E R V S E A I -

      GTCAGCATCCGAAGAATCCAGACCTTTTTGCTACTTGATGAGATATCACAGCGCAACCGT
1141 -------+-------+-------+-------+-------+-------+  1200
      CAGTCGTAGGCTTCTTAGGTCTGGAAAAACGATGAACTACTCTATAGTGTCGCGTTGGCA

a     V S I R R I Q T F L L L D E I S Q R N R -

      CAGCTGCCGTCAGATGGTAAAAAGATGGTGCATGTGCAGGATTTTACTGCTTTTTGGGAT
1201 -------+-------+-------+-------+-------+-------+  1260
      GTCGACGGCAGTCTACCATTTTTCTACCACGTACACGTCCTAAAATGACGAAAAACCCTA
```

Figure 12C

```
a    Q L P S D G K K M V H V Q D F T A F W D -

     AAGGCATCAGAGACCCCAACTCTACAAGGCCTTTCCTTTACTGTCAGACCTGGCGAATTG
1261 ---------+---------+---------+---------+---------+---------+ 1320
     TTCCGTAGTCTCTGGGGTTGAGATGTTCCGGAAAGGAAATGACAGTCTGGACCGCTTAAC

a    K A S E T P T L Q G L S F T V R P G E L -

     TTAGCTGTGGTCGGCCCCGTGGGAGCAGGGAAGTCATCACTGTTAAGTGCCGTGCTCGGG
1321 -------+-------+-------+-------+-------+-------+ 1380
     AATCGACACCAGCCGGGGCACCCTCGTCCCTTCAGTAGTGACAATTCACGGCACGAGCCC

a    L A V V G P V G A G K S S L L S A V L G -

     GAATTGGCCCCAAGTCACGGGCTGGTCAGCGTGCATGGAAGAATTGCCTATGTGTCTCAG
1381 --------+--------+--------+--------+--------+--------+ 1440
     CTTAACCGGGGTTCAGTGCCCGACCAGTCGCACGTACCTTCTTAACGGATACACAGAGTC

a    E L A P S H G L V S V H G R I A Y V S Q -

     CAGCCCTGGGTGTTCTCGGGAACTCTGAGGAGTAATATTTTATTTGGGAAGAAATATGAA
1441 ---------+---------+---------+---------+---------+---------+ 1500
     GTCGGGACCCACAAGAGCCCTTGAGACTCCTCATTATAAAATAAACCCTTCTTTATACTT

a    Q P W V F S G T L R S N I L F G K K Y E -

     AAGGAACGATATGAAAAAGTCATAAAGGCTTGTGCTCTGAAAAAGGATTTACAGCTGTTG
1501 ---------+---------+---------+---------+---------+---------+ 1560
     TTCCTTGCTATACTTTTTCAGTATTTCCGAACACGAGACTTTTTCCTAAATGTCGACAAC

a    K E R Y E K V I K A C A L K K D L Q L L -

     GAGGATGGTGATCTGACTGTGATAGGAGATCGGGGAACCACGCTGAGTGGAGGGCAGAAA
1561 ---------+---------+---------+---------+---------+---------+ 1620
     CTCCTACCACTAGACTGACACTATCCTCTAGCCCCTTGGTGCGACTCACCTCCCGTCTTT

a    E D G D L T V I G D R G T T L S G G Q K -

     GCACGGGTAAACCTTGCAAGAGCAGTGTATCAAGATGCTGACATCTATCTCCTGGACGAT
1621 --------+--------+--------+--------+--------+--------+ 1680
     CGTGCCCATTTGGAACGTTCTCGTCACATAGTTCTACGACTGTAGATAGAGGACCTGCTA
```

Figure 12D

```
a    A R V N L A R A V Y Q D A D I Y L L D D -

     CCTCTCAGTGCAGTAGATGCGGAAGTTAGCAGACACTTGTTCGAACTGTGTATTTGTCAA
1681 ---------+---------+---------+---------+---------+---------+    1740
     GGAGAGTCACGTCATCTACGCCTTCAATCGTCTGTGAACAAGCTTGACACATAAACAGTT

a    P L S A V D A E V S R H L F E L C I C Q -

     ATTTTGCATGAGAAGATCACAATTTTAGTGACTCATCAGTTGCAGTACCTCAAAGCTGCA
1741 -------+-------+-------+-------+-------+-------+    1800
     TAAAACGTACTCTTCTAGTGTTAAAATCACTGAGTAGTCAACGTCATGGAGTTTCGACGT

a    I L H E K I T I L V T H Q L Q Y L K A A -

     AGTCAGATTCTGATATTGAAAGATGGTAAAATGGTGCAGAAGGGGACTTACACTGAGTTC
1801 -------+-------+-------+-------+-------+-------+    1860
     TCAGTCTAAGACTATAACTTTCTACCATTTTACCACGTCTTCCCCTGAATGTGACTCAAG

a    S Q I L I L K D G K M V Q K G T Y T E F -

     CTAAAATCTGGTATAGATTTTGGCTCCCTTTTAAAGAAGGATAATGAGGAAAGTGAACAA
1861 -------+-------+-------+-------+-------+-------+    1920
     GATTTTAGACCATATCTAAAACCGAGGGAAAATTTCTTCCTATTACTCCTTTCACTTGTT

a    L K S G I D F G S L L K K D N E E S E Q -

     CCTCCAGTTCCAGGAACTCCCACACTAAGGAATCGTACCTTCTCAGAGTCTTCGGTTTGG
1921 -------+-------+-------+-------+-------+-------+    1980
     GGAGGTCAAGGTCCTTGAGGGTGTGATTCCTTAGCATGGAAGAGTCTCAGAAGCCAAACC

a    P P V P G T P T L R N R T F S E S S V W -

     TCTCAACAATCTTCTAGACCCTCCTTGAAAGATGGTGCTCTGGAGAGCCAAGATACAGAG
1981 -------+-------+-------+-------+-------+-------+    2040
     AGAGTTGTTAGAAGATCTGGGAGGAACTTTCTACCACGAGACCTCTCGGTTCTATGTCTC

a    S Q Q S S R P S L K D G A L E S Q D T E -

     AATGTCCCAGTTACACTATCAGAGGAGAACCGTTCTGAAGGAAAAGTTGGTTTTCAGGCC
2041 -------+-------+-------+-------+-------+-------+    2100
     TTACAGGGTCAATGTGATAGTCTCCTCTTGGCAAGACTTCCTTTTCAACCAAAAGTCCGG

a    N V P V T L S E E N R S E G K V G F Q A
```

Figure 12E

```
    TATAAGAATTACTTCAGAGCTGGTGCTCACTGGATTGTCTTCATTTTCCTTATTCTCCTA
2101 ---------+---------+---------+---------+---------+---------+ 2160
    ATATTCTTAATGAAGTCTCGACCACGAGTGACCTAACAGAAGTAAAAGGAATAAGAGGAT

a   Y K N Y F R A G A H W I V F I F L I L L -

    AACACTGCAGCTCAGGTTGCCTATGTGCTTCAAGATTGGTGGCTTTCATACTGGGCAAAC
2161 ---------+---------+---------+---------+---------+---------+ 2220
    TTGTGACGTCGAGTCCAACGGATACACGAAGTTCTAACCACCGAAAGTATGACCCGTTTG

a   N T A A Q V A Y V L Q D W W L S Y W A N -

    AAACAAAGTATGCTAAATGTCACTGTAAATGGAGGAGGAAATGTAACCGAGAAGCTAGAT
2221 ---------+---------+---------+---------+---------+---------+ 2280
    TTTGTTTCATACGATTTACAGTGACATTTACCTCCTCCTTTACATTGGCTCTTCGATCTA

a   K Q S M L N V T V N G G G N V T E K L D -

    CTTAACTGGTACTTAGGAATTTATTCAGGTTTAACTGTAGCTACCGTTCTTTTTGGCATA
2281 ---------+---------+---------+---------+---------+---------+ 2340
    GAATTGACCATGAATCCTTAAATAAGTCCAAATTGACATCGATGGCAAGAAAAACCGTAT

a   L N W Y L G I Y S G L T V A T V L F G I -

    GCAAGATCTCTATTGGTATTCTACGTCCTTGTTAACTCTTCACAAACTTTGCACAACAAA
2341 ---------+---------+---------+---------+---------+---------+ 2400
    CGTTCTAGAGATAACCATAAGATGCAGGAACAATTGAGAAGTGTTTGAAACGTGTTGTTT

a   A R S L L V F Y V L V N S S Q T L H N K -

    ATGTTTGAGTCAATTCTGAAAGCTCCGGTATTATTCTTTGATAGAAATCCAATAGGAAGA
2401 ---------+---------+---------+---------+---------+---------+ 2460
    TACAAACTCAGTTAAGACTTTCGAGGCCATAATAAGAAACTATCTTTAGGTTATCCTTCT

a   M F E S I L K A P V L F F D R N P I G R -

    ATTTTAAATCGTTTCTCCAAAGACATTGGACACTTGGATGATTTGCTGCCGCTGACGTTT
2461 ---------+---------+---------+---------+---------+---------+ 2520
    TAAAATTTAGCAAAGAGGTTTCTGTAACCTGTGAACCTACTAAACGACGGCGACTGCAAA

a   I L N R F S K D I G H L D D L L P L T F
```

Figure 12F

```
    TTAGATTTCATCCAGACATTGCTACAAGTGGTTGGTGTGGTCTCTGTGGCTGTGGCCGTG
2521 ---------+---------+---------+---------+---------+---------+ 2580
    AATCTAAAGTAGGTCTGTAACGATGTTCACCAACCACACCAGAGACACCGACACCGGCAC

a   L D F I Q T L L Q V V G V V S V A V A V -

    ATTCCTTGGATCGCAATACCCTTGGTTCCCCTTGGAATCATTTTCATTTTTCTTCGGCGA
2581 ---------+---------+---------+---------+---------+---------+ 2640
    TAAGGAACCTAGCGTTATGGGAACCAAGGGGAACCTTAGTAAAAGTAAAAAGAAGCCGCT

a   I P W I A I P I V P L G I I F I F L R R -

    TATTTTTTGGAAACGTCAAGAGATGTGAAGCGCCTGGAATCTACAACTCGGAGTCCAGTG
2641 ---------+---------+---------+---------+---------+---------+ 2700
    ATAAAAAACCTTTGCAGTTCTCTACACTTCGCGGACCTTAGATGTTGAGCCTCAGGTCAC

a   Y F L E T S R D V K R L E S T T R S P V -

    TTTTCCCACTTGTCATCTTCTCTCCAGGGGCTCTGGACCATCCGGGCATACAAAGCAGAA
2701 ---------+---------+---------+---------+---------+---------+ 2760
    AAAAGGGTGAACAGTAGAAGAGAGGTCCCCGAGACCTGGTAGGCCCGTATGTTTCGTCTT

a   F S H L S S S L Q G L W T I R A Y K A E -

    GAGAGGTGTCAGGAACTGTTTGATGCACACCAGGATTTACATTCAGAGGCTTGGTTCTTG
2761 ---------+---------+---------+---------+---------+---------+ 2820
    CTCTCCACAGTCCTTGACAAACTACGTGTGGTCCTAAATGTAAGTCTCCGAACCAAGAAC

a   E R C Q E L F D A H Q D L H S E A W F L -

    TTTTTGACAACGTCCCGCTGGTTCGCCGTCCGTCTGGATGCCATCTGTGCCATGTTTGTC
2821 ---------+---------+---------+---------+---------+---------+ 2880
    AAAAACTGTTGCAGGGCGACCAAGCGGCAGGCAGACCTACGGTAGACACGGTACAAACAG

a   F L T T S R W F A V R L D A I C A M F V -

    ATCATCGTTGCCTTTGGGTCCCTGATTCTGGCAAAAACTCTGGATGCCGGGCAGGTTGGT
2881 ---------+---------+---------+---------+---------+---------+ 2940
    TAGTAGCAACGGAAACCCAGGGACTAAGACCGTTTTTGAGACCTACGGCCCGTCCAACCA

a   I I V A F G S L I L A K T L D A G Q V G -

    TTGGCACTGTCCTATGCCCTCACGCTCATGGGGATGTTTCAGTGGTGTGTTCGACAAAGT
```

Figure 12G

```
2941 ---------+---------+---------+---------+---------+---------+  3000
   AACCGTGACAGGATACGGGAGTGCGAGTACCCCTACAAAGTCACCACACAAGCTGTTTCA

a    L A L S Y A L T L M G M F Q W C V R Q S -

   GCTGAAGTTGAGAATATGATGATCTCAGTAGAAAGGGTCATTGAATACACAGACCTTGAA
3001 ---------+---------+---------+---------+---------+---------+  3060
   CGACTTCAACTCTTATACTACTAGAGTCATCTTTCCCAGTAACTTATGTGTCTGGAACTT

a    A E V E N M M I S V E R V I E Y T D L E -

   AAAGAAGCACCTTGGGAATATCAGAAACGCCCACCACCAGCCTGGCCCCATGAAGGAGTG
3061 ---------+---------+---------+---------+---------+---------+  3120
   TTTCTTCGTGGAACCCTTATAGTCTTTGCGGGTGGTGGTCGGACCGGGGTACTTCCTCAC

a    K E A P W E Y Q K R P P P A W P H E G V -

   ATAATCTTTGACAATGTGAACTTCATGTACAGTCCAGGTGGGCCTCTGGTACTGAAGCAT
3121 ---------+---------+---------+---------+---------+---------+  3180
   TATTAGAAACTGTTACACTTGAAGTACATGTCAGGTCCACCCGGAGACCATGACTTCGTA

a    I I F D N V N F M Y S P G G P L V L K H -

   CTGACAGCACTCATTAAATCACAAGAAAAGGTTGGCATTGTGGGAAGAACCGGAGCTGGA
3181 ---------+---------+---------+---------+---------+---------+  3240
   GACTGTCGTGAGTAATTTAGTGTTCTTTTCCAACCGTAACACCCTTCTTGGCCTCGACCT

a    L T A L I K S Q E K V G I V G R T G A G -

   AAAAGTTCCCTCATCTCAGCCCTTTTTAGATTGTCAGAACCCGAAGGTAAAATTTGGATT
3241 ---------+---------+---------+---------+---------+---------+  3300
   TTTTCAAGGGAGTAGAGTCGGGAAAAATCTAACAGTCTTGGGCTTCCATTTTAAACCTAA

a    K S S L I S A L F R L S E P E G K I W I -

   GATAAGATCTTGACAACTGAAATTGGACTTCACGATTTAAGGAAGAAAATGTCAATCATA
3301 ---------+---------+---------+---------+---------+---------+  3360
   CTATTCTAGAACTGTTGACTTTAACCTGAAGTGCTAAATTCCTTCTTTTACAGTTAGTAT

a    D K I L T T E I G L H D L R K K M S I I -

   CCTCAGGAACCTGTTTTGTTCACTGGAACAATGAGGAAAAACCTGGATCCCTTTAAGGAG
3361 ---------+---------+---------+---------+---------+---------+  3420
```

Figure 12H

```
    GGAGTCCTTGGACAAAACAAGTGACCTTGTTACTCCTTTTTGGACCTAGGGAAATTCCTC

a   P Q E P V L F T G T M R K N L D P F K E -

    CACACGGATGAGGAACTGTGGAATGCCTTACAAGAGGTACAACTTAAAGAAACCATTGAA
3421 ---------+---------+---------+---------+---------+---------+ 3480
    GTGTGCCTACTCCTTGACACCTTACGGAATGTTCTCCATGTTGAATTTCTTTGGTAACTT

a   H T D E E L W N A L Q E V Q L K E T I E -

    GATCTTCCTGGTAAAATGGATACTGAATTAGCAGAATCAGGATCCAATTTTAGTGTTGGA
3481 -------+-------+-------+-------+-------+-------+ 3540
    CTAGAAGGACCATTTTACCTATGACTTAATCGTCTTAGTCCTAGGTTAAAATCACAACCT

a   D L P G K M D T E L A E S G S N F S V G -

    CAAAGACAACTGGTGTGCCTTGCCAGGGCAATTCTCAGGAAAAATCAGATATTGATTATT
3541 -------+-------+-------+-------+-------+-------+ 3600
    GTTTCTGTTGACCACACGGAACGGTCCCGTTAAGAGTCCTTTTTAGTCTATAACTAATAA

a   Q R Q L V C L A R A I L R K N Q I L I I -

    GATGAAGCGACGGCAAATGTGGATCCAAGAACTGATGAGTTAATACAAAAAAAAATCCGG
3601 -------+-------+-------+-------+-------+-------+ 3660
    CTACTTCGCTGCCGTTTACACCTAGGTTCTTGACTACTCAATTATGTTTTTTTTTAGGCC

a   D E A T A N V D P R T D E L I Q K K I R -

    GAGAAATTTGCCCACTGCACCGTGCTAACCATTGCACACAGATTGAACACCATTATTGAC
3661 -------+-------+-------+-------+-------+-------+ 3720
    CTCTTTAAACGGGTGACGTGGCACGATTGGTAACGTGTGTCTAACTTGTGGTAATAACTG

a   E K F A H C T V L T I A H R L N T I I D -

    AGCGACAAGATAATGGTTTTAGATTCAGGAAGACTGAAAGAATATGATGAGCCGTATGTT
3721 -------+-------+-------+-------+-------+-------+ 3780
    TCGCTGTTCTATTACCAAAATCTAAGTCCTTCTGACTTTCTTATACTACTCGGCATACAA

a   S D K I M V L D S G R L K E Y D E P Y V -

    TTGCTGCAAAATAAAGAGAGCCTATTTTACAAGATGGTGCAACAACTGGGCAAGGCAGAA
3781 -------+-------+-------+-------+-------+-------+ 3840
    AACGACGTTTTATTTCTCTCGGATAAAATGTTCTACCACGTTGTTGACCCGTTCCGTCTT
```

Figure 12I

```
a    L L Q N K E S L F Y K M V Q Q L G K A E -

     GCCGCTGCCCTCACTGAAACAGCAAAACAGGTATACTTCAAAAGAAATTATCCACATATT
3841 --------+--------+--------+--------+--------+--------+  3900
     CGGCGACGGGAGTGACTTTGTCGTTTTGTCCATATGAAGTTTTCTTTAATAGGTGTATAA

a    A A A L T E T A K Q V Y F K R N Y P H I -

     GGTCACACTGACCACATGGTTACAAACACTTCCAATGGACAGCCCTCGACCTTAACTATT
3901 --------+--------+--------+--------+--------+--------+  3960
     CCAGTGTGACTGGTGTACCAATGTTTGTGAAGGTTACCTGTCGGGAGCTGGAATTGATAA

a    G H T D H M V T N T S N G Q P S T L T I -

     TTCGAGACAGCACTG
3961 --------+----  3975
     AAGCTCTGTCGTGAC

a    F E T A L -
```

Figure 12J

MOAT C cDNA AND AMINO ACID SEQUENCE ENCODED THEREBY

```
      ATGAAGGATATCGACATAGGAAAAGAGTATATCATCCCCAGTCCTGGGTATAGAAGTGTG
    1 ---------+---------+---------+---------+---------+---------+     60
      TACTTCCTATAGCTGTATCCTTTTCTCATATAGTAGGGGTCAGGACCCATATCTTCACAC

a     M K D I D I G K E Y I I P S P G Y R S V -

      AGGGAGAGAACCAGCACTTCTGGGACGCACAGAGACCGTGAAGATTCCAAGTTCAGGAGA
   61 --------+--------+-------+--------+---------+--------+     120
      TCCCTCTCTTGGTCGTGAAGACCCTGCGTGTCTCTGGCACTTCTAAGGTTCAAGTCCTCT

a     R E R T S T S G T H R D R E D S K F R R -

      ACTCGACCGTTGGAATGCCAAGATGCCTTGGAAACAGCAGCCCGAGCCGAGGGCCTCTCT
  121 -------+--------+-------+-------+---------+---------+     180
      TGAGCTGGCAACCTTACGGTTCTACGGAACCTTTGTCGTCGGGCTCGGCTCCCGGAGAGA

a     T R P L E C Q D A L E T A A R A E G L S -

      CTTGATGCCTCCATGCATTCTCAGCTCAGAATCCTGGATGAGGAGCATCCCAAGGGAAAG
  181 -------+-------+-------+-------+--------+-------+     240
      GAACTACGGAGGTACGTAAGAGTCGAGTCTTAGGACCTACTCCTCGTAGGGTTCCCTTTC

a     L D A S M H S Q L R I L D E E H P K G K -

      TACCATCATGGCTTGAGTGCTCTGAAGCCCATCCGGACTACTTCCAAACACCAGCACCCA
  241 -------+-------+-------+-------+-------+-------+     300
      ATGGTAGTACCGAACTCACGAGACTTCGGGTAGGCCTGATGAAGGTTTGTGGTCGTGGGT

a     Y H H G L S A L K P I R T T S K H Q H P -

      GTGGACAATGCTGGGCTTTTTTCCTGTATGACTTTTTCGTGGCTTTCTTCTCTGGCCCGT
  301 -------+-------+-------+-------+--------+-------+     360
      CACCTGTTACGACCCGAAAAAAGGACATACTGAAAAAGCACCGAAAGAAGAGACCGGGCA

a     V D N A G L F S C M T F S W L S S L A R -

      GTGGCCCACAAGAAGGGGGAGCTCTCAATGGAAGACGTGTGGTCTCTGTCCAAGCACGAG
```

Figure 13A

```
361 ---------+---------+---------+---------+---------+---------+    420
  CACCGGGTGTTCTTCCCCCTCGAGAGTTACCTTCTGCACACCAGAGACAGGTTCGTGCTC

a   V A H K K G E L S M E D V W S L S K H E -

  TCTTCTGACGTGAACTGCAGAAGACTAGAGAGACTGTGGCAAGAAGAGCTGAATGAAGTT
421 ---------+---------+---------+---------+---------+---------+    480
  AGAAGACTGCACTTGACGTCTTCTGATCTCTCTGACACCGTTCTTCTCGACTTACTTCAA

a   S S D V N C R R L E R L W Q E E L N E V -

  GGGCCAGACGCTGCTTCCCTGCGAAGGGTTGTGTGGATCTTCTGCCGCACCAGGCTCATC
481 ---------+---------+---------+---------+---------+---------+    540
  CCCGGTCTGCGACGAAGGGACGCTTCCCAACACACCTAGAAGACGGCGTGGTCCGAGTAG

a   G P D A A S L R R V V W I F C R T R L I -

  CTGTCCATCGTGTGCCTGATGATCACGCAGCTGGCTGGCTTCAGTGGACCAGCCTTCATG
541 ---------+---------+---------+---------+---------+---------+    600
  GACAGGTAGCACACGGACTACTAGTGCGTCGACCGACCGAAGTCACCTGGTCGGAAGTAC

a   L S I V C L M I T Q L A G F S G P A F M -

  GTGAAACACCTCTTGGAGTATACCCAGGCAACAGAGTCTAACCTGCAGTACAGCTTGTTG
601 ---------+---------+---------+---------+---------+---------+    660
  CACTTTGTGGAGAACCTCATATGGGTCCGTTGTCTCAGATTGGACGTCATGTCGAACAAC

a   V K H L L E Y T Q A T E S N L Q Y S L L -

  TTAGTGCTGGGCCTCCTCCTGACGGAAATCGTGCGGTCTTGGTCGCTTGCACTGACTTGG
661 ---------+---------+---------+---------+---------+---------+    720
  AATCACGACCCGGAGGAGGACTGCCTTTAGCACGCCAGAACCAGCGAACGTGACTGAACC

a   L V L G L L L T E I V R S W S L A L T W -

  GCATTGAATTACCGAACCGGTGTCCGCTTGCGGGGGGCCATCCTAACCATGGCATTTAAG
721 ---------+---------+---------+---------+---------+---------+    780
  CGTAACTTAATGGCTTGGCCACAGGCGAACGCCCCCCGGTAGGATTGGTACCGTAAATTC

a   A L N Y R T G V R L R G A I L T M A F K -

  AAGATCCTTAAGTTAAAGAACATTAAAGAGAAATCCCTGGGTGAGCTCATCAACATTTGC
781 ---------+---------+---------+---------+---------+---------+    840
```

Figure 13B

```
      TTCTAGGAATTCAATTTCTTGTAATTTCTCTTTAGGGACCCACTCGAGTAGTTGTAAACG

a     K I L K L K N I K E K S L G E L I N I C -

      TCCAACGATGGGCAGAGAATGTTTGAGGCAGCAGCCGTTGGCAGCCTGCTGGCTGGAGGA
  841 ---------+---------+---------+---------+---------+---------+  900
      AGGTTGCTACCCGTCTCTTACAAACTCCGTCGTCGGCAACCGTCGGACGACCGACCTCCT

a     S N D G Q R M F E A A A V G S L L A G G -

      CCCGTTGTTGCCATCTTAGGCATGATTTATAATGTAATTATTCTGGGACCAACAGGCTTC
  901 ---------+---------+---------+---------+---------+---------+  960
      GGGCAACAACGGTAGAATCCGTACTAAATATTACATTAATAAGACCCTGGTTGTCCGAAG

a     P V V A I L G M I Y N V I I L G P T G F -

      CTGGGATCAGCTGTTTTTATCCTCTTTTACCCAGCAATGATGTTTGCATCACGGCTCACA
  961 ---------+---------+---------+---------+---------+---------+ 1020
      GACCCTAGTCGACAAAAATAGGAGAAAATGGGTCGTTACTACAAACGTAGTGCCGAGTGT

a     L G S A V F I L F Y P A M M F A S R L T -

      GCATATTTCAGGAGAAAATGCGTGGCCGCCACGGATGAACGTGTCCAGAAGATGAATGAA
 1021 ---------+---------+---------+---------+---------+---------+ 1080
      CGTATAAAGTCCTCTTTTACGCACCGGCGGTGCCTACTTGCACAGGTCTTCTACTTACTT

a     A Y F R R K C V A A T D E R V Q K M N E -

      GTTCTTACTTACATTAAATTTATCAAAATGTATGCCTGGGTCAAAGCATTTTCTCAGAGT
 1081 ---------+---------+---------+---------+---------+---------+ 1140
      CAAGAATGAATGTAATTTAAATAGTTTTACATACGGACCCAGTTTCGTAAAAGAGTCTCA

a     V L T Y I K F I K M Y A W V K A F S Q S -

      GTTCAGAAAATCCGCGAGGAGGAGCGTCGGATATTGGAAAAAGCCGGGTACTTCCAGGGT
 1141 ---------+---------+---------+---------+---------+---------+ 1200
      CAAGTCTTTTAGGCGCTCCTCCTCGCAGCCTATAACCTTTTTCGGCCCATGAAGGTCCCA

a     V Q K I R E E E R R I L E K A G Y F Q G -

      ATCACTGTGGGTGTGGCTCCCATTGTGGTGGTGATTGCCAGCGTGGTGACCTTCTCTGTT
 1201 ---------+---------+---------+---------+---------+---------+ 1260
      TAGTGACACCCACACCGAGGGTAACACCACCACTAACGGTCGCACCACTGGAAGAGACAA
```

Figure 13C

```
a   I T V G V A P I V V V I A S V V T F S V -

    CATATGACCCTGGGCTTCGATCTGACAGCAGCACAGGCTTTCACAGTGGTGACAGTCTTC
1261 ---------+---------+---------+---------+---------+---------+ 1320
    GTATACTGGGACCCGAAGCTAGACTGTCGTCGTGTCCGAAAGTGTCACCACTGTCAGAAG

a   H M T L G F D L T A A Q A F T V V T V F -

    AATTCCATGACTTTTGCTTTGAAAGTAACACCGTTTTCAGTAAAGTCCCTCTCAGAAGCC
1321 ---------+---------+---------+---------+---------+---------+ 1380
    TTAAGGTACTGAAAACGAAACTTTCATTGTGGCAAAAGTCATTTCAGGGAGAGTCTTCGG

a   N S M T F A L K V T P F S V K S L S E A -

    TCAGTGGCTGTTGACAGATTTAAGAGTTTGTTTCTAATGGAAGAGGTTCACATGATAAAG
1381 ---------+---------+---------+---------+---------+---------+ 1440
    AGTCACCGACAACTGTCTAAATTCTCAAACAAAGATTACCTTCTCCAAGTGTACTATTTC

a   S V A V D R F K S L F L M E E V H M I K -

    AACAAACCAGCCAGTCCTCACATCAAGATAGAGATGAAAAATGCCACCTTGGCATGGGAC
1441 ---------+---------+---------+---------+---------+---------+ 1500
    TTGTTTGGTCGGTCAGGAGTGTAGTTCTATCTCTACTTTTTACGGTGGAACCGTACCCTG

a   N K P A S P H I K I E M K N A T L A W D -

    TCCTCCCACTCCAGTATCCAGAACTCGCCCAAGCTGACCCCCAAAATGAAAAAAGACAAG
1501 ---------+---------+---------+---------+---------+---------+ 1560
    AGGAGGGTGAGGTCATAGGTCTTGAGCGGGTTCGACTGGGGGTTTTACTTTTTTCTGTTC

a   S S H S S I Q N S P K L T P K M K K D K -

    AGGGCTTCCAGGGGCAAGAAAGAGAAGGTGAGGCAGCTGCAGCGCACTGAGCATCAGGCG
1561 ---------+---------+---------+---------+---------+---------+ 1620
    TCCCGAAGGTCCCCGTTCTTTCTCTTCCACTCCGTCGACGTCGCGTGACTCGTAGTCCGC

a   R A S R G K K E K V R Q L Q R T E H Q A -

    GTGCTGGCAGAGCAGAAAGGCCACCTCCTCCTGGACAGTGACGAGCGGCCCAGTCCCGAA
1621 ---------+---------+---------+---------+---------+---------+ 1680
    CACGACCGTCTCGTCTTTCCGGTGGAGGAGGACCTGTCACTGCTCGCCGGGTCAGGGCTT
```

Figure 13D

```
a    V L A E Q K G H L L L D S D E R P S P E -

     GAGGAAGAAGGCAAGCACATCCACCTGGGCCACCTGCGCTTACAGAGGACACTGCACAGC
1681 ---------+---------+---------+---------+---------+---------+  1740
     CTCCTTCTTCCGTTCGTGTAGGTGGACCCGGTGGACGCGAATGTCTCCTGTGACGTGTCG

a    E E E G K H I H L G H L R L Q R T L H S -

     ATCGATCTGGAGATCCAAGAGGGTAAACTGGTTGGAATCTGCGGCAGTGTGGGAAGTGGA
1741 ---------+---------+---------+---------+---------+---------+  1800
     TAGCTAGACCTCTAGGTTCTCCCATTTGACCAACCTTAGACGCCGTCACACCCTTCACCT

a    I D L E I Q E G K L V G I C G S V G S G -

     AAAACCTCTCTCATTTCAGCCATTTTAGGCCAGATGACGCTTCTAGAGGGCAGCATTGCA
1801 ---------+---------+---------+---------+---------+---------+  1860
     TTTTGGAGAGAGTAAAGTCGGTAAAATCCGGTCTACTGCGAAGATCTCCCGTCGTAACGT

a    K T S L I S A I L G Q M T L L E G S I A -

     ATCAGTGGAACCTTCGCTTATGTGGCCCAGCAGGCCTGGATCCTCAATGCTACTCTGAGA
1861 ---------+---------+---------+---------+---------+---------+  1920
     TAGTCACCTTGGAAGCGAATACACCGGGTCGTCCGGACCTAGGAGTTACGATGAGACTCT

a    I S G T F A Y V A Q Q A W I L N A T L R -

     GACAACATCCTGTTTGGGAAGGAATATGATGAAGAAAGATACAACTCTGTGCTGAACAGC
1921 ---------+---------+---------+---------+---------+---------+  1980
     CTGTTGTAGGACAAACCCTTCCTTATACTACTTCTTTCTATGTTGAGACACGACTTGTCG

a    D N I L F G K E Y D E E R Y N S V L N S -

     TGCTGCCTGAGGCCTGACCTGGCCATTCTTCCCAGCAGCGACCTGACGGAGATTGGAGAG
1981 ---------+---------+---------+---------+---------+---------+  2040
     ACGACGGACTCCGGACTGGACCGGTAAGAAGGGTCGTCGCTGGACTGCCTCTAACCTCTC

a    C C L R P D L A I L P S S D L T E I G E -

     CGAGGAGCCAACCTGAGCGGTGGGCAGCGCCAGAGGATCAGCCTTGCCCGGGCCTTGTAT
2041 ---------+---------+---------+---------+---------+---------+  2100
     GCTCCTCGGTTGGACTCGCCACCCGTCGCGGTCTCCTAGTCGGAACGGGCCCGGAACATA

a    R G A N L S G G Q R Q R I S L A R A L Y -
```

Figure 13E

```
          AGTGACAGGAGCATCTACATCCTGGACGACCCCCTCAGTGCCTTAGATGCCCATGTGGGC
2101 ---------+---------+---------+---------+---------+---------+  2160
          TCACTGTCCTCGTAGATGTAGGACCTGCTGGGGGAGTCACGGAATCTACGGGTACACCCG

a     S D R S I Y I L D D P L S A L D A H V G -

          AACCACATCTTCAATAGTGCTATCCGGAAACATCTCAAGTCCAAGACAGTTCTGTTTGTT
2161 ---------+---------+---------+---------+---------+---------+  2220
          TTGGTGTAGAAGTTATCACGATAGGCCTTTGTAGAGTTCAGGTTCTGTCAAGACAAACAA

a     N H I F N S A I R K H L K S K T V L F V -

          ACCCACCAGTTACAGTACCTGGTTGACTGTGATGAAGTGATCTTCATGAAAGAGGGCTGT
2221 ---------+---------+---------+---------+---------+---------+  2280
          TGGGTGGTCAATGTCATGGACCAACTGACACTACTTCACTAGAAGTACTTTCTCCCGACA

a     T H Q L Q Y L V D C D E V I F M K E G C -

          ATTACGGAAAGAGGCACCCATGAGGAACTGATGAATTTAAATGGTGACTATGCTACCATT
2281 ---------+---------+---------+---------+---------+---------+  2340
          TAATGCCTTTCTCCGTGGGTACTCCTTGACTACTTAAATTTACCACTGATACGATGGTAA

a     I T E R G T H E E L M N L N G D Y A T I -

          TTTAATAACCTGTTGCTGGGAGAGACACCGCCAGTTGAGATCAATTCAAAAAAGGAAACC
2341 ---------+---------+---------+---------+---------+---------+  2400
          AAATTATTGGACAACGACCCTCTCTGTGGCGGTCAACTCTAGTTAAGTTTTTTCCTTTGG

a     F N N L L L G E T P P V E I N S K K E T -

          AGTGGTTCACAGAAGAAGTCACAAGACAAGGGTCCTAAAACAGGATCAGTAAAGAAGGAA
2401 ---------+---------+---------+---------+---------+---------+  2460
          TCACCAAGTGTCTTCTTCAGTGTTCTGTTCCCAGGATTTTGTCCTAGTCATTTCTTCCTT

a     S G S Q K K S Q D K G P K T G S V K K E -

          AAAGCAGTAAAGCCAGAGGAAGGGCAGCTTGTGCAGCTGGAAGAGAAAGGGCAGGGTTCA
2461 ---------+---------+---------+---------+---------+---------+  2520
          TTTCGTCATTTCGGTCTCCTTCCCGTCGAACACGTCGACCTTCTCTTTCCCGTCCCAAGT

a     K A V K P E E G Q L V Q L E E K G Q G S -
```

Figure 13F

```
                GTGCCCTGGTCAGTATATGGTGTCTACATCCAGGCTGCTGGGGGCCCCTTGGCATTCCTG
          2521 --------+---------+---------+---------+---------+---------+      2580
                CACGGGACCAGTCATATACCACAGATGTAGGTCCGACGACCCCCGGGGAACCGTAAGGAC

          a      V P W S V Y G V Y I Q A A G G P L A F L -

                GTTATTATGGCCCTTTTCATGCTGAATGTAGGCAGCACCGCCTTCAGCACCTGGTGGTTG
          2581 --------+---------+---------+---------+---------+---------+      2640
                CAATAATACCGGGAAAAGTACGACTTACATCCGTCGTGGCGGAAGTCGTGGACCACCAAC

          a      V I M A L F M L N V G S T A F S T W W L -

                AGTTACTGGATCAAGCAAGGAAGCGGGAACACCACTGTGACTCGAGGGAACGAGACCTCG
          2641 ---------+---------+---------+---------+---------+---------+      2700
                TCAATGACCTAGTTCGTTCCTTCGCCCTTGTGGTGACACTGAGCTCCCTTGCTCTGGAGC

          a      S Y W I K Q G S G N T T V T R G N E T S -

                GTGAGTGACAGCATGAAGGACAATCCTCATATGCAGTACTATGCCAGCATCTACGCCCTC
          2701 ---------+---------+---------+---------+---------+---------+      2760
                CACTCACTGTCGTACTTCCTGTTAGGAGTATACGTCATGATACGGTCGTAGATGCGGGAG

          a      V S D S M K D N P H M Q Y Y A S I Y A L -

                TCCATGGCAGTCATGCTGATCCTGAAAGCCATTCGAGGAGTTGTCTTTGTCAAGGGCACG
          2761 ---------+---------+---------+---------+---------+---------+      2820
                AGGTACCGTCAGTACGACTAGGACTTTCGGTAAGCTCCTCAACAGAAACAGTTCCCGTGC

          a      S M A V M L I L K A I R G V V F V K G T -

                CTGCGAGCTTCCTCCCGGCTGCATGACGAGCTTTTCCGAAGGATCCTTCGAAGCCCTATG
          2821 ---------+---------+---------+---------+---------+---------+      2880
                GACGCTCGAAGGAGGGCCGACGTACTGCTCGAAAAGGCTTCCTAGGAAGCTTCGGGATAC

          a      L R A S S R L H D E L F R R I L R S P M -

                AAGTTTTTTGACACGACCCCCACAGGGAGGATTCTCAACAGGTTTTCCAAAGACATGGAT
          2881 ---------+---------+---------+---------+---------+---------+      2940
                TTCAAAAAACTGTGCTGGGGGTGTCCCTCCTAAGAGTTGTCCAAAAGGTTTCTGTACCTA

          a      K F F D T T P T G R I L N R F S K D M D -

                GAAGTTGACGTGCGGCTGCCGTTCCAGGCCGAGATGTTCATCCAGAACGTTATCCTGGTG
```

Figure 13G

```
2941 ---------+---------+---------+---------+---------+---------+  3000
   CTTCAACTGCACGCCGACGGCAAGGTCCGGCTCTACAAGTAGGTCTTGCAATAGGACCAC

a    E V D V R L P F Q A E M F I Q N V I L V -

   TTCTTCTGTGTGGGAATGATCGCAGGAGTCTTCCCGTGGTTCCTTGTGGCAGTGGGGCCC
3001 ---------+---------+---------+---------+---------+---------+  3060
   AAGAAGACACACCCTTACTAGCGTCCTCAGAAGGGCACCAAGGAACACCGTCACCCCGGG

a    F F C V G M I A G V F P W F L V A V G P -

   CTTGTCATCCTCTTTTCAGTCCTGCACATTGTCTCCAGGGTCCTGATTCGGGAGCTGAAG
3061 ---------+---------+---------+---------+---------+---------+  3120
   GAACAGTAGGAGAAAAGTCAGGACGTGTAACAGAGGTCCCAGGACTAAGCCCTCGACTTC

a    L V I L F S V L H I V S R V L I R E L K -

   CGTCTGGACAATATCACGCAGTCACCTTTCCTCTCCCACATCACGTCCAGCATACAGGGC
3121 ---------+---------+---------+---------+---------+---------+  3180
   GCAGACCTGTTATAGTGCGTCAGTGGAAAGGAGAGGGTGTAGTGCAGGTCGTATGTCCCG

a    R L D N I T Q S P F L S H I T S S I Q G -

   CTTGCCACCATCCACGCCTACAATAAAGGGCAGGAGTTTCTGCACAGATACCAGGAGCTG
3181 ---------+---------+---------+---------+---------+---------+  3240
   GAACGGTGGTAGGTGCGGATGTTATTTCCCGTCCTCAAAGACGTGTCTATGGTCCTCGAC

a    L A T I H A Y N K G Q E F L H R Y Q E L -

   CTGGATGACAACCAAGCTCCTTTTTTTTTGTTTACGTGTGCGATGCGGTGGCTGGCTGTG
3241 ---------+---------+---------+---------+---------+---------+  3300
   GACCTACTGTTGGTTCGAGGAAAAAAAAAACAAATGCACACGCTACGCCACCGACCGACAC

a    L D D N Q A P F F L F T C A M R W L A V -

   CGGCTGGACCTCATCAGCATCGCCCTCATCACCACCACGGGGCTGATGATCGTTCTTATG
3301 ---------+---------+---------+---------+---------+---------+  3360
   GCCGACCTGGAGTAGTCGTAGCGGGAGTAGTGGTGGTGCCCCGACTACTAGCAAGAATAC

a    R L D L I S I A L I T T T G L M I V L M -

   CACGGGCAGATTCCCCCAGCCTATGCGGGTCTCGCCATCTCTTATGCTGTCCAGTTAACG
3361 ---------+---------+---------+---------+---------+---------+  3420
```

Figure 13H

```
        GTGCCCGTCTAAGGGGGTCGGATACGCCCAGAGCGGTAGAGAATACGACAGGTCAATTGC

a       H G Q I P P A Y A G L A I S Y A V Q L T -

        GGGCTGTTCCAGTTTACGGTCAGACTGGCATCTGAGACAGAAGCTCGATTCACCTCGGTG
3421 ---------+---------+---------+---------+---------+---------+  3480
        CCCGACAAGGTCAAATGCCAGTCTGACCGTAGACTCTGTCTTCGAGCTAAGTGGAGCCAC

a       G L F Q F T V R L A S E T E A R F T S V -

        GAGAGGATCAATCACTACATTAAGACTCTGTCCTTGGAAGCACCTGCCAGAATTAAGAAC
3481 --------+--------+--------+--------+--------+--------+  3540
        CTCTCCTAGTTAGTGATGTAATTCTGAGACAGGAACCTTCGTGGACGGTCTTAATTCTTG

a       E R I N H Y I K T L S L E A P A R I K N -

        AAGGCTCCCTCCCCTGACTGGCCCCAGGAGGGAGAGGTGACCTTTGAGAACGCAGAGATG
3541 ---------+---------+---------+---------+---------+---------+  3600
        TTCCGAGGGAGGGGACTGACCGGGGTCCTCCCTCTCCACTGGAAACTCTTGCGTCTCTAC

a       K A P S P D W P Q E G E V T F E N A E M -

        AGGTACCGAGAAAACCTCCCTCTTGTCCTAAAGAAAGTATCCTTCACGATCAAACCTAAA
3601 ---------+---------+---------+---------+---------+---------+  3660
        TCCATGGCTCTTTTGGAGGGAGAACAGGATTTCTTTCATAGGAAGTGCTAGTTTGGATTT

a       R Y R E N L P L V L K K V S F T I K P K -

        GAGAAGATTGGCATTGTGGGGCGGACAGGATCAGGGAAGTCCTCGCTGGGGATGGCCCTC
3661 ---------+---------+---------+---------+---------+---------+  3720
        CTCTTCTAACCGTAACACCCCGCCTGTCCTAGTCCCTTCAGGAGCGACCCCTACCGGGAG

a       E K I G I V G R T G S G K S S L G M A L -

        TTCCGTCTGGTGGAGTTATCTGGAGGCTGCATCAAGATTGATGGAGTGAGAATCAGTGAT
3721 ---------+---------+---------+---------+---------+---------+  3780
        AAGGCAGACCACCTCAATAGACCTCCGACGTAGTTCTAACTACCTCACTCTTAGTCACTA

a       F R L V E L S G G C I K I D G V R I S D -

        ATTGGCCTTGCCGACCTCCGAAGCAAACTCTCTATCATTCCTCAAGAGCCGGTGCTGTTC
3781 ---------+---------+---------+---------+---------+---------+  3840
        TAACCGGAACGGCTGGAGGCTTCGTTTGAGAGATAGTAAGGAGTTCTCGGCCACGACAAG
```

Figure 13I

```
a    I G L A D L R S K L S I I P Q E P V L F -

     AGTGGCACTGTCAGATCAAATTTGGACCCCTTCAACCAGTACACTGAAGACCAGATTTGG
3841 ---------+---------+---------+---------+---------+---------+ 3900
     TCACCGTGACAGTCTAGTTTAAACCTGGGGAAGTTGGTCATGTGACTTCTGGTCTAAACC

a    S G T V R S N L D P F N Q Y T E D Q I W -

     GATGCCCTGGAGAGGACACACATGAAAGAATGTATTGCTCAGCTACCTCTGAAACTTGAA
3901 ---------+---------+---------+---------+---------+---------+ 3960
     CTACGGGACCTCTCCTGTGTGTACTTTCTTACATAACGAGTCGATGGAGACTTTGAACTT

a    D A L E R T H M K E C I A Q L P L K L E -

     TCTGAAGTGATGGAGAATGGGGATAACTTCTCAGTGGGGGAACGGCAGCTCTTGTGCATA
3961 ---------+---------+---------+---------+---------+---------+ 4020
     AGACTTCACTACCTCTTACCCCTATTGAAGAGTCACCCCCTTGCCGTCGAGAACACGTAT

a    S E V M E N G D N F S V G E R Q L L C I -

     GCTAGAGCCCTGCTCCGCCACTGTAAGATTCTGATTTTAGATGAAGCCACAGCTGCCATG
4021 ---------+---------+---------+---------+---------+---------+ 4080
     CGATCTCGGGACGAGGCGGTGACATTCTAAGACTAAAATCTACTTCGGTGTCGACGGTAC

a    A R A L L R H C K I L I L D E A T A A M -

     GACACAGAGACAGACTTATTGATTCAAGAGACCATCCGAGAAGCATTTGCAGACTGTACC
4081 ---------+---------+---------+---------+---------+---------+ 4140
     CTGTGTCTCTGTCTGAATAACTAAGTTCTCTGGTAGGCTCTTCGTAAACGTCTGACATGG

a    D T E T D L L I Q E T I R E A F A D C T -

     ATGCTGACCATTGCCCATCGCCTGCACACGGTTCTAGGCTCCGATAGGATTATGGTGCTG
4141 ---------+---------+---------+---------+---------+---------+ 4200
     TACGACTGGTAACGGGTAGCGGACGTGTGCCAAGATCCGAGGCTATCCTAATACCACGAC

a    M L T I A H R L H T V L G S D R I M V L -

     GCCCAGGGACAGGTGGTGGAGTTTGACACCCCATCGGTCCTTCTGTCCAACGACAGTTCC
4201 ---------+---------+---------+---------+---------+---------+ 4260
     CGGGTCCCTGTCCACCACCTCAAACTGTGGGGTAGCCAGGAAGACAGGTTGCTGTCAAGG
```

Figure 13J


a A Q G Q V V E F D T P S V L L S N D S S .
CGATTCTATGCCATGTTTGCTGCTGCAGAGAACAAGGTCGCTGTCAAGGGCTGA
4261 ---------+---------+---------+---------+---------+---- 4314
GCTAAGATACGGTACAAACGACGACGTCTCTTGTTCCAGCGACAGTTCCCGACT
a R F Y A M F A A A E N K V A V K G * .

Figure 13K

MOAT D cDNA AND AMINO ACID SEQUENCE ENCODED THEREBY

```
      ATGGACGCCCTGTGCGGTTCCGGGGAGCTCGGCTCCAAGTTCTGGGACTCCAACCTGTCT
    1 ---------+---------+---------+---------+---------+---------+     60
      TACCTGCGGGACACGCCAAGGCCCCTCGAGCCGAGGTTCAAGACCCTGAGGTTGGACAGA

a     M D A L C G S G E L G S K F W D S N L S -

      GTGCACACAGAAAACCCGGACCTCACTCCCTGCTTCCAGAACTCCCTGCTGGCCTGGGTG
   61 ---------+---------+---------+---------+---------+---------+    120
      CACGTGTGTCTTTTGGGCCTGGAGTGAGGGACGAAGGTCTTGAGGGACGACCGGACCCAC

a     V H T E N P D L T P C F Q N S L L A W V -

      CCCTGCATCTACCTGTGGGTCGCCCTGCCCTGCTACTTGCTCTACCTGCGGCACCATTGT
  121 ---------+---------+---------+---------+---------+---------+    180
      GGGACGTAGATGGACACCCAGCGGGACGGGACGATGAACGAGATGGACGCCGTGGTAACA

a     P C I Y L W V A L P C Y L L Y L R H H C -

      CGTGGCTACATCATCCTCTCCCACCTGTCCAAGCTCAAGATGGTCCTGGGTGTCCTGCTG
  181 ---------+---------+---------+---------+---------+---------+    240
      GCACCGATGTAGTAGGAGAGGGTGGACAGGTTCGAGTTCTACCAGGACCCACAGGACGAC

a     R G Y I I L S H L S K L K M V L G V L L -

      TGGTGCGTCTCCTGGGCGGACCTTTTTTACTCCTTCCATGGCCTGGTCCATGGCCGGGCC
  241 ---------+---------+---------+---------+---------+---------+    300
      ACCACGCAGAGGACCCGCCTGGAAAAAATGAGGAAGGTACCGGACCAGGTACCGGCCCGG

a     W C V S W A D L F Y S F H G L V H G R A -

      CCTGCCCCTGTTTTCTTTGTCACCCCCTTGGTGGTGGGGGTCACCATGCTGCTGGCCACC
  301 ---------+---------+---------+---------+---------+---------+    360
      GGACGGGGACAAAAGAAACAGTGGGGGAACCACCACCCCCAGTGGTACGACGACCGGTGG

a     P A P V F F V T P L V V G V T M L L A T -

      CTGCTGATACAGTATGAGCGGCTGCAGGGCGTACAGTCTTCGGGGGTCCTCATTATCTTC
```

Figure 14A

```
361 ---------+---------+---------+---------+---------+---------+     420
  GACGACTATGTCATACTCGCCGACGTCCCGCATGTCAGAAGCCCCCAGGAGTAATAGAAG

a   L L I Q Y E R L Q G V Q S S G V L I I F -

  TGGTTCCTGTGTGTGGTCTGCGCCATCGTCCCATTCCGCTCCAAGATCCTTTTAGCCAAG
421 ---------+---------+---------+---------+---------+---------+     480
  ACCAAGGACACACACCAGACGCGGTAGCAGGGTAAGGCGAGGTTCTAGGAAAATCGGTTC

a   W F L C V V C A I V P F R S K I L L A K -

  GCAGAGGGTGAGATCTCAGACCCCTTCCGCTTCACCACCTTCTACATCCACTTTGCCCTG
481 ---------+---------+---------+---------+---------+---------+     540
  CGTCTCCCACTCTAGAGTCTGGGGAAGGCGAAGTGGTGGAAGATGTAGGTGAAACGGGAC

a   A E G E I S D P F R F T T F Y I H F A L -

  GTACTCTCTGCCCTCATCTTGGCCTGCTTCAGGGAGAAACCTCCATTTTTCTCCGCAAAG
541 ---------+---------+---------+---------+---------+---------+     600
  CATGAGAGACGGGAGTAGAACCGGACGAAGTCCCTCTTTGGAGGTAAAAAGAGGCGTTTC

a   V L S A L I L A C F R E K P P F F S A K -

  AATGTCGACCCTAACCCCTACCCTGAGACCAGCGCTGGCTTTCTCTCCCGCCTGTTTTTC
601 ---------+---------+---------+---------+---------+---------+     660
  TTACAGCTGGGATTGGGGATGGGACTCTGGTCGCGACCGAAAGAGAGGGCGGACAAAAAG

a   N V D P N P Y P E T S A G F L S R L F F -

  TGGTGGTTCACAAAGATGGCCATCTATGGCTACCGGCATCCCCTGGAGGAGAAGGACCTC
661 ---------+---------+---------+---------+---------+---------+     720
  ACCACCAAGTGTTTCTACCGGTAGATACCGATGGCCGTAGGGGACCTCCTCTTCCTGGAG

a   W W F T K M A I Y G Y R H P L E E K D L -

  TGGTCCCTAAAGGAAGAGGACAGATCCCAGATGGTGGTGCAGCAGCTGCTGGAGGCATGG
721 ---------+---------+---------+---------+---------+---------+     780
  ACCAGGGATTTCCTTCTCCTGTCTAGGGTCTACCACCACGTCGTCGACGACCTCCGTACC

a   W S L K E E D R S Q M V V Q Q L L E A W -

  AGGAAGCAGGAAAAGCAGACGGCACGACACAAGGCTTCAGCAGCACCTGGGAAAAATGCC
781 ---------+---------+---------+---------+---------+---------+     840
```

Figure 14B

TCCTTCGTCCTTTTCGTCTGCCGTGCTGTGTTCCGAAGTCGTCGTGGACCCTTTTTACGG

a R K Q E K Q T A R H K A S A A P G K N A -

TCCGGCGAGGACGAGGTGCTGCTGGGTGCCCGGCCCAGGCCCCGGAAGCCCTCCTTCCTG
841 ---------+---------+---------+---------+---------+---------+ 900
AGGCCGCTCCTGCTCCACGACGACCCACGGGCCGGGTCCGGGGCCTTCGGGAGGAAGGAC

a S G E D E V L L G A R P R P R K P S F L -

AAGGCCCTGCTGGCCACCTTCGGCTCCAGCTTCCTCATCAGTGCCTGCTTCAAGCTTATC
901 ---------+---------+---------+---------+---------+---------+ 960
TTCCGGGACGACCGGTGGAAGCCGAGGTCGAAGGAGTAGTCACGGACGAAGTTCGAATAG

a K A L L A T F G S S F L I S A C F K L I -

CAGGACCTGCTCTCCTTCATCAATCCACAGCTGCTCAGCATCCTGATCAGGTTTATCTCC
961 ---------+---------+---------+---------+---------+---------+ 1020
GTCCTGGACGAGAGGAAGTAGTTAGGTGTCGACGAGTCGTAGGACTAGTCCAAATAGAGG

a Q D L L S F I N P Q L L S I L I R F I S -

AACCCCATGGCCCCCTCCTGGTGGGGCTTCCTGGTGGCTGGGCTGATGTTCCTGTGCTCC
1021 ---------+---------+---------+---------+---------+---------+ 1080
TTGGGGTACCGGGGGAGGACCACCCCGAAGGACCACCGACCCGACTACAAGGACACGAGG

a N P M A P S W W G F L V A G L M F L C S -

ATGATGCAGTCGCTGATCTTACAACACTATTACCACTACATCTTTGTGACTGGGGTGAAG
1081 ---------+---------+---------+---------+---------+---------+ 1140
TACTACGTCAGCGACTAGAATGTTGTGATAATGGTGATGTAGAAACACTGACCCCACTTC

a M M Q S L I L Q H Y Y H Y I F V T G V K -

TTTCGTACTGGGATCATGGGTGTCATCTACAGGAAGGCTCTGGTTATCACCAACTCAGTC
1141 ---------+---------+---------+---------+---------+---------+ 1200
AAAGCATGACCCTAGTACCCACAGTAGATGTCCTTCCGAGACCAATAGTGGTTGAGTCAG

a F R T G I M G V I Y R K A L V I T N S V -

AAACGTGCGTCCACTGTGGGGGAAATTGTCAACCTCATGTCAGTGGATGCCCAGCGCTTC
1201 ---------+---------+---------+---------+---------+---------+ 1260
TTTGCACGCAGGTGACACCCCCTTTAACAGTTGGAGTACAGTCACCTACGGGTCGCGAAG

Figure 14C

```
a    K R A S T V G E I V N L M S V D A Q R F -

     ATGGACCTTGCCCCCTTCCTCAATCTGCTGTGGTCAGCACCCCTGCAGATCATCCTGGCG
1261 ---------+---------+---------+---------+---------+---------+ 1320
     TACCTGGAACGGGGGAAGGAGTTAGACGACACCAGTCGTGGGGACGTCTAGTAGGACCGC

a    M D L A P F L N L L W S A P L Q I I L A -

     ATCTACTTCCTCTGGCAGAACCTAGGTCCCTCTGTCCTGGCTGGAGTCGCTTTCATGGTC
1321 --------+---------+---------+---------+---------+---------+ 1380
     TAGATGAAGGAGACCGTCTTGGATCCAGGGAGACAGGACCGACCTCAGCGAAAGTACCAG

a    I Y F L W Q N L G P S V L A G V A F M V -

     TTGCTGATTCCACTCAACGGAGCTGTGGCCGTGAAGATGCGCGCCTTCCAGGTAAAGCAA
1381 ---------+---------+---------+---------+---------+---------+ 1440
     AACGACTAAGGTGAGTTGCCTCGACACCGGCACTTCTACGCGCGGAAGGTCCATTTCGTT

a    L L I P L N G A V A V K M R A F Q V K Q -

     ATGAAATTGAAGGACTCGCGCATCAAGCTGATGAGTGAGATCCTGAACGGCATCAAGGTG
1441 ---------+---------+---------+---------+---------+---------+ 1500
     TACTTTAACTTCCTGAGCGCGTAGTTCGACTACTCACTCTAGGACTTGCCGTAGTTCCAC

a    M K L K D S R I K L M S E I L N G I K V -

     CTGAAGCTGTACGCCTGGGAGCCCAGCTTCCTGAAGCAGGTGGAGGGCATCCGGCAGGGT
1501 ---------+---------+---------+---------+---------+---------+ 1560
     GACTTCGACATGCGGACCCTCGGGTCGAAGGACTTCGTCCACCTCCCGTAGGCCGTCCCA

a    L K L Y A W E P S F L K Q V E G I R Q G -

     GAGCTCCAGCTGCTGCGCACGGCGGCCTACCTCCACACCACAACCACCTTCACCTGGATG
1561 ---------+---------+---------+---------+---------+---------+ 1620
     CTCGAGGTCGACGACGCGTGCCGCCGGATGGAGGTGTGGTGTTGGTGGAAGTGGACCTAC

a    E L Q L L R T A A Y L H T T T T F T W M -

     TGCAGCCCCTTCCTGGTGACCCTGATCACCCTCTGGGTGTACGTGTACGTGGACCCAAAC
1621 ---------+---------+---------+---------+---------+---------+ 1680
     ACGTCGGGGAAGGACCACTGGGACTAGTGGGAGACCCACATGCACATGCACCTGGGTTTG
```

Figure 14D

```
a    C S P F L V T L I T L W V Y V Y V D P N -

     AATGTGCTGGACGCCGAGAAGGCCTTTGTGTCTGTGTCCTTGTTTAATATCTTAAGACTT
1681 ---------+---------+---------+---------+---------+---------+  1740
     TTACACGACCTGCGGCTCTTCCGGAAACACAGACACAGGAACAAATTATAGAATTCTGAA

a    N V L D A E K A F V S V S L F N I L R L -

     CCCCTCAACATGCTGCCCCAGTTAATCAGCAACCTGACTCAGGCCAGTGTGTCTCTGAAA
1741 ---------+---------+---------+---------+---------+---------+  1800
     GGGGAGTTGTACGACGGGGTCAATTAGTCGTTGGACTGAGTCCGGTCACACAGAGACTTT

a    P L N M L P Q L I S N L T Q A S V S L K -

     CGGATCCAGCAATTCCTGAGCCAAGAGGAACTTGACCCCCAGAGTGTGGAAAGAAAGACC
1801 -------+-------+-------+-------+-------+-------+  1860
     GCCTAGGTCGTTAAGGACTCGGTTCTCCTTGAACTGGGGGTCTCACACCTTTCTTTCTGG

a    R I Q Q F L S Q E E L D P Q S V E R K T -

     ATCTCCCCAGGCTATGCCATCACCATACACAGTGGCACCTTCACCTGGGCCCAGGACCTG
1861 -------+-------+-------+-------+-------+-------+  1920
     TAGAGGGGTCCGATACGGTAGTGGTATGTGTCACCGTGGAAGTGGACCCGGGTCCTGGAC

a    I S P G Y A I T I H S G T F T W A Q D L -

     CCCCCCACTCTGCACAGCCTAGACATCCAGGTCCCGAAAGGGGCACTGGTGGCCGTGGTG
1921 -------+-------+-------+-------+-------+-------+  1980
     GGGGGGTGAGACGTGTCGGATCTGTAGGTCCAGGGCTTTCCCCGTGACCACCGGCACCAC

a    P P T L H S L D I Q V P K G A L V A V V -

     GGGCCTGTGGGCTGTGGGAAGTCCTCCCTGGTGTCTGCCCTGCTGGGAGAGATGGAGAAG
1981 -------+-------+-------+-------+-------+-------+  2040
     CCCGGACACCCGACACCCTTCAGGAGGGACCACAGACGGGACGACCCTCTCTACCTCTTC

a    G P V G C G K S S L V S A L L G E M E K -

     CTAGAAGGCAAAGTGCACATGAAGGCATGGATCCAGAACTGCACTCTTCAGGAAAACGTG
2041 -------+-------+-------+-------+-------+-------+  2100
     GATCTTCCGTTTCACGTGTACTTCCGTACCTAGGTCTTGACGTGAGAAGTCCTTTTGCAC

a    L E G K V H M K A W I Q N C T L Q E N V -
```

Figure 14E

```
      CTTTTCGGCAAAGCCCTGAACCCCAAGCGCTACCAGCAGACTCTGGAGGCCTGTGCCTTG
2101 ---------+---------+---------+---------+---------+---------+  2160
      GAAAAGCCGTTTCGGGACTTGGGGTTCGCGATGGTCGTCTGAGACCTCCGGACACGGAAC

a     L F G K A L N P K R Y Q Q T L E A C A L -

      CTAGCTGACCTGGAGATGCTGCCTGGTGGGGATCAGACAGAGATTGGAGAGAAGGGCATT
2161 ---------+---------+---------+---------+---------+---------+  2220
      GATCGACTGGACCTCTACGACGGACCACCCCTAGTCTGTCTCTAACCTCTCTTCCCGTAA

a     L A D L E M L P G G D Q T E I G E K G I -

      AACCTGTCTGGGGGCCAGCGGCAGCGGGTCAGTCTGGCTCGAGCTGTTTACAGTGATGCC
2221 ---------+---------+---------+---------+---------+---------+  2280
      TTGGACAGACCCCCGGTCGCCGTCGCCCAGTCAGACCGAGCTCGACAAATGTCACTACGG

a     N L S G G Q R Q R V S L A R A V Y S D A -

      GATATTTTCTTGCTGGATGACCCACTGTCCGCGGTGGACTCTCATGTGGCCAAGCACATC
2281 ---------+---------+---------+---------+---------+---------+  2340
      CTATAAAAGAACGACCTACTGGGTGACAGGCGCCACCTGAGAGTACACCGGTTCGTGTAG

a     D I F L L D D P L S A V D S H V A K H I -

      TTTGACCACGTCATCGGGCCAGAAGGCGTGCTGGCAGGCAAGACGCGAGTGCTGGTGACG
2341 ---------+---------+---------+---------+---------+---------+  2400
      AAACTGGTGCAGTAGCCCGGTCTTCCGCACGACCGTCCGTTCTGCGCTCACGACCACTGC

a     F D H V I G P E G V L A G K T R V L V T -

      CACGGCATTAGCTTCCTGCCCCAGACAGACTTCATCATTGTGCTAGCTGATGGACAGGTG
2401 ---------+---------+---------+---------+---------+---------+  2460
      GTGCCGTAATCGAAGGACGGGGTCTGTCTGAAGTAGTAACACGATCGACTACCTGTCCAC

a     H G I S F L P Q T D F I I V L A D G Q V -

      TCTGAGATGGGCCCGTACCCAGCCCTGCTGCAGCGCAACGGCTCCTTTGCCAACTTTCTC
2461 ---------+---------+---------+---------+---------+---------+  2520
      AGACTCTACCCGGGCATGGGTCGGGACGACGTCGCGTTGCCGAGGAAACGGTTGAAAGAG

a     S E M G P Y P A L L Q R N G S F A N F L -
```

Figure 14F

```
   TGCAACTATGCCCCCGATGAGGACCAAGGGCACCTGGAGGACAGCTGGACCGCGTTGGAA
2521 ---------+---------+---------+---------+---------+---------+ 2580
   ACGTTGATACGGGGGCTACTCCTGGTTCCCGTGGACCTCCTGTCGACCTGGCGCAACCTT

a    C N Y A P D E D Q G H L E D S W T A L E -

   GGTGCAGAGGATAAGGAGGCACTGCTGATTGAAGACACACTCAGCAACCACACGGATCTG
2581 ---------+---------+---------+---------+---------+---------+ 2640
   CCACGTCTCCTATTCCTCCGTGACGACTAACTTCTGTGTGAGTCGTTGGTGTGCCTAGAC

a    G A E D K E A L L I E D T L S N H T D L -

   ACAGACAATGATCCAGTCACCTATGTGGTCCAGAAGCAGTTTATGAGACAGCTGAGTGCC
2641 ---------+---------+---------+---------+---------+---------+ 2700
   TGTCTGTTACTAGGTCAGTGGATACACCAGGTCTTCGTCAAATACTCTGTCGACTCACGG

a    T D N D P V T Y V V Q K Q F M R Q L S A -

   CTGTCCTCAGATGGGGAGGGACAGGGTCGGCCTGTACCCCGGAGGCACCTGGGTCCATCA
2701 ---------+---------+---------+---------+---------+---------+ 2760
   GACAGGAGTCTACCCCTCCCTGTCCCAGCCGGACATGGGGCCTCCGTGGACCCAGGTAGT

a    L S S D G E G Q G R P V P R R H L G P S -

   GAGAAGGTGCAGGTGACAGAGGCGAAGGCAGATGGGGCACTGACCCAGGAGGAGAAAGCA
2761 ---------+---------+---------+---------+---------+---------+ 2820
   CTCTTCCACGTCCACTGTCTCCGCTTCCGTCTACCCCGTGACTGGGTCCTCCTCTTTCGT

a    E K V Q V T E A K A D G A L T Q E E K A -

   GCCATTGGCACTGTGGAGCTCAGTGTGTTCTGGGATTATGCCAAGGCCGTGGGGCTCTGT
2821 ---------+---------+---------+---------+---------+---------+ 2880
   CGGTAACCGTGACACCTCGAGTCACACAAGACCCTAATACGGTTCCGGCACCCCGAGACA

a    A I G T V E L S V F W D Y A K A V G L C -

   ACCACGCTGGCCATCTGTCTCCTGTATGTGGGTCAAAGTGCGGCTGCCATTGGAGCCAAT
2881 ---------+---------+---------+---------+---------+---------+ 2940
   TGGTGCGACCGGTAGACAGAGGACATACACCCAGTTTCACGCCGACGGTAACCTCGGTTA

a    T T L A I C L L Y V G Q S A A A I G A N

   GTGTGGCTCAGTGCCTGGACAAATGATGCCATGGCAGACAGTAGACAGAACAACACTTCC
```

Figure 14G

```
2941 ---------+---------+---------+---------+---------+---------+    3000
   CACACCGAGTCACGGACCTGTTTACTACGGTACCGTCTGTCATCTGTCTTGTTGTGAAGG

a     V W L S A W T N D A M A D S R Q N N T S -

      CTGAGGCTGGGCGTCTATGCTGCTTTAGGAATTCTGCAAGGGTTCTTGGTGATGCTGGCA
3001 ---------+---------+---------+---------+---------+---------+    3060
   GACTCCGACCCGCAGATACGACGAAATCCTTAAGACGTTCCCAAGAACCACTACGACCGT

a     L R L G V Y A A L G I L Q G F L V M L A -

      GCCATGGCCATGGCAGCGGGTGGCATCCAGGCTGCCCGTGTGTTGCACCAGGCACTGCTG
3061 ---------+---------+---------+---------+---------+---------+    3120
   CGGTACCGGTACCGTCGCCCACCGTAGGTCCGACGGGCACACAACGTGGTCCGTGACGAC

a     A M A M A A G G I Q A A R V L H Q A L L -

      CACAACAAGATACGCTCGCCACAGTCCTTCTTTGACACCACACCATCAGGCCGCATCCTG
3121 ---------+---------+---------+---------+---------+---------+    3180
   GTGTTGTTCTATGCGAGCGGTGTCAGGAAGAAACTGTGGTGTGGTAGTCCGGCGTAGGAC

a     H N K I R S P Q S F F D T T P S G R I L -

      AACTGCTTCTCCAAGGACATCTATGTCGTTGATGAGGTTCTGGCCCCTGTCATCCTCATG
3181 ---------+---------+---------+---------+---------+---------+    3240
   TTGACGAAGAGGTTCCTGTAGATACAGCAACTACTCCAAGACCGGGGACAGTAGGAGTAC

a     N C F S K D I Y V V D E V L A P V I L M -

      CTGCTCAATTCCTTCTTCAACGCCATCTCCACTCTTGTGGTCATCATGGCCAGCACGCCG
3241 ---------+---------+---------+---------+---------+---------+    3300
   GACGAGTTAAGGAAGAAGTTGCGGTAGAGGTGAGAACACCAGTAGTACCGGTCGTGCGGC

a     L L N S F F N A I S T L V V I M A S T P -

      CTCTTCACTGTGGTCATCCTGCCCCTGGCTGTGCTCTACACCTTAGTGCAGCGCTTCTAT
3301 ---------+---------+---------+---------+---------+---------+    3360
   GAGAAGTGACACCAGTAGGACGGGGACCGACACGAGATGTGGAATCACGTCGCGAAGATA

a     L F T V V I L P L A V L Y T L V Q R F Y -

      GCAGCCACATCACGGCAACTGAAGCGGCTGGAATCAGTCAGCCGCTCACCTATCTACTCC
3361 ---------+---------+---------+---------+---------+---------+    3420
```

Figure 14H

```
      CGTCGGTGTAGTGCCGTTGACTTCGCCGACCTTAGTCAGTCGGCGAGTGGATAGATGAGG

a     A A T S R Q L K R L E S V S R S P I Y S -

      CACTTTTCGGAGACAGTGACTGGTGCCAGTGTCATCCGGGCCTACAACCGCAGCCGGGAT
3421 --------+---------+---------+---------+---------+---------+  3480
      GTGAAAAGCCTCTGTCACTGACCACGGTCACAGTAGGCCCGGATGTTGGCGTCGGCCCTA

a     H F S E T V T G A S V I R A Y N R S R D -

      TTTGAGATCATCAGTGATACTAAGGTGGATGCCAACCAGAGAAGCTGCTACCCCTACATC
3481 --------+--------+-------+-------+--------+--------+  3540
      AAACTCTAGTAGTCACTATGATTCCACCTACGGTTGGTCTCTTCGACGATGGGGATGTAG

a     F E I I S D T K V D A N Q R S C Y P Y I -

      ATCTCCAACCGGTGGCTGAGCATCGGAGTGGAGTTCGTGGGGAACTGCGTGGTGCTCTTT
3541 -------+-------+-------+-------+-------+-------+  3600
      TAGAGGTTGGCCACCGACTCGTAGCCTCACCTCAAGCACCCCTTGACGCACCACGAGAAA

a     I S N R W L S I G V E F V G N C V V L F -

      GCTGCACTATTTGCCGTCATCGGGAGGAGCAGCCTGAACCCGGGGCTGGTGGGCCTTTCT
3601 -------+-------+-------+-------+-------+-------+  3660
      CGACGTGATAAACGGCAGTAGCCCTCCTCGTCGGACTTGGGCCCCGACCACCCGGAAAGA

a     A A L F A V I G R S S L N P G L V G L S -

      GTGTCCTACTCCTTGCAGGTGACATTTGCTCTGAACTGGATGATACGAATGATGTCAGAT
3661 -------+-------+-------+-------+-------+-------+  3720
      CACAGGATGAGGAACGTCCACTGTAAACGAGACTTGACCTACTATGCTTACTACAGTCTA

a     V S Y S L Q V T F A L N W M I R M M S D -

      TTGGAATCTAACATCGTGGCTGTGGAGAGGGTCAAGGAGTACTCCAAGACAGAGACAGAG
3721 -------+-------+-------+-------+-------+-------+  3780
      AACCTTAGATTGTAGCACCGACACCTCTCCCAGTTCCTCATGAGGTTCTGTCTCTGTCTC

a     L E S N I V A V E R V K E Y S K T E T E -

      GCGCCCTGGGTGGTGGAAGGCAGCCGCCCTCCCGAAGGTTGGCCCCCACGTGGGGAGGTG
3781 -------+-------+-------+-------+-------+-------+  3840
      CGCGGGACCCACCACCTTCCGTCGGCGGGAGGGCTTCCAACCGGGGGTGCACCCCTCCAC
```

Figure 14I

```
a    A P W V V E G S R P P E G W P P R G E V -

     GAGTTCCGGAATTATTCTGTGCGCTACCGGCCGGGCCTAGACCTGGTGCTGAGAGACCTG
3841 ---------+---------+---------+---------+---------+---------+  3900
     CTCAAGGCCTTAATAAGACACGCGATGGCCGGCCCGGATCTGGACCACGACTCTCTGGAC

a    E F R N Y S V R Y R P G L D L V L R D L -

     AGTCTGCATGTGCACGGTGGCGAGAAGGTGGGGATCGTGGGCCGCACTGGGGCTGGCAAG
3901 ---------+---------+---------+---------+---------+---------+  3960
     TCAGACGTACACGTGCCACCGCTCTTCCACCCCTAGCACCCGGCGTGACCCCGACCGTTC

a    S L H V H G G E K V G I V G R T G A G K -

     TCTTCCATGACCCTTTGCCTGTTCCGCATCCTGGAGGCGGCAAAGGGTGAAATCCGCATT
3961 ---------+---------+---------+---------+---------+---------+  4020
     AGAAGGTACTGGGAAACGGACAAGGCGTAGGACCTCCGCCGTTTCCCACTTTAGGCGTAA

a    S S M T L C L F R I L E A A K G E I R I -

     GATGGCCTCAATGTGGCAGACATCGGCCTCCATGACCTGCGCTCTCAGCTGACCATCATC
4021 ---------+---------+---------+---------+---------+---------+  4080
     CTACCGGAGTTACACCGTCTGTAGCCGGAGGTACTGGACGCGAGAGTCGACTGGTAGTAG

a    D G L N V A D I G L H D L R S Q L T I I -

     CCGCAGGACCCCATCCTGTTCTCGGGGACCCTGCGCATGAACCTGGACCCCTTCGGCAGC
4081 ---------+---------+---------+---------+---------+---------+  4140
     GGCGTCCTGGGGTAGGACAAGAGCCCCTGGGACGCGTACTTGGACCTGGGGAAGCCGTCG

a    P Q D P I L F S G T L R M N L D P F G S -

     TACTCAGAGGAGGACATTTGGTGGGCTTTGGAGCTGTCCCACCTGCACACGTTTGTGAGC
4141 ---------+---------+---------+---------+---------+---------+  4200
     ATGAGTCTCCTCCTGTAAACCACCCGAAACCTCGACAGGGTGGACGTGTGCAAACACTCG

a    Y S E E D I W W A L E L S H L H T F V S -

     TCCCAGCCGGCAGGCCTGGACTTCCAGTGCTCAGAGGGCGGGGAGAATCTCAGCGTGGGC
4201 ---------+---------+---------+---------+---------+---------+  4260
     AGGGTCGGCCGTCCGGACCTGAAGGTCACGAGTCTCCCGCCCCTCTTAGAGTCGCACCCG
```

Figure 14J

```
a    S Q P A G L D F Q C S E G G E N L S V G -

     CAGAGGCAGCTCGTGTGCCTGGCCCGAGCCCTGCTCCGCAAGAGCCGCATCCTGGTTTTA
4261 ---------+---------+---------+---------+---------+---------+ 4320
     GTCTCCGTCGAGCACACGGACCGGGCTCGGGACGAGGCGTTCTCGGCGTAGGACCAAAAT

a    Q R Q L V C L A R A L L R K S R I L V L -

     GACGAGGCCACACCTGCCATCGACCTGGAGACTGACAACCTCATCCAGGCTACCATCCGC
4321 ---------+---------+---------+---------+---------+---------+ 4380
     CTGCTCCGGTGTCGACGGTAGCTGGACCTCTGACTGTTGGAGTAGGTCCGATGGTAGGCG

a    D E A T A A I D L E T D N L I Q A T I R -

     ACCCAGTTTGATACCTGCACTGTCCTGACCATCGCACACCGGCTTAACACTATCATGGAC
4381 ---------+---------+---------+---------+---------+---------+ 4440
     TGGGTCAAACTATGGACGTGACAGGACTGGTAGCGTGTGGCCGAATTGTGATAGTACCTG

a    T Q F D T C T V L T I A H R L N T I M D -

     TACACCAGGGTCCTGGTCCTGGACAAAGGAGTAGTAGCTGAATTTGATTCTCCAGCCAAC
4441 ---------+---------+---------+---------+---------+---------+ 4500
     ATGTGGTCCCAGGACCAGGACCTGTTTCCTCATCATCGACTTAAACTAAGAGGTCGGTTG

a    Y T R V L V L D K G V V A E F D S P A N -

     CTCATTGCAGCTAGAGGCATCTTCTACGGGATGGCCAGAGATGCTGGACTTGCCTAA
4501 ---------+---------+---------+---------+---------+-------  4557
     GAGTAACGTCGATCTCCGTAGAAGATGCCCTACCGGTCTCTACGACCTGAACGGATT

a    L I A A R G I F Y G M A R D A G L A * -
```

Figure 14K

MOAT E cDNA AND AMINO ACID SEQUENCE ENCODED THEREBY

```
      ATGGCCGCGCCTGCTGAGCCCTGCGCGGGGCAGGGGGTCTGGAACCAGACAGAGCCTGAA
    1 ---------+---------+---------+---------+---------+---------+     60
      TACCGGCGCGGACGACTCGGGACGCGCCCCGTCCCCCAGACCTTGGTCTGTCTCGGACTT

a     M A A P A E P C A G Q G V W N Q T E P E -

      CCTGCCGCCACCAGCCTGCTGAGCCTGTGCTTCCTGAGAACAGCAGGGGTCTGGGTACCC
   61 ---------+---------+---------+---------+---------+---------+    120
      GGACGGCGGTGGTCGGACGACTCGGACACGAAGGACTCTTGTCGTCCCCAGACCCATGGG

a     P A A T S L L S L C F L R T A G V W V P -

      CCCATGTACCTCTGGGTCCTTGGTCCCATCTACCTCCTCTTCATCCACCACCATGGCCGG
  121 ---------+---------+---------+---------+---------+---------+    180
      GGGTACATGGAGACCCAGGAACCAGGGTAGATGGAGGAGAAGTAGGTGGTGGTACCGGCC

a     P M Y L W V L G P I Y L L F I H H H G R -

      GGCTACCTCCGGATGTCCCCACTCTTCAAAGCCAAGATGGTGCTTGGATTCGCCCTCATA
  181 ---------+---------+---------+---------+---------+---------+    240
      CCGATGGAGGCCTACAGGGGTGAGAAGTTTCGGTTCTACCACGAACCTAAGCGGGAGTAT

a     G Y L R M S P L F K A K M V L G F A L I -

      GTCCTGTGTACCTCCAGCGTGGCTGTCGCTCTTTGGAAAATCCAACAGGGAACGCCTGAG
  241 ---------+---------+---------+---------+---------+---------+    300
      CAGGACACATGGAGGTCGCACCGACAGCGAGAAACCTTTTAGGTTGTCCCTTGCGGACTC

a     V L C T S S V A V A L W K I Q Q G T P E -

      GCCCCAGAATTCCTCATTCATCCTACTGTGTGGCTCACCACGATGAGCTTCGCAGTGTTC
  301 ---------+---------+---------+---------+---------+---------+    360
      CGGGGTCTTAAGGAGTAAGTAGGATGACACACCGAGTGGTGCTACTCGAAGCGTCACAAG

a     A P E F L I H P T V W L T T M S F A V F -

      CTGATTCACACCGAGAGGAAAAAGGGAGTCCAGTCATCTGGAGTGCTGTTTGGTTACTGG
  361 ---------+---------+---------+---------+---------+---------+    420
      GACTAAGTGTGGCTCTCCTTTTTCCCTCAGGTCAGTAGACCTCACGACAAACCAATGACC
```

Figure 15A

```
a    L I H T E R K K G V Q S S G V L F G Y W -

     CTTCTCTGCTTTGTCTTGCCAGCTACCAACGCTGCCCAGCAGGCCTCCGGAGCGGGCTTC
421 ---------+---------+---------+---------+---------+---------+  480
     GAAGAGACGAAACAGAACGGTCGATGGTTGCGACGGGTCGTCCGGAGGCCTCGCCCGAAG

a    L L C F V L P A T N A A Q Q A S G A G F -

     CAGAGCGACCCTGTCCGCCACCTGTCCACCTACCTATGCCTGTCTCTGGTGGTGGCACAG
481 ---------+---------+---------+---------+---------+---------+  540
     GTCTCGCTGGGACAGGCGGTGGACAGGTGGATGGATACGGACAGAGACCACCACCGTGTC

a    Q S D P V R H L S T Y L C L S L V V A Q -

     TTTGTGCTGTCCTGCCTGGCGGATCAACCCCCCTTCTTCCCTGAAGACCCCCAGCAGTCT
541 ---------+---------+---------+---------+---------+---------+  600
     AAACACGACAGGACGGACCGCCTAGTTGGGGGGAAGAAGGGACTTCTGGGGGTCGTCAGA

a    F V L S C L A D Q P P F F P E D P Q Q S -

     AACCCCTGTCCAGAGACTGGGGCAGCCTTCCCCTCCAAAGCCACGTTCTGGTGGGTTTCT
601 ---------+---------+---------+---------+---------+---------+  660
     TTGGGGACAGGTCTCTGACCCCGTCGGAAGGGGAGGTTTCGGTGCAAGACCACCCAAAGA

a    N P C P E T G A A F P S K A T F W W V S -

     GGCCTGGTCTGGAGGGGATACAGGAGGCCACTGAGACCAAAAGACCTCTGGTCGCTTGGG
661 ---------+---------+---------+---------+---------+---------+  720
     CCGGACCAGACCTCCCCTATGTCCTCCGGTGACTCTGGTTTTCTGGAGACCAGCGAACCC

a    G L V W R G Y R R P L R P K D L W S L G -

     AGAGAAAACTCCTCAGAAGAACTTGTTTCCCGGCTTGAAAAGGAGTGGATGAGGAACCGC
721 ---------+---------+---------+---------+---------+---------+  780
     TCTCTTTTGAGGAGTCTTCTTGAACAAAGGGCCGAACTTTTCCTCACCTACTCCTTGGCG

a    R E N S S E E L V S R L E K E W M R N R -

     AGTGCAGCCCGGAGGCACAACAAGGCAATAGCATTTAAAAGGAAAGGCGGCAGTGGCATG
781 ---------+---------+---------+---------+---------+---------+  840
     TCACGTCGGGCCTCCGTGTTGTTCCGTTATCGTAAATTTTCCTTTCCGCCGTCACCGTAC
```

Figure 15B

```
a    S A A R R H N K A I A F K R K G G S G M -

     AAGGCTCCAGAGACCGAGCCCTTCCTACGGCAAGAAGGGAGCCAGTGGCGCCCACTGCTG
841  ------+------+------+------+------+------+  900
     TTCCGAGGTCTCTGGCTCGGGAAGGATGCCGTTCTTCCCTCGGTCACCGCGGGTGACGAC

a    K A P E T E P F L R Q E G S Q W R P L L -

     AAGGCCATCTGGCAGGTGTTCCATTCTACCTTCCTCCTGGGGACCCTCAGCCTCATCATC
901  ------+------+------+------+------+------+  960
     TTCCGGTAGACCGTCCACAAGGTAAGATGGAAGGAGGACCCCTGGGAGTCGGAGTAGTAG

a    K A I W Q V F H S T F L L G T L S L I I -

     AGTGATGTCTTCAGGTTCACTGTCCCCAAGCTGCTCAGCCTTTTCCTGGAGTTTATTGGT
961  ------+------+------+------+------+------+  1020
     TCACTACAGAAGTCCAAGTGACAGGGGTTCGACGAGTCGGAAAAGGACCTCAAATAACCA

a    S D V F R F T V P K L L S L F L E F I G -

     GATCCCAAGCCTCCAGCCTGGAAGGGCTACCTCCTCGCCGTGCTGATGTTCCTCTCAGCC
1021 ------+------+------+------+------+------+  1080
     CTAGGGTTCGGAGGTCGGACCTTCCCGATGGAGGAGCGGCACGACTACAAGGAGAGTCGG

a    D P K P P A W K G Y L L A V L M F L S A -

     TGCCTGCAAACGCTGTTTGAGCAGCAGAACATGTACAGGCTCAAGGTGCCGCAGATGAGG
1081 ------+------+------+------+------+------+  1140
     ACGGACGTTTGCGACAAACTCGTCGTCTTGTACATGTCCGAGTTCCACGGCGTCTACTCC

a    C L Q T L F E Q Q N M Y R L K V P Q M R -

     TTGCGGTCGGCCATCACTGGCCTGGTGTACAGAAAGGTCCTGGCTCTGTCCAGCGGCTCC
1141 ------+------+------+------+------+------+  1200
     AACGCCAGCCGGTAGTGACCGGACCACATGTCTTTCCAGGACCGAGACAGGTCGCCGAGG

a    L R S A I T G L V Y R K V L A L S S G S -

     AGAAAGGCCAGTGCGGTGGGTGATGTGGTCAATCTGGTGTCCGTGGACGTGCAGCGGCTG
1201 ------+------+------+------+------+------+  1260
     TCTTTCCGGTCACGCCACCCACTACACCAGTTAGACCACAGGCACCTGCACGTCGCCGAC

a    R K A S A V G D V V N L V S V D V Q R L -
```

Figure 15C

```
      ACCGAGAGCGTCCTCTACCTCAACGGGCTGTGGCTGCCTCTCGTCTGGATCGTGGTCTGC
1261 ---------+---------+---------+---------+---------+---------+  1320
      TGGCTCTCGCAGGAGATGGAGTTGCCCGACACCGACGGAGAGCAGACCTAGCACCAGACG

a     T E S V L Y L N G L W L P L V W I V V C -

      TTCGTCTATCTCTGGCAGCTCCTGGGGCCCTCCGCCCTCACTGCCATCGCTGTCTTCCTG
1321 ---------+---------+---------+---------+---------+---------+  1380
      AAGCAGATAGAGACCGTCGAGGACCCCGGGAGGCGGGAGTGACGGTAGCGACAGAAGGAC

a     F V Y L W Q L L G P S A L T A I A V F L -

      AGCCTCCTCCCTCTGAATTTCTTCATCTCCAAGAAAAGGAACCACCATCAGGAGGAGCAA
1381 ---------+---------+---------+---------+---------+---------+  1440
      TCGGAGGAGGGAGACTTAAAGAAGTAGAGGTTCTTTTCCTTGGTGGTAGTCCTCCTCGTT

a     S L L P L N F F I S K K R N H H Q E E Q -

      ATGAGGCAGAAGGACTCACGGGCACGGCTCACCAGCTCTATCCTCAGGAACTCGAAGACC
1441 ---------+---------+---------+---------+---------+---------+  1500
      TACTCCGTCTTCCTGAGTGCCCGTGCCGAGTGGTCGAGATAGGAGTCCTTGAGCTTCTGG

a     M R Q K D S R A R L T S S I L R N S K T -

      ATCAAGTTCCATGGCTGGGAGGGAGCCTTTCTGGACAGAGTCCTGGGCATCCGAGGCCAG
1501 ---------+---------+---------+---------+---------+---------+  1560
      TAGTTCAAGGTACCGACCCTCCCTCGGAAAGACCTGTCTCAGGACCCGTAGGCTCCGGTC

a     I K F H G W E G A F L D R V L G I R G Q -

      GAGCTGGGCGCCTTGCGGACCTCCGGCCTCCTCTTCTCTGTGTCGCTGGTGTCCTTCCAA
1561 ---------+---------+---------+---------+---------+---------+  1620
      CTCGACCCGCGGAACGCCTGGAGGCCGGAGGAGAAGAGACACAGCGACCACAGGAAGGTT

a     E L G A L R T S G L L F S V S L V S F Q -

      GTGTCTACATTTCTGGTCGCACTGGTGGTGTTTGCTGTCCACACTCTGGTGGCCGAGAAT
1621 ---------+---------+---------+---------+---------+---------+  1680
      CACAGATGTAAAGACCAGCGTGACCACCACAAACGACAGGTGTGAGACCACCGGCTCTTA

a     V S T F L V A L V V F A.V H T L V A E N -
```

Figure 15D

```
      GCTATGAATGCAGAGAAAGCCTTTGTGACTCTCACAGTTCTCAACATCCTCAACAAGGCC
1681 ---------+---------+---------+---------+---------+---------+  1740
      CGATACTTACGTCTCTTTCGGAAACACTGAGAGTGTCAAGAGTTGTAGGAGTTGTTCCGG

a     A M N A E K A F V T L T V L N I L N K A -

      CAGGCTTTCCTGCCCTTCTCCATCCACTCCCTCGTCCAGGCCCGGGTGTCCTTTGACCGT
1741 ---------+---------+---------+---------+---------+---------+  1800
      GTCCGAAAGGACGGGAAGAGGTAGGTGAGGGAGCAGGTCCGGGCCCACAGGAAACTGGCA

a     Q A F L P F S I H S L V Q A R V S F D R -

      CTGGTCACCTTCCTCTGCCTGGAAGAAGTTGACCCTGGTGTCGTAGACTCAAGTTCCTCT
1801 ---------+---------+---------+---------+---------+---------+  1860
      GACCAGTGGAAGGAGACGGACCTTCTTCAACTGGGACCACAGCATCTGAGTTCAAGGAGA

a     L V T F L C L E E V D P G V V D S S S S -

      GGAAGCGCTGCCGGGAAGGATTGCATCACCATACACAGTGCCACCTTCGCCTGGTCCCAG
1861 ---------+---------+---------+---------+---------+---------+  1920
      CCTTCGCGACGGCCCTTCCTAACGTAGTGGTATGTGTCACGGTGGAAGCGGACCAGGGTC

a     G S A A G K D C I T I H S A T F A W S Q -

      GAAAGCCCTCCCTGCCTCCACAGAATAAACCTCACGGTGCCCCAGGGCTGTCTGCTGGCT
1921 ---------+---------+---------+---------+---------+---------+  1980
      CTTTCGGGAGGGACGGAGGTGTCTTATTTGGAGTGCCACGGGGTCCCGACAGACGACCGA

a     E S P P C L H R I N L T V P Q G C L L A -

      GTTGTCGGTCCAGTGGGGGCAGGGAAGTCCTCCCTGCTGTCCGCCCTCCTTGGGGAGCTG
1981 ---------+---------+---------+---------+---------+---------+  2040
      CAACAGCCAGGTCACCCCCGTCCCTTCAGGAGGGACGACAGGCGGGAGGAACCCCTCGAC

a     V V G P V G A G K S S L L S A L L G E L -

      TCAAAGGTGGAGGGGTTCGTGAGCATCGAGGGTGCTGTGGCCTACGTGCCCCAGGAGGCC
2041 ---------+---------+---------+---------+---------+---------+  2100
      AGTTTCCACCTCCCCAAGCACTCGTAGCTCCCACGACACCGGATGCACGGGGTCCTCCGG

a     S K V E G F V S I E G A V A Y V P Q E A -

      TGGGTGCAGAACACCTCTGTGGTAGAGAATGTGTGCTTCGGGCAGGAGCTGGACCCACCC
```

Figure 15E

2101 ---------+---------+---------+---------+---------+---------+ 2160
ACCCACGTCTTGTGGAGACACCATCTCTTACACACGAAGCCCGTCCTCGACCTGGGTGGG

a W V Q N T S V V E N V C F G Q E L D P P -

TGGCTGGAGAGAGTACTAGAAGCCTGTGCCCTGCAGCCAGATGTGGACAGCTTCCCTGAG
2161 ---------+---------+---------+---------+---------+---------+ 2220
ACCGACCTCTCTCATGATCTTCGGACACGGGACGTCGGTCTACACCTGTCGAAGGGACTC

a W L E R V L E A C A L Q P D V D S F P E -

GGAATCCACACTTCAATTGGGGAGCAGGGCATGAATCTCTCCGGAGGCCAGAAGCAGCGG
2221 ———+———+———+———+———+———+ 2280
CCTTAGGTGTGAAGTTAACCCCTCGTCCCGTACTTAGAGAGGCCTCCGGTCTTCGTCGCC

a G I H T S I G E Q G M N L S G G Q K Q R -

CTGAGCCTGGCCCGGGCTGTATACAGAAAGGCAGCTGTGTACCTGCTGGATGACCCCCTG
2281 ———+———+———+———+———+———+ 2340
GACTCGGACCGGGCCCGACATATGTCTTTCCGTCGACACATGGACGACCTACTGGGGGAC

a L S L A R A V Y R K A A V Y L L D D P L -

GCGGCCCTGGATGCCCACGTTGGCCAGCATGTCTTCAACCAGGTCATTGGGCCTGGTGGG
2341 ———+———+———+———+———+———+ 2400
CGCCGGGACCTACGGGTGCAACCGGTCGTACAGAAGTTGGTCCAGTAACCCGGACCACCC

a A A L D A H V G Q H V F N Q V I G P G G -

CTACTCCAGGGAACAACACGGATTCTCGTGACGCACGCACTCCACATCCTGCCCCAGGCT
2401 ———+———+———+———+———+———+ 2460
GATGAGGTCCCTTGTTGTGCCTAAGAGCACTGCGTGCGTGAGGTGTAGGACGGGGTCCGA

a L L Q G T T R I L V T H A L H I L P Q A -

GATTGGATCATAGTGCTGGCAAATGGGGCCATCGCAGAGATGGGTTCCTACCAGGAGCTT
2461 ———+———+———+———+———+———+ 2520
CTAACCTAGTATCACGACCGTTTACCCCGGTAGCGTCTCTACCCAAGGATGGTCCTCGAA

a D W I I V L A N G A I A E M G S Y Q E L -

CTGCAGAGGAAGGGGGCCCTCGTGTGTCTTCTGGATCAAGCCAGACAGCCAGGAGATAGA
2521 ———+———+———+———+———+———+ 2580

Figure 15F

```
    GACGTCTCCTTCCCCCGGGAGCACACAGAAGACCTAGTTCGGTCTGTCGGTCCTCTATCT

a   L Q R K G A L V C L L D Q A R Q P G D R -

    GGAGAAGGAGAAACAGAACCTGGGACCAGCACCAAGGACCCCAGAGGCACCTCTGCAGGC
2581 ---------+---------+---------+---------+---------+--------+  2640
    CCTCTTCCTCTTTGTCTTGGACCCTGGTCGTGGTTCCTGGGGTCTCCGTGGAGACGTCCG

a   G E G E T E P G T S T K D P R G T S A G -

    AGGAGGCCCGAGCTTAGACGCGAGAGGTCCATCAAGTCAGTCCCTGAGAAGGACCGTACC
2641 ---------+---------+---------+---------+---------+--------+  2700
    TCCTCCGGGCTCGAATCTGCGCTCTCCAGGTAGTTCAGTCAGGGACTCTTCCTGGCATGG

a   R R P E L R R E R S I K S V P E K D R T -

    ACTTCAGAAGCCCAGACAGAGGTTCCTCTGGATGACCCTGACAGGGCAGGATGGCCAGCA
2701 ---------+---------+---------+---------+---------+--------+  2760
    TGAAGTCTTCGGGTCTGTCTCCAAGGAGACCTACTGGGACTGTCCCGTCCTACCGGTCGT

a   T S E A Q T E V P L D D P D R A G W P A -

    GGAAAGGACAGCATCCAATACGGCAGGGTGAAGGCCACAGTGCACCTGGCCTACCTGCGT
2761 ---------+---------+---------+---------+---------+--------+  2820
    CCTTTCCTGTCGTAGGTTATGCCGTCCCACTTCCGGTGTCACGTGGACCGGATGGACGCA

a   G K D S I Q Y G R V K A T V H L A Y L R -

    GCCGTGGGCACCCCCCTCTGCCTCTACGCACTCTTCCTCTTCCTCTGCCAGCAAGTGGCC
2821 ---------+---------+---------+---------+---------+--------+  2880
    CGGCACCCGTGGGGGGAGACGGAGATGCGTGAGAAGGAGAAGGAGACGGTCGTTCACCGG

a   A V G T P L C L Y A L F L F L C Q Q V A -

    TCCTTCTGCCGGGGCTACTGGCTGAGCCTGTGGGCGGACGACCCTGCAGTAGGTGGGCAG
2881 ---------+---------+---------+---------+---------+--------+  2940
    AGGAAGACGGCCCCGATGACCGACTCGGACACCCGCCTGCTGGGACGTCATCCACCCGTC

a   S F C R G Y W L S L W A D D P A V G G Q -

    CAGACGCAGGCAGCCCTGCGTGGCGGGATCTTCGGGCTCCTCGGCTGTCTCCAAGCCATT
2941 ---------+---------+---------+---------+---------+--------+  3000
    GTCTGCGTCCGTCGGGACGCACCGCCCTAGAAGCCCGAGGAGCCGACAGAGGTTCGGTAA
```

Figure 15G


a Q T Q A A L R G G I F G L L G C L Q A I -
GGGCTGTTTGCCTCCATGGCTGCGGTGCTCCTAGGTGGGGCCCGGGCATCCAGGTTGCTC
3001 ----+----+----+----+----+----+ 3060
CCCGACAAACGGAGGTACCGACGCCACGAGGATCCACCCCGGGCCCGTAGGTCCAACGAG
a G L F A S M A A V L L G G A R A S R L L -
TTCCAGAGGCTCCTGTGGGATGTGGTGCGATCTCCCATCAGCTTCTTTGAGCGGACACCC
3061 ----+----+----+----+----+----+ 3120
AAGGTCTCCGAGGACACCCTACACCACGCTAGAGGGTAGTCGAAGAAACTCGCCTGTGGG
a F Q R L L W D V V R S P I S F F E R T P -
ATTGGTCACCTGCTAAACCGCTTCTCCAAGGAGACAGACACGGTTGACGTGGACATTCCA
3121 ----+----+----+----+----+----+ 3180
TAACCAGTGGACGATTTGGCGAAGAGGTTCCTCTGTCTGTGCCAACTGCACCTGTAAGGT
a I G H L L N R F S K E T D T V D V D I P -
GACAAACTCCGGTCCCTGCTGATGTACGCCTTTGGACTCCTGGAGGTCAGCCTGGTGGTG
3181 ----+----+----+----+----+----+ 3240
CTGTTTGAGGCCAGGGACGACTACATGCGGAAACCTGAGGACCTCCAGTCGGACCACCAC
a D K L R S L L M Y A F G L L E V S L V V -
GCAGTGGCTACCCCACTGGCCACTGTGGCCATCCTGCCACTGTTTCTCCTCTACGCTGGG
3241 ----+----+----+----+----+----+ 3300
CGTCACCGATGGGGTGACCGGTGACACCGGTAGGACGGTGACAAAGAGGAGATGCGACCC
a A V A T P L A T V A I L P L F L L Y A G -
TTTCAGAGCCTGTATGTGGTTAGCTCATGCCAGCTGAGACGCTTGGAGTCAGCCAGCTAC
3301 ----+----+----+----+----+----+ 3360
AAAGTCTCGGACATACACCAATCGAGTACGGTCGACTCTGCGAACCTCAGTCGGTCGATG
a F Q S L Y V V S S C Q L R R L E S A S Y -
TCGTCTGTCTGCTCCCACATGGCTGAGACGTTCCAGGGCAGCACAGTGGTCCGGGCATTC
3361 ----+----+----+----+----+----+ 3420
AGCAGACAGACGAGGGTGTACCGACTCTGCAAGGTCCCGTCGTGTCACCAGGCCCGTAAG

Figure 15H

```
a    S S V C S H M A E T F Q G S T V V R A F -

     CGAACCCAGGCCCCTCTTGTGGCTCAGAACAATGCTCGCGTAGATGAAAGCCAGAGGATC
3421 ---------+---------+---------+---------+---------+---------+  3480
     GCTTGGGTCCGGGGAGAACACCGAGTCTTGTTACGAGCGCATCTACTTTCGGTCTCCTAG

a    R T Q A P L V A Q N N A R V D E S Q R I -

     AGTTTCCCGCGACTGGTGGCTGACAGGTGGCTTGCGGCCAATGTGGAGCTCCTGGGGAAT
3481 ---------+---------+---------+---------+---------+---------+  3540
     TCAAAGGGCGCTGACCACCGACTGTCCACCGAACGCCGGTTACACCTCGAGGACCCCTTA

a    S F P R L V A D R W L A A N V E L L G N -

     GGCCTGGTGTTTGCAGCTGCCACGTGTGCTGTGCTGAGCAAAGCCCACCTCAGTGCTGGC
3541 ---------+---------+---------+---------+---------+---------+  3600
     CCGGACCACAAACGTCGACGGTGCACACGACACGACTCGTTTCGGGTGGAGTCACGACCG

a    G L V F A A A T C A V L S K A H L S A G -

     CTCGTGGGCTTCTCTGTCTCTGCTGCCCTCCAGGTGACCCAGGCACTGCAGTGGGTTGTT
3601 ---------+---------+---------+---------+---------+---------+  3660
     GAGCACCCGAAGAGACAGAGACGACGGGAGGTCCACTGGGTCCGTGACGTCACCCAACAA

a    L V G F S V S A A L Q V T Q A L Q W V V -

     CGCAACTGGACAGACCTAGAGAACAGCATCGTGTCAGTGGAGCGGATGCAGGACTATGCC
3661 ---------+---------+---------+---------+---------+---------+  3720
     GCGTTGACCTGTCTGGATCTCTTGTCGTAGCACAGTCACCTCGCCTACGTCCTGATACGG

a    R N W T D L E N S I V S V E R M Q D Y A -

     TGGACGCCCAAGGAGGCTCCCTGGAGGCTGCCCACATGTGCAGCTCAGCCCCCCTGGCCT
3721 ---------+---------+---------+---------+---------+---------+  3780
     ACCTGCGGGTTCCTCCGAGGGACCTCCGACGGGTGTACACGTCGAGTCGGGGGGACCGGA

a    W T P K E A P W R L P T C A A Q P P W P -

     CAGGGCGGGCAGATCGAGTTCCGGGACTTTGGGCTAAGATACCGACCTGAGCTCCCGCTG
3781 ---------+---------+---------+---------+---------+---------+  3840
     GTCCCGCCCGTCTAGCTCAAGGCCCTGAAACCCGATTCTATGGCTGGACTCGAGGGCGAC

a    Q G G Q I E F R D F G L R Y R P E L P L -
```

Figure 15I

```
     GCTGTGCAGGGCGTGTCCCTCAAGATCCACGCAGGAGAGAAGGTGGGCATCGTTGGCAGG
3841 ---------+---------+---------+---------+---------+---------+  3900
     CGACACGTCCCGCACAGGGAGTTCTAGGTGCGTCCTCTCTTCCACCCGTAGCAACCGTCC

a    A V Q G V S L K I H A G E K V G I V G R -

     ACCGGGGCAGGGAAGTCCTCCCTGGCCAGTGGGCTGCTGCGGCTCCAGGAGGCAGCTGAG
3901 ---------+---------+---------+---------+---------+---------+  3960
     TGGCCCCGTCCCTTCAGGAGGGACCGGTCACCCGACGACGCCGAGGTCCTCCGTCGACTC

a    T G A G K S S L A S G L L R L Q E A A E -

     GGTGGGATCTGGATCGACGGGGTCCCCATTGCCCACGTGGGGCTGCACACACTGCGCTCC
3961 ---------+---------+---------+---------+---------+---------+  4020
     CCACCCTAGACCTAGCTGCCCCAGGGGTAACGGGTGCACCCCGACGTGTGTGACGCGAGG

a    G G I W I D G V P I A H V G L H T L R S -

     AGGATCAGCATCATCCCCCAGGACCCCATCCTGTTCCCTGGCTCTCTGCGGATGAACCTC
4021 ---------+---------+---------+---------+---------+---------+  4080
     TCCTAGTCGTAGTAGGGGGTCCTGGGGTAGGACAAGGGACCGAGAGACGCCTACTTGGAG

a    R I S I I P Q D P I L F P G S L R M N L -

     GACCTGCTGCAGGAGCACTCGGACGAGGCTATCTGGGCAGCCCTGGAGACGGTGCAGCTC
4081 ---------+---------+---------+---------+---------+---------+  4140
     CTGGACGACGTCCTCGTGAGCCTGCTCCGATAGACCCGTCGGGACCTCTGCCACGTCGAG

a    D L L Q E H S D E A I W A A L E T V Q L -

     AAAGCCTTGGTGGCCAGCCTGCCCGGCCAGCTGCAGTACAAGTGTGCTGACCGAGGCGAG
4141 ---------+---------+---------+---------+---------+---------+  4200
     TTTCGGAACCACCGGTCGGACGGGCCGGTCGACGTCATGTTCACACGACTGGCTCCGCTC

a    K A L V A S L P G Q L Q Y K C A D R G E -

     GACCTGAGCGTGGGCCAGAAACAGCTCCTGTGTCTGGCACGTGCCCTTCTCCGGAAGACC
4201 ---------+---------+---------+---------+---------+---------+  4260
     CTGGACTCGCACCCGGTCTTTGTCGAGGACACAGACCGTGCACGGGAAGAGGCCTTCTGG

a    D L S V G Q K Q L L C I A R A L L R K T -
```

Figure 15J

```
      CAGATCCTCATCCTGGACGAGGCTACTGCTGCCGTGGACCCTGGCACGGAGCTGCAGATG
4261 ------+---------+--------+---------+---------+---------+     4320
      GTCTAGGAGTAGGACCTGCTCCGATGACGACGGCACCTGGGACCGTGCCTCGACGTCTAC

a     Q I L I L D E A T A A V D P G T E L Q M -

      CAGGCCATGCTCGGGAGCTGGTTTGCACAGTGCACTGTGCTGCTCATTGCCCACCGCCTG
4321 ------+-------+-------+-------+-------+---------+     4380
      GTCCGGTACGAGCCCTCGACCAAACGTGTCACGTGACACGACGAGTAACGGGTGGCGGAC

a     Q A M L G S W F A Q C T V L L I A H R L -

      CGCTCCGTGATGGACTGTGCCCGGGTTCTGGTCATGGACAAGGGGCAGGTGGCAGAGAGC
4381 ------+-------+-------+-------+-------+-------+     4440
      GCGAGGCACTACCTGACACGGGCCCAAGACCAGTACCTGTTCCCCGTCCACCGTCTCTCG

a     R S V M D C A R V L V M D K G Q V A E S -

      GGCAGCCCGGCCCAGCTGCTGGCCCAGAAGGGCCTGTTTTACAGACTGGCCCAGGAGTCA
4441 ------+-------+-------+-------+-------+-------+     4500
      CCGTCGGGCCGGGTCGACGACCGGGTCTTCCCGGACAAAATGTCTGACCGGGTCCTCAGT

a     G S P A Q L L A Q K G L F Y R L A Q E S -

      GGCCTGGTCTGA
4501 ------+- 4512
      CCGGACCAGACT

a     G L V * -
```

Figure 15K

SEQUENCE LISTING

<110> Fox Chase Cancer Center
Kruh, Gary D.
Lee, Kun
Belinsky, Martin G.
Bain, Lisa J.

<120> MRP-Related ABC Transporter Encoding Nucleic Acids and Methods of Use Thereof

<130> FCCC 98-02

<150> 60/079,759
<151> 1998-03-27

<150> 60/095,153
<151> 1998-08-03

<160> 18

<170> FastSEQ for Windows Version 3.0

<210> 1
<211> 4231
<212> DNA
<213> Homo sapiens

<400> 1

ggacaggcgt ggcggccgga gccccagcat ccctgcttga ggtccaggag cggagcccgc 60
ggccaccgcc gcctgatcag cgcgaccccg gcccgcgccc gccccgcccg gcaagatgct 120
gcccgtgtac caggaggtga agcccaaccc gctgcaggac gcgaacatct gctcacgcgt 180
gttcttctgg tggctcaatc ccttgtttaa aattggccat aaacggagat tagaggaaga 240
tgatatgtat tcagtgctgc cagaagaccg ctcacagcac cttggagagg agttgcaagg 300
gttctgggat aaagaagttt taagagctga gaatgacgca cagaagcctt ctttaacaag 360
agcaatcata aagtgttact ggaaatctta tttagttttg ggaatttta cgttaattga 420
ggaaagtgcc aaagtaatcc agcccatatt tttgggaaaa attattaatt attttgaaaa 480
ttatgatccc atggattctg tggctttgaa cacagcgtac gcctatgcca cggtgctgac 540
tttttgcacg ctcattttgg ctatactgca tcacttatat ttttatcacg ttcagtgtgc 600
tgggatgagg ttacgagtag ccatgtgcca tatgatttat cggaaggcac ttcgtcttag 660
taacatggcc atggggaaga caaccacagg ccagatagtc aatctgctgt ccaatgatgt 720
gaacaagttt gatcaggtga cagtgttctt acacttcctg tgggcaggac cactgcaggc 780
gatcgcagtg actgccctac tctggatgga gataggaata tcgtgccttg ctgggatggc 840
agttctaatc attctcctgc ccttgcaaag ctgttttggg aagttgttct catcactgag 900
gagtaaaact gcaactttca cggatgccag gatcaggacc atgaatgaag ttataactgg 960
tataaggata ataaaaatgt acgcctggga aaagtcattt tcaaatctta ttaccaattt 1020
gagaaagaag gagatttcca agattctgag aagttcctgc ctcaggggga tgaatttggc 1080
ttcgtttttc agtgcaagca aaatcatcgt gtttgtgacc ttcaccacct acgtgctcct 1140
cggcagtgtg atcacagcca gccgcgtgtt cgtggcagtg acgctgtatg gggctgtgcg 1200
gctgacggtt accctcttct tcccctcagc cattgagagg gtgtcagagg caatcgtcag 1260
catccgaaga atccagacct ttttgctact tgatgagata tcacagcgca accgtcagct 1320
gccgtcagat ggtaaaaaga tggtgcatgt gcaggatttt actgcttttt gggataaggc 1380
atcagagacc ccaactctac aaggcctttc ctttactgtc agacctggcg aattgttagc 1440
tgtggtcggc cccgtgggag cagggaagtc atcactgtta agtgccgtgc tcggggaatt 1500
ggccccaagt cacgggctgg tcagcgtgca tggaagaatt gcctatgtgt ctcagcagcc 1560
ctgggtgttc tcgggaactc tgaggagtaa tattttattt gggaagaaat atgaaaagga 1620
acgatatgaa aaagtcataa aggcttgtgc tctgaaaaag gatttacagc tgttggagga 1680
tggtgatctg actgtgatag gagatcgggg aaccacgctg agtggagggc agaaagcacg 1740
ggtaaacctt gcaagagcag tgtatcaaga tgctgacatc tatctcctgg acgatcctct 1800
cagtgcagta gatgcggaag ttagcagaca cttgttcgaa ctgtgtattt gtcaaatttt 1860
gcatgagaag atcacaattt tagtgactca tcagttgcag tacctcaaag ctgcaagtca 1920
gattctgata ttgaaagatg gtaaaatggt gcagaagggg acttacactg agttcctaaa 1980
atctggtata gattttggct ccctttaaa gaaggataat gaggaaagtg aacaacctcc 2040
agttccagga actcccacac taaggaatcg taccttctca gagtcttcgg tttggtctca 2100

```
acaatcttct agaccctcct tgaaagatgg tgctctggag agccaagata cagagaatgt    2160
cccagttaca ctatcagagg agaaccgttc tgaaggaaaa gttggttttc aggcctataa    2220
gaattacttc agagctggtg ctcactggat tgtcttcatt ttccttattc tcctaaacac    2280
tgcagctcag gttgcctatg tgcttcaaga ttggtggctt tcatactggg caaacaaaca    2340
aagtatgcta aatgtcactg taaatggagg aggaaatgta accgagaagc tagatcttaa    2400
ctggtactta ggaatttatt caggtttaac tgtagctacc gttctttttg gcatagcaag    2460
atctctattg gtattctacg tccttgttaa ctcttcacaa actttgcaca acaaaatgtt    2520
tgagtcaatt ctgaaagctc cggtattatt ctttgataga aatccaatag gaagaatttt    2580
aaatcgtttc tccaaagaca ttggacactt ggatgatttg ctgccgctga cgtttttaga    2640
tttcatccag acattgctac aagtggttgg tgtggtctct gtggctgtgg ccgtgattcc    2700
ttggatcgca ataccttgg ttccccttgg aatcattttc atttttcttc ggcgatattt    2760
tttggaaacg tcaagagatg tgaagcgcct ggaatctaca actcggagtc cagtgttttc    2820
ccacttgtca tcttctctcc aggggctctg gaccatccgg gcatacaaag cagaagagag    2880
gtgtcaggaa ctgtttgatg cacaccagga tttacattca gaggcttggt tcttgttttt    2940
gacaacgtcc cgctggttcg ccgtccgtct ggatgccatc tgtgccatgt ttgtcatcat    3000
cgttgccttt gggtccctga ttctggcaaa aactctggat gccgggcagg ttggtttggc    3060
actgtcctat gccctcacgc tcatggggat gtttcagtgg tgtgttcgac aaagtgctga    3120
agttgagaat atgatgatct cagtagaaag ggtcattgaa tacacagacc ttgaaaaaga    3180
agcaccttgg gaatatcaga aacgcccacc accagcctgg ccccatgaag gagtgataat    3240
ctttgacaat gtgaacttca tgtacagtcc aggtgggcct ctggtactga agcatctgac    3300
agcactcatt aaatcacaag aaaaggttgg cattgtggga agaaccggag ctggaaaaag    3360
ttccctcatc tcagcccttt ttagattgtc agaacccgaa ggtaaaattt ggattgataa    3420
gatcttgaca actgaaattg gacttcacga tttaaggaag aaaatgtcaa tcatacctca    3480
ggaacctgtt ttgttcactg gaacaatgag gaaaaacctg gatcccttta aggagcacac    3540
ggatgaggaa ctgtggaatg ccttacaaga ggtacaactt aaagaaacca ttgaagatct    3600
tcctggtaaa atggatactg aattagcaga atcaggatcc aattttagtg ttggacaaag    3660
acaactggtg tgccttgcca gggcaattct caggaaaaat cagatattga ttattgatga    3720
agcgacggca aatgtggatc caagaactga tgagttaata caaaaaaaaa tccgggagaa    3780
atttgcccac tgcaccgtgc taaccattgc acacagattg aacaccatta ttgacagcga    3840
caagataatg gttttagatt caggaagact gaaagaatat gatgagccgt atgttttgct    3900
gcaaaataaa gagagcctat tttacaagat ggtgcaacaa ctgggcaagg cagaagccgc    3960
tgccctcact gaaacagcaa aacaggtata cttcaaaaga aattatccac atattggtca    4020
cactgaccac atggttacaa acacttccaa tggacagccc tcgaccttaa ctattttcga    4080
gacagcactg tgaatccaac caaaatgtca agtccgttcc gaaggcattt tccactagtt    4140
tttggactat gtaaaccaca ttgtactttt ttttactttg gcaacaaata tttatacata    4200
caagatgcta gttcatttga atatttctcc c                                   4231
```

<210> 2
<211> 1325
<212> PRT
<213> Homo sapiens

<400> 2

```
Met Leu Pro Val Tyr Gln Glu Val Lys Pro Asn Pro Leu Gln Asp Ala
 1               5                  10                  15
Asn Ile Cys Ser Arg Val Phe Phe Trp Trp Leu Asn Pro Leu Phe Lys
            20                  25                  30
Ile Gly His Lys Arg Arg Leu Glu Asp Asp Met Tyr Ser Val Leu
        35                  40                  45
Pro Glu Asp Arg Ser Gln His Leu Gly Glu Glu Leu Gln Gly Phe Trp
    50                  55                  60
Asp Lys Glu Val Leu Arg Ala Glu Asn Asp Ala Gln Lys Pro Ser Leu
65                  70                  75                  80
Thr Arg Ala Ile Ile Lys Cys Tyr Trp Lys Ser Tyr Leu Val Leu Gly
                85                  90                  95
Ile Phe Thr Leu Ile Glu Glu Ser Ala Lys Val Ile Gln Pro Ile Phe
            100                 105                 110
Leu Gly Lys Ile Ile Asn Tyr Phe Glu Asn Tyr Asp Pro Met Asp Ser
        115                 120                 125
Val Ala Leu Asn Thr Ala Tyr Ala Tyr Ala Thr Val Leu Thr Phe Cys
    130                 135                 140
Thr Leu Ile Leu Ala Ile Leu His His Leu Tyr Phe Tyr His Val Gln
145                 150                 155                 160
Cys Ala Gly Met Arg Leu Arg Val Ala Met Cys His Met Ile Tyr Arg
                165                 170                 175
Lys Ala Leu Arg Leu Ser Asn Met Ala Met Gly Lys Thr Thr Thr Gly
```

```
                180                 185                 190
Gln Ile Val Asn Leu Leu Ser Asn Asp Val Asn Lys Phe Asp Gln Val
        195                 200                 205
Thr Val Phe Leu His Phe Leu Trp Ala Gly Pro Leu Gln Ala Ile Ala
    210                 215                 220
Val Thr Ala Leu Leu Trp Met Glu Ile Gly Ile Ser Cys Leu Ala Gly
225                 230                 235                 240
Met Ala Val Leu Ile Ile Leu Leu Pro Leu Gln Ser Cys Phe Gly Lys
                245                 250                 255
Leu Phe Ser Ser Leu Arg Ser Lys Thr Ala Thr Phe Thr Asp Ala Arg
            260                 265                 270
Ile Arg Thr Met Asn Glu Val Ile Thr Gly Ile Arg Ile Ile Lys Met
        275                 280                 285
Tyr Ala Trp Glu Lys Ser Phe Ser Asn Leu Ile Thr Asn Leu Arg Lys
    290                 295                 300
Lys Glu Ile Ser Lys Ile Leu Arg Ser Ser Cys Leu Arg Gly Met Asn
305                 310                 315                 320
Leu Ala Ser Phe Phe Ser Ala Ser Lys Ile Ile Val Phe Val Thr Phe
                325                 330                 335
Thr Thr Tyr Val Leu Leu Gly Ser Val Ile Thr Ala Ser Arg Val Phe
            340                 345                 350
Val Ala Val Thr Leu Tyr Gly Ala Val Arg Leu Thr Val Thr Leu Phe
        355                 360                 365
Phe Pro Ser Ala Ile Glu Arg Val Ser Glu Ala Ile Val Ser Ile Arg
    370                 375                 380
Arg Ile Gln Thr Phe Leu Leu Leu Asp Glu Ile Ser Gln Arg Asn Arg
385                 390                 395                 400
Gln Leu Pro Ser Asp Gly Lys Lys Met Val His Val Gln Asp Phe Thr
                405                 410                 415
Ala Phe Trp Asp Lys Ala Ser Glu Thr Pro Thr Leu Gln Gly Leu Ser
            420                 425                 430
Phe Thr Val Arg Pro Gly Glu Leu Leu Ala Val Val Gly Pro Val Gly
        435                 440                 445
Ala Gly Lys Ser Ser Leu Leu Ser Ala Val Leu Gly Glu Leu Ala Pro
    450                 455                 460
Ser His Gly Leu Val Ser Val His Gly Arg Ile Ala Tyr Val Ser Gln
465                 470                 475                 480
Gln Pro Trp Val Phe Ser Gly Thr Leu Arg Ser Asn Ile Leu Phe Gly
                485                 490                 495
Lys Lys Tyr Glu Lys Glu Arg Tyr Glu Lys Val Ile Lys Ala Cys Ala
            500                 505                 510
Leu Lys Lys Asp Leu Gln Leu Leu Glu Asp Gly Asp Leu Thr Val Ile
        515                 520                 525
Gly Asp Arg Gly Thr Pro Leu Ser Gly Gly Gln Lys Ala Arg Val Asn
    530                 535                 540
Leu Ala Arg Ala Val Tyr Gln Asp Ala Asp Ile Tyr Leu Leu Asp Asp
545                 550                 555                 560
Pro Leu Ser Ala Val Asp Ala Glu Val Ser Arg His Leu Phe Glu Leu
                565                 570                 575
Cys Ile Cys Gln Ile Leu His Glu Lys Ile Thr Ile Leu Val Thr His
            580                 585                 590
Gln Leu Gln Tyr Leu Lys Ala Ala Ser Gln Ile Leu Ile Leu Lys Asp
        595                 600                 605
Gly Lys Met Val Gln Lys Gly Thr Tyr Thr Glu Phe Leu Lys Ser Gly
    610                 615                 620
Ile Asp Phe Gly Ser Leu Leu Lys Lys Asp Asn Glu Glu Ser Glu Gln
625                 630                 635                 640
Pro Pro Val Pro Gly Thr Pro Thr Leu Arg Asn Arg Thr Phe Ser Glu
                645                 650                 655
Ser Ser Val Trp Ser Gln Gln Ser Ser Arg Pro Ser Leu Lys Asp Gly
            660                 665                 670
Ala Leu Glu Ser Gln Asp Thr Glu Asn Val Pro Val Thr Leu Ser Glu
        675                 680                 685
Glu Asn Arg Ser Glu Gly Lys Val Gly Phe Gln Ala Tyr Lys Asn Tyr
    690                 695                 700
Phe Arg Ala Gly Ala His Trp Ile Val Phe Ile Phe Leu Ile Leu Leu
```

705 710 715 720
Asn Thr Ala Ala Gln Val Ala Tyr Val Leu Gln Asp Trp Trp Leu Ser
725 730 735
Tyr Trp Ala Asn Lys Gln Ser Met Leu Asn Val Thr Val Asn Gly Gly
740 745 750
Gly Asn Val Thr Glu Lys Leu Asp Leu Asn Trp Tyr Leu Gly Ile Tyr
755 760 765
Ser Gly Leu Thr Val Ala Thr Val Leu Phe Gly Ile Ala Arg Ser Leu
770 775 780
Leu Val Phe Tyr Val Leu Val Asn Ser Ser Gln Thr Leu His Asn Lys
785 790 795 800
Met Phe Glu Ser Ile Leu Lys Ala Pro Val Leu Phe Phe Asp Arg Asn
805 810 815
Pro Ile Gly Arg Ile Leu Asn Arg Phe Ser Lys Asp Ile Gly His Leu
820 825 830
Asp Asp Leu Leu Pro Leu Thr Phe Leu Asp Phe Ile Gln Thr Leu Leu
835 840 845
Gln Val Val Gly Val Val Ser Val Ala Val Ala Val Ile Pro Trp Ile
850 855 860
Ala Ile Pro Leu Val Pro Leu Gly Ile Ile Phe Ile Phe Leu Arg Arg
865 870 875 880
Tyr Phe Leu Glu Thr Ser Arg Asp Val Lys Arg Leu Glu Ser Thr Thr
885 890 895
Arg Ser Pro Val Phe Ser His Leu Ser Ser Ser Leu Gln Gly Leu Trp
900 905 910
Thr Ile Arg Ala Tyr Lys Ala Glu Glu Arg Cys Gln Glu Leu Phe Asp
915 920 925
Ala His Gln Asp Leu His Ser Glu Ala Trp Phe Leu Phe Leu Thr Thr
930 935 940
Ser Arg Trp Phe Ala Val Arg Leu Asp Ala Ile Cys Ala Met Phe Val
945 950 955 960
Ile Ile Val Ala Phe Gly Ser Leu Ile Leu Ala Lys Thr Leu Asp Ala
965 970 975
Gly Gln Val Gly Leu Ala Leu Ser Tyr Ala Leu Thr Leu Met Gly Met
980 985 990
Phe Gln Trp Cys Val Arg Gln Ser Ala Glu Val Glu Asn Met Met Ile
995 1000 1005
Ser Val Glu Arg Val Ile Glu Tyr Thr Asp Leu Glu Lys Glu Ala Pro
1010 1015 1020
Trp Glu Tyr Gln Lys Arg Pro Pro Pro Ala Trp Pro His Glu Gly Val
1025 1030 1035 1040
Ile Ile Phe Asp Asn Val Asn Phe Met Tyr Ser Pro Gly Gly Pro Leu
1045 1050 1055
Val Leu Lys His Leu Thr Ala Leu Ile Lys Ser Gln Glu Lys Val Gly
1060 1065 1070
Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ile Ser Ala Leu
1075 1080 1085
Phe Arg Leu Ser Glu Pro Glu Gly Lys Ile Trp Ile Asp Lys Ile Leu
1090 1095 1100
Thr Thr Glu Ile Gly Leu His Asp Leu Arg Lys Lys Met Ser Ile Ile
1105 1110 1115 1120
Pro Gln Glu Pro Val Leu Phe Thr Gly Thr Met Arg Lys Asn Leu Asp
1125 1130 1135
Pro Phe Lys Glu His Thr Asp Glu Glu Leu Trp Asn Ala Leu Arg Glu
1140 1145 1150
Val Gln Leu Lys Glu Thr Ile Glu Asp Leu Pro Gly Lys Met Asp Thr
1155 1160 1165
Glu Leu Ala Glu Ser Gly Ser Asn Phe Ser Val Gly Gln Arg Gln Leu
1170 1175 1180
Val Cys Leu Ala Arg Ala Ile Leu Arg Lys Asn Gln Ile Leu Ile Ile
1185 1190 1195 1200
Asp Glu Ala Thr Ala Asn Val Asp Pro Arg Thr Asp Glu Leu Ile Gln
1205 1210 1215
Lys Lys Ile Arg Glu Lys Phe Ala His Cys Thr Val Leu Thr Ile Ala
1220 1225 1230
His Arg Leu Asn Thr Ile Ile Asp Ser Asp Lys Ile Met Val Leu Asp

```
        1235                1240                1245
Ser Gly Arg Leu Lys Glu Tyr Asp Glu Pro Tyr Val Leu Leu Gln Asn
    1250                1255                1260
Lys Glu Ser Leu Phe Tyr Lys Met Val Gln Gln Leu Gly Lys Ala Glu
1265                1270                1275                1280
Ala Ala Ala Leu Thr Glu Thr Ala Lys Gln Val Tyr Phe Lys Arg Asn
                1285                1290                1295
Tyr Pro His Ile Gly His Thr Asp His Met Val Thr Asn Thr Ser Asn
            1300                1305                1310
Gly Gln Pro Ser Thr Leu Thr Ile Phe Glu Thr Ala Leu
        1315                1320                1325
```

<210> 3
<211> 5838
<212> DNA
<213> Homo sapiens

<400> 3

```
ccgggcaggt ggctcatgct cgggagcgtg gttgagcggc tggcgcggtt gtcctggagc      60
aggggcgcag gaattctgat gtgaaactaa cagtctgtga gccctggaac ctccgctcag     120
agaagatgaa ggatatcgac ataggaaaag agtatatcat ccccagtcct gggtatagaa     180
gtgtgaggga gagaaccagc acttctggga cgcacagaga ccgtgaagat tccaagttca     240
ggagaactcg accgttggaa tgccaagatg ccttggaaac agcagcccga gccgagggcc     300
tctctcttga tgcctccatg cattctcagc tcagaatcct ggatgaggag catcccaagg     360
gaaagtacca tcatggcttg agtgctctga agcccatccg gactacttcc aaacaccagc     420
acccagtgga caatgctggg ctttttttct gtatgacttt ttcgtggctt tcttctctgg     480
cccgtgtggc ccacaagaag ggggagctct caatggaaga cgtgtggtct ctgtccaagc     540
acgagtcttc tgacgtgaac tgcagaagac tagagagact gtggcaagaa gagctgaatg     600
aagttgggcc agacgctgct tccctgcgaa gggttgtgtg gatcttctgc cgcaccaggc     660
tcatcctgtc catcgtgtgc ctgatgatca cgcagctggc tggcttcagt ggaccagcct     720
tcatggtgaa acacctcttg gagtataccc aggcaacaga gtctaacctg cagtacagct     780
tgttgttagt gctgggcctc ctcctgacgg aaatcgtgcg gtcttggtcg cttgcactga     840
cttgggcatt gaattaccga accggtgtcc gcttgcgggg ggccatccta accatggcat     900
ttaagaagat ccttaagtta aagaacatta aagagaaatc cctgggtgag ctcatcaaca     960
tttgctccaa cgatgggcag agaatgtttg aggcagcagc cgttggcagc ctgctggctg    1020
gaggacccgt tgttgccatc ttaggcatga tttataatgt aattattctg ggaccaacag    1080
gcttcctggg atcagctgtt tttatcctct tttacccagc aatgatgttt gcatcacggc    1140
tcacagcata tttcaggaga aaatgcgtgg ccgccacgga tgaacgtgtc cagaagatga    1200
atgaagttct tacttacatt aaatttatca aaatgtatgc ctgggtcaaa gcattttctc    1260
agagtgttca aaaaatccgc gaggaggagc gtcggatatt ggaaaaagcc gggtacttcc    1320
agggtatcac tgtgggtgtg gctcccattg tggtggtgat tgccagcgtg gtgaccttct    1380
ctgttcatat gaccctgggc ttcgatctga cagcagcaca ggctttcaca gtggtgacag    1440
tcttcaattc catgactttt gctttgaaag taacaccgtt ttcagtaaag tccctctcag    1500
aagcctcagt ggctgttgac agatttaaga gtttgtttct aatggaagag gttcacatga    1560
taaagaacaa accagccagt cctcacatca agatagagat gaaaaatgcc accttggcat    1620
gggactcctc ccactccagt atccagaact cgcccaagct gacccccaaa atgaaaaaag    1680
acaagagggc ttccaggggc aagaaagaga aggtgaggca gctgcagcgc actgagcatc    1740
aggcggtgct ggcagagcag aaaggccacc tcctcctgga cagtgacgag cggcccagtc    1800
ccgaagagga agaaggcaag cacatccacc tgggccacct gcgcttacag aggacactgc    1860
acagcatcga tctggagatc caagagggta aactggttgg aatctgcggc agtgtgggaa    1920
gtggaaaaac ctctctcatt tcagccattt taggccagat gacgcttcta gagggcagca    1980
ttgcaatcag tggaaccttc gcttatgtgg cccagcaggc ctggatcctc aatgctactc    2040
tgagagacaa catcctgttt gggaaggaat atgatgaaga aagatacaac tctgtgctga    2100
acagctgctg cctgaggcct gacctggcca ttcttcccag cagcgacctg acggagattg    2160
gagagcgagg agccaacctg agcggtgggc agcgccagag gatcagcctt gcccgggcct    2220
tgtatagtga caggagcatc tacatcctgg acgacccccc cagtgcctta gatgcccatg    2280
tgggcaacca catcttcaat agtgctatcc ggaaacatct caagtccaag acagttctgt    2340
ttgttaccca ccagttacag tacctggttg actgtgatga agtgatcttc atgaaagagg    2400
gctgtattac ggaaagaggc acccatgagg aactgatgaa tttaaatggt gactatgcta    2460
ccatttttaa taacctgttg ctgggagaga caccgccagt tgagatcaat tcaaaaaagg    2520
aaaccagtgg ttcacagaag aagtcacaag acaagggtcc taaaacagga tcagtaaaga    2580
aggaaaaagc agtaaagcca gaggaagggc agcttgtgca gctggaagag aaagggcagg    2640
gttcagtgcc ctggtcagta tatggtgtct acatccaggc tgctgggggc cccttggcat    2700
tcctggttat tatggccctt ttcatgctga atgtaggcag caccgccttc agcacctggt    2760
ggttgagtta ctggatcaag caaggaagcg ggaacaccac tgtgactcga gggaacgaga    2820
cctcggtgag tgacagcatg aaggacaatc ctcatatgca gtactatgcc agcatctacg    2880
```

```
ccctctccat ggcagtcatg ctgatcctga aagccattcg aggagttgtc tttgtcaagg    2940
gcacgctgcg agcttcctcc cggctgcatg acgagctttt ccgaaggatc cttcgaagcc    3000
ctatgaagtt ttttgacacg acccccacag ggaggattct caacaggttt tccaaagaca    3060
tggatgaagt tgacgtgcgg ctgccgttcc aggccgagat gttcatccag aacgttatcc    3120
tggtgttctt ctgtgtggga atgatcgcag gagtcttccc gtggttcctt gtggcagtgg    3180
ggccccttgt catcctcttt tcagtcctgc acattgtctc cagggtcctg attcgggagc    3240
tgaagcgtct ggacaatatc acgcagtcac ctttcctctc ccacatcacg tccagcatac    3300
agggccttgc caccatccac gcctacaata aagggcagga gtttctgcac agataccagg    3360
agctgctgga tgacaaccaa gctccttttt ttttgtttac gtgtgcgatg cggtggctgg    3420
ctgtgcggct ggacctcatc agcatcgccc tcatcaccac cacggggctg atgatcgttc    3480
ttatgcacgg gcagattccc ccagcctatg cgggtctcgc catctcttat gctgtccagt    3540
taacggggct gttccagttt acggtcagac tggcatctga gacagaagct cgattcacct    3600
cggtggagag gatcaatcac tacattaaga ctctgtcctt ggaagcacct gccagaatta    3660
agaacaaggc tccctcccct gactggcccc aggagggaga ggtgaccttt gagaacgcag    3720
agatgaggta ccgagaaaac ctccctcttg tcctaaagaa agtatccttc acgatcaaac    3780
ctaaagagaa gattggcatt gtggggcgga caggatcagg gaagtcctcg ctggggatgg    3840
ccctcttccg tctggtggag ttatctggag gctgcatcaa gattgatgga gtgagaatca    3900
gtgatattgg ccttgccgac ctccgaagca aactctctat cattcctcaa gagccggtgc    3960
tgttcagtgg cactgtcaga tcaaatttgg acccccttcaa ccagtacact gaagaccaga    4020
tttgggatgc cctggagagg acacacatga aagaatgtat tgctcagcta cctctgaaac    4080
ttgaatctga agtgatggag aatggggata acttctcagt gggggaacgg cagctcttgt    4140
gcatagctag agccctgctc cgccactgta agattctgat tttagatgaa gccacagctg    4200
ccatggacac agagacagac ttattgattc aagagaccat ccgagaagca tttgcagact    4260
gtaccatgct gaccattgcc catcgcctgc acacggttct aggctccgat aggattatgg    4320
tgctggccca gggacaggtg gtggagtttg acaccccatc ggtccttctg tccaacgaca    4380
gttcccgatt ctatgccatg tttgctgctg cagagaacaa ggtcgctgtc aagggctgac    4440
tcctccctgt tgacgaagtc tcttttcttt agagcattgc cattccctgc ctggggcggg    4500
cccctcatcg cgtcctccta ccgaaacctt gcctttctcg attttatctt tcgcacagca    4560
gttccggatt ggcttgtgtg tttcactttt agggagagtc atattttgat tattgtattt    4620
attccatatt catgtaaaca aaatttagtt tttgttctta attgcactct aaaaggttca    4680
gggaaccgtt attataattg tatcagaggc ctataatgaa gctttatacg tgtagctata    4740
tctatatata attctgtaca tagcctatat ttacagtgaa aatgtaagct gtttatttta    4800
tattaaaata agcactgtgc taataacagt gcatattcct ttctatcatt tttgtacagt    4860
ttgctgtact agagatctgg ttttgctatt agactgtagg aagagtagca tttcattctt    4920
ctctagctgg tggtttcacg gtgccaggtt ttctgggtgt ccaaaggaag acgtgtggca    4980
atagtgggcc ctccgacagc cccctctgcc gcctccccac agccgctcca ggggtggctg    5040
gagacgggtg ggcggctgga gaccatgcag agcgccgtga gttctcaggg ctcctgcctt    5100
ctgtcctggt gtcacttact gtttctgtca ggagagcagc ggggcgaagc ccaggccccc    5160
tttcactccc tccatcaaga atggggatca cagagacatt cctccgagcc ggggagtttc    5220
tttcctgcct tcttcttttt gctgttgttt ctaaacaaga atcagtctat ccacagagag    5280
tcccactgcc tcaggttcct atggctggcc actgcacaga gctctccagc tccaagacct    5340
gttggttcca agccctggag ccaactgctg ctttttgagg tggcactttt tcatttgcct    5400
attcccacac ctccacagtt cagtggcagg gctcaggatt tcgtgggtct gttttccttt    5460
ctcaccgcag tcgtcgcaca gtctctctct ctctctcccc tcaaagtctg caactttaag    5520
cagctcttgc taatcagtgt ctcacactgg cgtagaagtt tttgtactgt aaagagacct    5580
acctcaggtt gctggttgct gtgtggtttg gtgtgttccc gcaaaccccc tttgtgctgt    5640
ggggctggta gctcaggtgg gcgtggtcac tgctgtcatc agttgaatgg tcagcgttgc    5700
atgtcgtgac caactagaca ttctgtcgcc ttagcatgtt tgctgaacac cttgtggaag    5760
caaaaatctg aaaatgtgaa taaaattatt ttggattttg taaaaaaaaa aaaaaaaaaa    5820
aaaaaaaaaa aaaaaaaa                                                  5838
```

<210> 4
<211> 1437
<212> PRT
<213> Homo sapiens

<400> 4

```
Met Lys Asp Ile Asp Ile Gly Lys Glu Tyr Ile Ile Pro Ser Pro Gly
 1               5                  10                  15
Tyr Arg Ser Val Arg Glu Arg Thr Ser Thr Ser Gly Thr His Arg Asp
            20                  25                  30
Arg Glu Asp Ser Lys Phe Arg Arg Thr Arg Pro Leu Glu Cys Gln Asp
        35                  40                  45
Ala Leu Glu Thr Ala Ala Arg Ala Glu Gly Leu Ser Leu Asp Ala Ser
```

```
    50                  55                  60
Met His Ser Gln Leu Arg Ile Leu Asp Glu Glu His Pro Lys Gly Lys
65                  70                  75                  80
Tyr His His Gly Leu Ser Ala Leu Lys Pro Ile Arg Thr Thr Ser Lys
                85                  90                  95
His Gln His Pro Val Asp Asn Ala Gly Leu Phe Ser Cys Met Thr Phe
            100                 105                 110
Ser Trp Leu Ser Ser Leu Ala Arg Val Ala His Lys Lys Gly Glu Leu
        115                 120                 125
Ser Met Glu Asp Val Trp Ser Leu Ser Lys His Glu Ser Ser Asp Val
    130                 135                 140
Asn Cys Arg Arg Leu Glu Arg Leu Trp Gln Glu Glu Leu Asn Glu Val
145                 150                 155                 160
Gly Pro Asp Ala Ala Ser Leu Arg Arg Val Val Trp Ile Phe Cys Arg
                165                 170                 175
Thr Arg Leu Ile Leu Ser Ile Val Cys Leu Met Ile Thr Gln Leu Ala
            180                 185                 190
Gly Phe Ser Gly Pro Ala Phe Met Val Lys His Leu Leu Glu Tyr Thr
        195                 200                 205
Gln Ala Thr Glu Ser Asn Leu Gln Tyr Ser Leu Leu Leu Val Leu Gly
    210                 215                 220
Leu Leu Leu Thr Glu Ile Val Arg Ser Trp Ser Leu Ala Leu Thr Trp
225                 230                 235                 240
Ala Leu Asn Tyr Arg Thr Gly Val Arg Leu Arg Gly Ala Ile Leu Thr
                245                 250                 255
Met Ala Phe Lys Lys Ile Leu Lys Leu Lys Asn Ile Lys Glu Lys Ser
            260                 265                 270
Leu Gly Glu Leu Ile Asn Ile Cys Ser Asn Asp Gly Gln Arg Met Phe
        275                 280                 285
Glu Ala Ala Ala Val Gly Ser Leu Leu Ala Gly Gly Pro Val Val Ala
    290                 295                 300
Ile Leu Gly Met Ile Tyr Asn Val Ile Ile Leu Gly Pro Thr Gly Phe
305                 310                 315                 320
Leu Gly Ser Ala Val Phe Ile Leu Phe Tyr Pro Ala Met Met Phe Ala
                325                 330                 335
Ser Arg Leu Thr Ala Tyr Phe Arg Arg Lys Cys Val Ala Ala Thr Asp
            340                 345                 350
Glu Arg Val Gln Lys Met Asn Glu Val Leu Thr Tyr Ile Lys Phe Ile
        355                 360                 365
Lys Met Tyr Ala Trp Val Lys Ala Phe Ser Gln Ser Val Gln Lys Ile
    370                 375                 380
Arg Glu Glu Glu Arg Arg Ile Leu Glu Lys Ala Gly Tyr Phe Gln Gly
385                 390                 395                 400
Ile Thr Val Gly Val Ala Pro Ile Val Val Val Ile Ala Ser Val Val
                405                 410                 415
Thr Phe Ser Val His Met Thr Leu Gly Phe Asp Leu Thr Ala Ala Gln
            420                 425                 430
Ala Phe Thr Val Val Thr Val Phe Asn Ser Met Thr Phe Ala Leu Lys
        435                 440                 445
Val Thr Pro Phe Ser Val Lys Ser Leu Ser Glu Ala Ser Val Ala Val
    450                 455                 460
Asp Arg Phe Lys Ser Leu Phe Leu Met Glu Glu Val His Met Ile Lys
465                 470                 475                 480
Asn Lys Pro Ala Ser Pro His Ile Lys Ile Glu Met Lys Asn Ala Thr
                485                 490                 495
Leu Ala Trp Asp Ser Ser His Ser Ser Ile Gln Asn Ser Pro Lys Leu
            500                 505                 510
Thr Pro Lys Met Lys Lys Asp Lys Arg Ala Ser Arg Gly Lys Lys Glu
        515                 520                 525
Lys Val Arg Gln Leu Gln Arg Thr Glu His Gln Ala Val Leu Ala Glu
    530                 535                 540
Gln Lys Gly His Leu Leu Leu Asp Ser Asp Glu Arg Pro Ser Pro Glu
545                 550                 555                 560
Glu Glu Glu Gly Lys His Ile His Leu Gly His Leu Arg Leu Gln Arg
                565                 570                 575
Thr Leu His Ser Ile Asp Leu Glu Ile Gln Glu Gly Lys Leu Val Gly
```

```
                580                 585                 590
Ile Cys Gly Ser Val Gly Ser Gly Lys Thr Ser Leu Ile Ser Ala Ile
            595                 600                 605
Leu Gly Gln Met Thr Leu Leu Glu Gly Ser Ile Ala Ile Ser Gly Thr
        610                 615                 620
Phe Ala Tyr Val Ala Gln Gln Ala Trp Ile Leu Asn Ala Thr Leu Arg
625                 630                 635                 640
Asp Asn Ile Leu Phe Gly Lys Glu Tyr Asp Glu Glu Arg Tyr Asn Ser
                645                 650                 655
Val Leu Asn Ser Cys Cys Leu Arg Pro Asp Leu Ala Ile Leu Pro Ser
            660                 665                 670
Ser Asp Leu Thr Glu Ile Gly Glu Arg Gly Ala Asn Leu Ser Gly Gly
        675                 680                 685
Gln Arg Gln Arg Ile Ser Leu Ala Arg Ala Leu Tyr Ser Asp Arg Ser
    690                 695                 700
Ile Tyr Ile Leu Asp Asp Pro Leu Ser Ala Leu Asp Ala His Val Gly
705                 710                 715                 720
Asn His Ile Phe Asn Ser Ala Ile Arg Lys His Leu Lys Ser Lys Thr
                725                 730                 735
Val Leu Phe Val Thr His Gln Leu Gln Tyr Leu Val Asp Cys Asp Glu
            740                 745                 750
Val Ile Phe Met Lys Glu Gly Cys Ile Thr Glu Arg Gly Thr His Glu
        755                 760                 765
Glu Leu Met Asn Leu Asn Gly Asp Tyr Ala Thr Ile Phe Asn Asn Leu
    770                 775                 780
Leu Leu Gly Glu Thr Pro Pro Val Glu Ile Asn Ser Lys Lys Glu Thr
785                 790                 795                 800
Ser Gly Ser Gln Lys Lys Ser Gln Asp Lys Gly Pro Lys Thr Gly Ser
                805                 810                 815
Val Lys Lys Glu Lys Ala Val Lys Pro Glu Glu Gly Gln Leu Val Gln
            820                 825                 830
Leu Glu Glu Lys Gly Gln Gly Ser Val Pro Trp Ser Val Tyr Gly Val
        835                 840                 845
Tyr Ile Gln Ala Ala Gly Gly Pro Leu Ala Phe Leu Val Ile Met Ala
    850                 855                 860
Leu Phe Met Leu Asn Val Gly Ser Thr Ala Phe Ser Thr Trp Trp Leu
865                 870                 875                 880
Ser Tyr Trp Ile Lys Gln Gly Ser Gly Asn Thr Thr Val Thr Arg Gly
                885                 890                 895
Asn Glu Thr Ser Val Ser Asp Ser Met Lys Asp Asn Pro His Met Gln
            900                 905                 910
Tyr Tyr Ala Ser Ile Tyr Ala Leu Ser Met Ala Val Met Leu Ile Leu
        915                 920                 925
Lys Ala Ile Arg Gly Val Val Phe Val Lys Gly Thr Leu Arg Ala Ser
    930                 935                 940
Ser Arg Leu His Asp Glu Leu Phe Arg Arg Ile Leu Arg Ser Pro Met
945                 950                 955                 960
Lys Phe Phe Asp Thr Thr Pro Thr Gly Arg Ile Leu Asn Arg Phe Ser
                965                 970                 975
Lys Asp Met Asp Glu Val Asp Val Arg Leu Pro Phe Gln Ala Glu Met
            980                 985                 990
Phe Ile Gln Asn Val Ile Leu Val Phe Phe Cys Val Gly Met Ile Ala
        995                 1000                1005
Gly Val Phe Pro Trp Phe Leu Val Ala Val Gly Pro Leu Val Ile Leu
    1010                1015                1020
Phe Ser Val Leu His Ile Val Ser Arg Val Leu Ile Arg Glu Leu Lys
1025                1030                1035                1040
Arg Leu Asp Asn Ile Thr Gln Ser Pro Phe Leu Ser His Ile Thr Ser
                1045                1050                1055
Ser Ile Gln Gly Leu Ala Thr Ile His Ala Tyr Asn Lys Gly Gln Glu
            1060                1065                1070
Phe Leu His Arg Tyr Gln Glu Leu Leu Asp Asp Asn Gln Ala Pro Phe
        1075                1080                1085
Phe Leu Phe Thr Cys Ala Met Arg Trp Leu Ala Val Arg Leu Asp Leu
    1090                1095                1100
Ile Ser Ile Ala Leu Ile Thr Thr Thr Gly Leu Met Ile Val Leu Met
```

```
1105                1110                1115                1120
His Gly Gln Ile Pro Pro Ala Tyr Ala Gly Leu Ala Ile Ser Tyr Ala
                1125                1130                1135
Val Gln Leu Thr Gly Leu Phe Gln Phe Thr Val Arg Leu Ala Ser Glu
            1140                1145                1150
Thr Glu Ala Arg Phe Thr Ser Val Glu Arg Ile Asn His Tyr Ile Lys
        1155                1160                1165
Thr Leu Ser Leu Glu Ala Pro Ala Arg Ile Lys Asn Lys Ala Pro Ser
    1170                1175                1180
Pro Asp Trp Pro Gln Glu Gly Glu Val Thr Phe Glu Asn Ala Glu Met
1185                1190                1195                1200
Arg Tyr Arg Glu Asn Leu Pro Leu Val Leu Lys Lys Val Ser Phe Thr
                1205                1210                1215
Ile Lys Pro Lys Glu Lys Ile Gly Ile Val Gly Arg Thr Gly Ser Gly
            1220                1225                1230
Lys Ser Ser Leu Gly Met Ala Leu Phe Arg Leu Val Glu Leu Ser Gly
        1235                1240                1245
Gly Cys Ile Lys Ile Asp Gly Val Arg Ile Ser Asp Ile Gly Leu Ala
    1250                1255                1260
Asp Leu Arg Ser Lys Leu Ser Ile Ile Pro Gln Glu Pro Val Leu Phe
1265                1270                1275                1280
Ser Gly Thr Val Arg Ser Asn Leu Asp Pro Phe Asn Gln Tyr Thr Glu
                1285                1290                1295
Asp Gln Ile Trp Asp Ala Leu Glu Arg Thr His Met Lys Glu Cys Ile
            1300                1305                1310
Ala Gln Leu Pro Leu Lys Leu Glu Ser Glu Val Met Glu Asn Gly Asp
        1315                1320                1325
Asn Phe Ser Val Gly Glu Arg Gln Leu Leu Cys Ile Ala Arg Ala Leu
    1330                1335                1340
Leu Arg His Cys Lys Ile Leu Ile Leu Asp Glu Ala Thr Ala Ala Met
1345                1350                1355                1360
Asp Thr Glu Thr Asp Leu Leu Ile Gln Glu Thr Ile Arg Glu Ala Phe
                1365                1370                1375
Ala Asp Cys Thr Met Leu Thr Ile Ala His Arg Leu His Thr Val Leu
            1380                1385                1390
Gly Ser Asp Arg Ile Met Val Leu Ala Gln Gly Gln Val Val Glu Phe
        1395                1400                1405
Asp Thr Pro Ser Val Leu Leu Ser Asn Asp Ser Ser Arg Phe Tyr Ala
    1410                1415                1420
Met Phe Ala Ala Ala Glu Asn Lys Val Ala Val Lys Gly
1425                1430                1435
```

<210> 5
<211> 5079
<212> DNA
<213> Homo sapiens

<400> 5

```
ccccatggac gccctgtgcg gttccgggga gctcggctcc aagttctggg actccaacct      60
gtctgtgcac acagaaaacc cggacctcac tccctgcttc cagaactccc tgctggcctg     120
ggtgccctgc atctacctgt gggtcgccct gccctgctac ttgctctacc tgcggcacca     180
ttgtcgtggc tacatcatcc tctcccacct gtccaagctc aagatggtcc tgggtgtcct     240
gctgtggtgc gtctcctggg cggacctttt ttactccttc catggcctgg tccatggccg     300
ggcccctgcc cctgttttct ttgtcacccc cttggtggtg ggggtcacca tgctgctggc     360
caccctgctg atacagtatg agcggctgca gggcgtacag tcttcggggg tcctcattat     420
cttctggttc ctgtgtgtgg tctgcgccat cgtcccattc cgctccaaga tccttttagc     480
caaggcagag ggtgagatct cagacccctt ccgcttcacc accttctaca tccactttgc     540
cctggtactc tctgccctca tcttggcctg cttcagggag aaacctccat ttttctccgc     600
aaagaatgtc gaccctaacc cctaccctga gaccagcgct ggctttctct cccgcctgtt     660
tttctggtgg ttcacaaaga tggccatcta tggctaccgg catcccctgg aggagaagga     720
cctctggtcc ctaaaggaag aggacagatc ccagatggtg gtgcagcagc tgctggaggc     780
atggaggaag caggaaaagc agacggcacg acacaaggct tcagcagcac ctgggaaaaa     840
tgcctccggc gaggacgagg tgctgctggg tgcccggccc aggccccgga agccctcctt     900
cctgaaggcc ctgctggcca ccttcggctc cagcttcctc atcagtgcct gcttcaagct     960
tatccaggac ctgctctcct tcatcaatcc acagctgctc agcatcctga tcaggtttat    1020
ctccaacccc atggcccccc cctggtgggg cttcctggtg gctgggctga tgttcctgtg    1080
```

ctccatgatg cagtcgctga tcttacaaca ctattaccac tacatctttg tgactggggt 1140
gaagtttcgt actgggatca tgggtgtcat ctacaggaag gctctggtta tcaccaactc 1200
agtcaaacgt gcgtccactg tgggggaaat tgtcaacctc atgtcagtgg atgcccagcg 1260
cttcatggac cttgcccctt tcctcaatct gctgtggtca gcacccctgc agatcatcct 1320
ggcgatctac ttcctctggc agaacctagg tccctctgtc ctggctggag tcgctttcat 1380
ggtcttgctg attccactca acggagctgt ggccgtgaag atgcgcgcct tccaggtaaa 1440
gcaaatgaaa ttgaaggact cgcgcatcaa gctgatgagt gagatcctga acggcatcaa 1500
ggtgctgaag ctgtacgcct gggagcccag cttcctgaag caggtggagg gcatcaggca 1560
gggtgagctc cagctgctgc gcacggcggc ctacctccac accacaacca ccttcacctg 1620
gatgtgcagc cccttcctgg tgaccctgat caccctctgg gtgtacgtgt acgtggaccc 1680
aaacaatgtg ctggacgccg agaaggcctt tgtgtctgtg tccttgttta atatcttaag 1740
acttcccctc aacatgctgc cccagttaat cagcaacctg actcaggcca gtgtgtctct 1800
gaaacggatc cagcaattcc tgagccaaga ggaacttgac ccccagagtg tggaaagaaa 1860
gaccatctcc ccaggctatg ccatcaccat acacagtggc accttcacct gggcccagga 1920
cctgcccccc actctgcaca gcctagacat ccaggtcccg aaaggggcac tggtggccgt 1980
ggtggggcct gtgggctgtg ggaagtcctc cctggtgtct gccctgctgg gagagatgga 2040
gaagctagaa ggcaaagtgc acatgaaggg ctccgtggcc tatgtgcccc agcaggcatg 2100
gatccagaac tgcactcttc aggaaaacgt gcttttcggc aaagccctga accccaagcg 2160
ctaccagcag actctggagg cctgtgcctt gctagctgac ctggagatgc tgcctggtgg 2220
ggatcagaca gagattggag agaagggcat taacctgtct gggggccagc ggcagcgggt 2280
cagtctggct cgagctgttt acagtgatgc cgatattttc ttgctggatg acccactgtc 2340
cgcggtggac tctcatgtgg ccaagcacat ctttgaccac gtcatcgggc cagaaggcgt 2400
gctggcaggc aagacgcgag tgctggtgac gcacggcatt agcttcctgc cccagacaga 2460
cttcatcatt gtgctagctg atggacaggt gtctgagatg ggcccgtacc cagccctgct 2520
gcagcgcaac ggctcctttg ccaactttct ctgcaactat gcccccgatg aggaccaagg 2580
gcacctggag gacagctgga ccgcgttgga aggtgcagag gataaggagg cactgctgat 2640
tgaagacaca ctcagcaacc acacggatct gacagacaat gatccagtca cctatgtggt 2700
ccagaagcag tttatgagac agctgagtgc cctgtcctca gatggggagg gacagggtcg 2760
gcctgtaccc cggaggcacc tgggtccatc agagaaggtg caggtgacag aggcgaaggc 2820
agatggggca ctgacccagg aggagaaagc agccattggc actgtggagc tcagtgtgtt 2880
ctgggattat gccaaggccg tggggctctg taccacgctg gccatctgtc tcctgtatgt 2940
gggtcaaagt gcggctgcca ttggagccaa tgtgtggctc agtgcctgga caaatgatgc 3000
catggcagac agtagacaga acaacacttc cctgaggctg ggcgtctatg ctgctttagg 3060
aattctgcaa gggttcttgg tgatgctggc agccatggcc atggcagcgg gtggcatcca 3120
ggctgcccgt gtgttgcacc aggcactgct gcacaacaag atacgctcgc cacagtcctt 3180
ctttgacacc acaccatcag gccgcatcct gaactgcttc tccaaggaca tctatgtcgt 3240
tgatgaggtt ctggcccctg tcatcctcat gctgctcaat tccttcttca acgccatctc 3300
cactcttgtg gtcatcatgg ccagcacgcc gctcttcact gtggtcatcc tgcccctggc 3360
tgtgctctac accttagtgc agcgcttcta tgcagccaca tcacggcaac tgaagcggct 3420
ggaatcagtc agccgctcac ctatctactc ccacttttcg gagacagtga ctggtgccag 3480
tgtcatccgg gcctacaacc gcagccggga ttttgagatc atcagtgata ctaaggtgga 3540
tgccaaccag agaagctgct acccctacat catctccaac cggtggctga gcatcggagt 3600
ggagttcgtg gggaactgcg tggtgctctt tgctgcacta tttgccgtca tcgggaggag 3660
cagcctgaac ccggggctgg tgggcctttc tgtgtcctac tccttgcagg tgacatttgc 3720
tctgaactgg atgatacgaa tgatgtcaga tttggaatct aacatcgtgg ctgtggagag 3780
ggtcaaggag tactccaaga cagagacaga ggcgccctgg gtggtggaag gcagccgccc 3840
tcccgaaggt tggcccccac gtggggaggt ggagttccgg aattattctg tgcgctaccg 3900
gccgggccta gacctggtgc tgagagacct gagtctgcat gtgcacggtg gcgagaaggt 3960
ggggatcgtg ggccgcactg gggctggcaa gtcttccatg acccctttgcc tgttccgcat 4020
cctggaggcg gcaaagggtg aaatccgcat tgatggcctc aatgtggcag acatcggcct 4080
ccatgacctg cgctctcagc tgaccatcat cccgcaggac cccatcctgt tctcggggac 4140
cctgcgcatg aacctggacc ccttcggcag ctactcagag gaggacattt ggtgggcttt 4200
ggagctgtcc cacctgcaca cgtttgtgag ctcccagccg gcaggcctgg acttccagtg 4260
ctcagagggc ggggagaatc tcagcgtggg ccagaggcag ctcgtgtgcc tggcccgagc 4320
cctgctccgc aagagccgca tcctggtttt agacgaggcc acagctgcca tcgacctgga 4380
gactgacaac ctcatccagg ctaccatccg cacccagttt gatacctgca ctgtcctgac 4440
catcgcacac cggcttaaca ctatcatgga ctacaccagg gtcctggtcc tggacaaagg 4500
agtagtagct gaatttgatt ctccagccaa cctcattgca gctagaggca tcttctacgg 4560
gatggccaga gatgctggac ttgcctaaaa tatattcctg agatttcctc ctggcctttc 4620
ctggttttca tcaggaagga aatgacacca aatatgtccg cagaatggac ttgatagcaa 4680
acactggggg caccttaaga ttttgcacct gtaaagtgcc ttacagggta actgtgctga 4740
atgctttaga tgaggaaatg atccccaagt ggtgaatgac acgcctaagg tcacagctag 4800
tttgagccag ttagactagt ccccggtctc ccgattccca actgagtgtt atttgcacac 4860
tgcactgttt tcaaataacg attttatgaa atgacctctg tcctccctct gatttttcat 4920
attttctaaa gtttcgtttc tgtttttaa taaaaagctt tttcctcctg gaacagaaga 4980
cagctgctgg gtcaggccac ccctaggaac tcagtcctgt actctggggt gctgcctgaa 5040

tccattaaaa atgggagtac tgatgaaata aaactacag 5079

<210> 6
<211> 1527
<212> PRT
<213> Homo sapiens

<400> 6

```
Met Asp Ala Leu Cys Gly Ser Gly Glu Leu Gly Ser Lys Phe Trp Asp
 1               5                  10                  15
Ser Asn Leu Ser Val His Thr Glu Asn Pro Asp Leu Thr Pro Cys Phe
            20                  25                  30
Gln Asn Ser Leu Leu Ala Trp Val Pro Cys Ile Tyr Leu Trp Val Ala
        35                  40                  45
Leu Pro Cys Tyr Leu Leu Tyr Leu Arg His His Cys Arg Gly Tyr Ile
    50                  55                  60
Ile Leu Ser His Leu Ser Lys Leu Lys Met Val Leu Gly Val Leu Leu
65                  70                  75                  80
Trp Cys Val Ser Trp Ala Asp Leu Phe Tyr Ser Phe His Gly Leu Val
                85                  90                  95
His Gly Arg Ala Pro Ala Pro Val Phe Phe Val Thr Pro Leu Val Val
            100                 105                 110
Gly Val Thr Met Leu Leu Ala Thr Leu Leu Ile Gln Tyr Glu Arg Leu
        115                 120                 125
Gln Gly Val Gln Ser Ser Gly Val Leu Ile Ile Phe Trp Phe Leu Cys
    130                 135                 140
Val Val Cys Ala Ile Val Pro Phe Arg Ser Lys Ile Leu Leu Ala Lys
145                 150                 155                 160
Ala Glu Gly Glu Ile Ser Asp Pro Phe Arg Phe Thr Thr Phe Tyr Ile
                165                 170                 175
His Phe Ala Leu Val Leu Ser Ala Leu Ile Leu Ala Cys Phe Arg Glu
            180                 185                 190
Lys Pro Pro Phe Phe Ser Ala Lys Asn Val Asp Pro Asn Pro Tyr Pro
        195                 200                 205
Glu Thr Ser Val Gly Phe Leu Ser Arg Leu Phe Phe Trp Trp Phe Thr
    210                 215                 220
Lys Met Ala Ile Tyr Gly Tyr Arg His Pro Leu Glu Glu Lys Asp Leu
225                 230                 235                 240
Trp Ser Leu Lys Glu Glu Asp Arg Ser Gln Met Val Val Gln Gln Leu
                245                 250                 255
Leu Glu Ala Trp Arg Lys Gln Glu Lys Gln Thr Ala Arg His Lys Ala
            260                 265                 270
Ser Ala Ala Pro Gly Lys Asn Ala Ser Gly Glu Asp Glu Val Leu Leu
        275                 280                 285
Gly Ala Arg Pro Arg Pro Arg Lys Pro Ser Phe Leu Lys Ala Leu Leu
    290                 295                 300
Ala Thr Phe Gly Ser Ser Phe Leu Ile Ser Ala Cys Phe Lys Leu Ile
305                 310                 315                 320
Gln Asp Leu Leu Ser Phe Ile Asn Pro Gln Leu Leu Ser Ile Leu Ile
                325                 330                 335
Arg Phe Ile Ser Asn Pro Met Ala Pro Ser Trp Trp Gly Phe Leu Val
            340                 345                 350
Ala Gly Leu Met Phe Leu Cys Ser Met Met Gln Ser Leu Ile Leu Gln
        355                 360                 365
His Tyr Tyr His Tyr Ile Phe Val Thr Gly Val Lys Phe Arg Thr Gly
    370                 375                 380
Ile Met Gly Val Ile Tyr Arg Lys Ala Leu Val Ile Thr Asn Ser Val
385                 390                 395                 400
Lys Arg Ala Ser Thr Val Gly Glu Ile Val Asn Leu Met Ser Val Asp
                405                 410                 415
Ala Gln Arg Phe Met Asp Leu Ala Pro Phe Leu Asn Leu Leu Trp Ser
            420                 425                 430
Ala Pro Leu Gln Ile Ile Leu Ala Ile Tyr Phe Leu Trp Gln Asn Leu
        435                 440                 445
```

Gly Pro Ser Val Leu Ala Gly Val Ala Phe Met Val Leu Leu Ile Pro
450 455 460
Leu Asn Gly Ala Val Ala Val Lys Met Arg Ala Phe Gln Val Lys Gln
465 470 475 480
Met Lys Leu Lys Asp Ser Arg Ile Lys Leu Met Ser Glu Ile Leu Asn
485 490 495
Gly Ile Lys Val Leu Lys Leu Tyr Ala Trp Glu Pro Ser Phe Leu Lys
500 505 510
Gln Val Glu Gly Ile Arg Gln Gly Glu Leu Gln Leu Leu Arg Thr Ala
515 520 525
Ala Tyr Leu His Thr Thr Thr Thr Phe Thr Trp Met Cys Ser Pro Phe
530 535 540
Leu Val Thr Leu Ile Thr Leu Trp Val Tyr Val Tyr Val Asp Pro Asn
545 550 555 560
Asn Val Leu Asp Ala Glu Lys Ala Phe Val Ser Val Ser Leu Phe Asn
565 570 575
Ile Leu Arg Leu Pro Leu Asn Met Leu Pro Gln Leu Ile Ser Asn Leu
580 585 590
Thr Gln Ala Ser Val Ser Leu Lys Arg Ile Gln Gln Phe Leu Ser Gln
595 600 605
Glu Glu Leu Asp Pro Gln Ser Val Glu Arg Lys Thr Ile Ser Pro Gly
610 615 620
Tyr Ala Ile Thr Ile His Ser Gly Thr Phe Thr Trp Ala Gln Asp Leu
625 630 635 640
Pro Pro Thr Leu His Ser Leu Asp Ile Gln Val Pro Lys Gly Ala Leu
645 650 655
Val Ala Val Val Gly Pro Val Gly Cys Gly Lys Ser Ser Leu Val Ser
660 665 670
Ala Leu Leu Gly Glu Met Glu Lys Leu Glu Gly Lys Val His Met Lys
675 680 685
Gly Ser Val Ala Tyr Val Pro Gln Gln Ala Trp Ile Gln Asn Cys Thr
690 695 700
Leu Gln Glu Asn Val Leu Phe Gly Lys Ala Leu Asn Pro Lys Arg Tyr
705 710 715 720
Gln Gln Thr Leu Glu Ala Cys Ala Leu Leu Ala Asp Leu Glu Met Leu
725 730 735
Pro Gly Gly Asp Gln Thr Glu Ile Gly Glu Lys Gly Ile Asn Leu Ser
740 745 750
Gly Gly Gln Arg Gln Arg Val Ser Leu Ala Arg Ala Val Tyr Ser Asp
755 760 765
Ala Asp Ile Phe Leu Leu Asp Asp Pro Leu Ser Ala Val Asp Ser His
770 775 780
Val Ala Lys His Ile Phe Asp His Val Ile Gly Pro Glu Gly Val Leu
785 790 795 800
Ala Gly Lys Thr Arg Val Leu Val Thr His Gly Ile Ser Phe Leu Pro
805 810 815
Gln Thr Asp Phe Ile Ile Val Leu Ala Asp Gly Gln Val Ser Glu Met
820 825 830
Gly Pro Tyr Pro Ala Leu Leu Gln Arg Asn Gly Ser Phe Ala Asn Phe
835 840 845
Leu Cys Asn Tyr Ala Pro Asp Glu Asp Gln Gly His Leu Glu Asp Ser
850 855 860
Trp Thr Ala Leu Glu Gly Ala Glu Asp Lys Glu Ala Leu Leu Ile Glu
865 870 875 880
Asp Thr Leu Ser Asn His Thr Asp Leu Thr Asp Asn Asp Pro Val Thr
885 890 895
Tyr Val Val Gln Lys Gln Phe Met Arg Gln Leu Ser Ala Leu Ser Ser
900 905 910
Asp Gly Glu Gly Gln Gly Arg Pro Val Pro Arg Arg His Leu Gly Pro
915 920 925
Ser Glu Lys Val Gln Val Thr Glu Ala Lys Ala Asp Gly Ala Leu Thr
930 935 940
Gln Glu Glu Lys Ala Ala Ile Gly Thr Val Glu Leu Ser Val Phe Trp
945 950 955 960
Asp Tyr Ala Lys Ala Val Gly Leu Cys Thr Thr Leu Ala Ile Cys Leu
965 970 975

Leu Tyr Val Gly Gln Ser Ala Ala Ala Ile Gly Ala Asn Val Trp Leu
980 985 990
Ser Ala Trp Thr Asn Asp Ala Met Ala Asp Ser Arg Gln Asn Asn Thr
995 1000 1005
Ser Leu Arg Leu Gly Val Tyr Ala Ala Leu Gly Ile Leu Gln Gly Phe
1010 1015 1020
Leu Val Met Leu Ala Ala Met Ala Met Ala Ala Gly Gly Ile Gln Ala
1025 1030 1035 1040
Ala Arg Val Leu His Gln Ala Leu Leu His Asn Lys Ile Arg Ser Pro
1045 1050 1055
Gln Ser Phe Phe Asp Thr Thr Pro Ser Gly Arg Ile Leu Asn Cys Phe
1060 1065 1070
Ser Lys Asp Ile Tyr Val Val Asp Glu Val Leu Ala Pro Val Ile Leu
1075 1080 1085
Met Leu Leu Asn Ser Phe Phe Asn Ala Ile Ser Thr Leu Val Val Ile
1090 1095 1100
Met Ala Ser Thr Pro Leu Phe Thr Val Val Ile Leu Pro Leu Ala Val
1105 1110 1115 1120
Leu Tyr Thr Leu Val Gln Arg Phe Tyr Ala Ala Thr Ser Arg Gln Leu
1125 1130 1135
Lys Arg Leu Glu Ser Val Ser Arg Ser Pro Ile Tyr Ser His Phe Ser
1140 1145 1150
Glu Thr Val Thr Gly Ala Ser Val Ile Arg Ala Tyr Asn Arg Ser Arg
1155 1160 1165
Asp Phe Glu Ile Ile Ser Asp Thr Lys Val Asp Ala Asn Gln Arg Ser
1170 1175 1180
Cys Tyr Pro Tyr Ile Ile Ser Asn Arg Trp Leu Ser Ile Gly Val Glu
1185 1190 1195 1200
Phe Val Gly Asn Cys Val Val Leu Phe Ala Ala Leu Phe Ala Val Ile
1205 1210 1215
Gly Arg Ser Ser Leu Asn Pro Gly Leu Val Gly Leu Ser Val Ser Tyr
1220 1225 1230
Ser Leu Gln Val Thr Phe Ala Leu Asn Trp Met Ile Arg Met Met Ser
1235 1240 1245
Asp Leu Glu Ser Asn Ile Val Ala Val Glu Arg Val Lys Glu Tyr Ser
1250 1255 1260
Lys Thr Glu Thr Glu Ala Pro Trp Val Val Glu Gly Ser Arg Pro Pro
1265 1270 1275 1280
Glu Gly Trp Pro Pro Arg Gly Glu Val Glu Phe Arg Asn Tyr Ser Val
1285 1290 1295
Arg Tyr Arg Pro Gly Leu Asp Leu Val Leu Arg Asp Leu Ser Leu His
1300 1305 1310
Val His Gly Gly Glu Lys Val Gly Ile Val Gly Arg Thr Gly Ala Gly
1315 1320 1325
Lys Ser Ser Met Thr Leu Cys Leu Phe Arg Ile Leu Glu Ala Ala Lys
1330 1335 1340
Gly Glu Ile Arg Ile Asp Gly Leu Asn Val Ala Asp Ile Gly Leu His
1345 1350 1355 1360
Asp Leu Arg Ser Gln Leu Thr Ile Ile Pro Gln Asp Pro Ile Leu Phe
1365 1370 1375
Ser Gly Thr Leu Arg Met Asn Leu Asp Pro Phe Gly Ser Tyr Ser Glu
1380 1385 1390
Glu Asp Ile Trp Trp Ala Leu Glu Leu Ser His Leu His Thr Phe Val
1395 1400 1405
Ser Ser Gln Pro Ala Gly Leu Asp Phe Gln Cys Ser Glu Gly Gly Glu
1410 1415 1420
Asn Leu Ser Val Gly Gln Arg Gln Leu Val Cys Leu Ala Arg Ala Leu
1425 1430 1435 1440
Leu Arg Lys Ser Arg Ile Leu Val Leu Asp Glu Ala Thr Ala Ala Ile
1445 1450 1455
Asp Leu Glu Thr Asp Asn Leu Ile Gln Ala Thr Ile Arg Thr Gln Phe
1460 1465 1470
Asp Thr Cys Thr Val Leu Thr Ile Ala His Arg Leu Asn Thr Ile Met
1475 1480 1485
Asp Tyr Thr Arg Val Leu Val Leu Asp Lys Gly Val Val Ala Glu Phe
1490 1495 1500

Asp Ser Pro Ala Asn Leu Ile Ala Ala Arg Gly Ile Phe Tyr Gly Met
1505 1510 1515 1520
Ala Arg Asp Ala Gly Leu Ala
1525

<210> 7
<211> 4509
<212> DNA
<213> Homo sapiens

<400> 7
atggccgcgc ctgctgagcc ctgcgcgggg caggggtct ggaaccagac agagcctgaa 60
cctgccgcca ccagcctgct gagcctgtgc ttcctgagaa cagcaggggt ctgggtaccc 120
cccatgtacc tctgggtcct tggtcccatc tacctcctct tcatccacca ccatggccgg 180
ggctacctcc ggatgtcccc actcttcaaa gccaagatgg tgcttggatt cgccctcata 240
gtcctgtgta cctccagcgt ggctgtcgct ctttggaaaa tccaacaggg aacgcctgag 300
gccccagaat tcctcattca tcctactgtg tggctcacca cgatgagctt cgcagtgttc 360
ctgattcaca ccgagaggaa aaagggagtc cagtcatctg gagtgctgtt tggttactgg 420
cttctctgct ttgtcttgcc agctaccaac gctgcccagc aggcctccgg agcgggcttc 480
cagagcgacc ctgtccgcca cctgtccacc tacctatgcc tgtctctggt ggtggcacag 540
tttgtgctgt cctgcctggc ggatcaaccc cccttcttcc ctgaagaccc ccagcagtct 600
aacccctgtc cagagactgg ggcagccttc ccctccaaag ccacgttctg gtgggtttct 660
ggcctggtct ggaggggata caggaggcca ctgagaccaa aagacctctg gtcgcttggg 720
agagaaaact cctcagaaga acttgtttcc cggcttgaaa aggagtggat gaggaaccgc 780
agtgcagccc ggaggcacaa caaggcaata gcatttaaaa ggaaaggcgg cagtggcatg 840
aaggctccag agaccgagcc cttcctacgg caagaaggga gccagtggcg cccactgctg 900
aaggccatct ggcaggtgtt ccattctacc ttcctcctgg ggaccctcag cctcatcatc 960
agtgatgtct tcaggttcac tgtccccaag ctgctcagcc ttttcctgga gtttattggt 1020
gatcccaagc ctccagcctg gaagggctac ctcctcgccg tgctgatgtt cctctcagcc 1080
tgcctgcaaa cgctgtttga gcagcagaac atgtacaggc tcaaggtgcc gcagatgagg 1140
ttgcggtcgg ccatcactgg cctggtgtac agaaaggtcc tggctctgtc cagcggctcc 1200
agaaaggcca gtgcggtggg tgatgtggtc aatctggtgt ccgtggacgt gcagcggctg 1260
accgagagcg tcctctacct caacgggctg tggctgcctc tcgtctggat cgtggtctgc 1320
ttcgtctatc tctggcagct cctggggccc tccgccctca ctgccatcgc tgtcttcctg 1380
agcctcctcc ctctgaattt cttcatctcc aagaaaagga accaccatca ggaggagcaa 1440
atgaggcaga aggactcacg ggcacggctc accagctcta tcctcaggaa ctcgaagacc 1500
atcaagttcc atggctggga gggagccttt ctggacagag tcctgggcat ccgaggccag 1560
gagctgggcg ccttgcggac ctccggcctc ctcttctctg tgtcgctggt gtccttccaa 1620
gtgtctacat ttctggtcgc actggtggtg tttgctgtcc acactctggt ggccgagaat 1680
gctatgaatg cagagaaagc ctttgtgact ctcacagttc tcaacatcct caacaaggcc 1740
caggctttcc tgcccttctc catccactcc ctcgtccagg cccgggtgtc ctttgaccgt 1800
ctggtcacct tcctctgcct ggaagaagtt gaccctggtg tcgtagactc aagttcctct 1860
ggaagcgctg ccgggaagga ttgcatcacc atacacagtg ccaccttcgc ctggtcccag 1920
gaaagccctc cctgcctcca cagaataaac ctcacggtgc cccagggctg tctgctggct 1980
gttgtcggtc cagtgggggc agggaagtcc tccctgctgt ccgccctcct tggggagctg 2040
tcaaaggtgg aggggttcgt gagcatcgag ggtgctgtgg cctacgtgcc ccaggaggcc 2100
tgggtgcaga acacctctgt ggtagagaat gtgtgcttcg ggcaggagct ggacccaccc 2160
tggctggaga gagtactaga agcctgtgcc ctgcagccag atgtggacag cttccctgag 2220
ggaatccaca cttcaattgg ggagcagggc atgaatctct ccggaggcca gaagcagcgg 2280
ctgagcctgg cccgggctgt atacagaaag gcagctgtgt acctgctgga tgacccctg 2340
gcggccctgg atgcccacgt tggccagcat gtcttcaacc aggtcattgg gcctggtggg 2400
ctactccagg gaacaacacg gattctcgtg acgcacgcac tccacatcct gccccaggct 2460
gattggatca tagtgctggc aaatggggcc atcgcagaga tgggttccta ccaggagctt 2520
ctgcagagga agggggccct cgtgtgtctt ctggatcaag ccagacagcc aggagataga 2580
ggagaaggag aaacagaacc tgggaccagc accaaggacc ccagaggcac ctctgcaggc 2640
aggaggcccg agcttagacg cgagaggtcc atcaagtcag tccctgagaa ggaccgtacc 2700
acttcagaag cccagacaga ggttcctctg gatgaccctg acagggcagg atggccagca 2760
ggaaaggaca gcatccaata cggcagggtg aaggccacag tgcacctggc ctacctgcgt 2820
gccgtgggca ccccctctg cctctacgca ctcttcctct tcctctgcca gcaagtggcc 2880
tccttctgcc ggggctactg gctgagcctg tgggcggacg accctgcagt aggtgggcag 2940
cagacgcagg cagccctgcg tggcgggatc ttcgggctcc tcggctgtct ccaagccatt 3000
gggctgtttg cctccatggc tgcggtgctc ctaggtgggg cccgggcatc caggttgctc 3060
ttccagaggc tcctgtggga tgtggtgcga tctcccatca gcttctttga gcggacaccc 3120
attggtcacc tgctaaaccg cttctccaag gagacagaca cggttgacgt ggacattcca 3180
gacaaactcc ggtccctgct gatgtacgcc tttggactcc tggaggtcag cctggtggtg 3240
gcagtggcta ccccactggc cactgtggcc atcctgccac tgtttctcct ctacgctggg 3300

```
tttcagagcc tgtatgtggt tagctcatgc cagctgagac gcttggagtc agccagctac    3360
tcgtctgtct gctcccacat ggctgagacg ttccagggca gcacagtggt ccgggcattc    3420
cgaacccagg ccccctttgt ggctcagaac aatgctcgcg tagatgaaag ccagaggatc    3480
agtttcccgc gactggtggc tgacaggtgg cttgcggcca atgtggagct cctggggaat    3540
ggcctggtgt ttgcagccgc cacgtgtgct gtgctgagca aagcccacct cagtgctggc    3600
ctcgtgggct tctctgtctc tgctgccctc caggtgaccc agacactgca gtgggttgtt    3660
cgcaactgga cagacctaga gaacagcatc gtgtcagtgg agcggatgca ggactatgcc    3720
tggacgccca aggaggctcc ctggaggctg cccacatgtg cagctcagcc cccctggcct    3780
cagggcgggc agatcgagtt ccgggacttt gggctaagat gccgacctga gctcccgctg    3840
gctgtgcagg gcgtgtcctt caagatccac gcaggagaga aggtgggcat cgttggcagg    3900
accggggcag ggaagtcctc cctggccagt gggctgctgc ggctccagga ggcagctgag    3960
ggtgggatct ggatcgacgg ggtccccatt gcccacgtgg ggctgcacac actgcgctcc    4020
aggatcagca tcatccccca ggaccccatc ctgttccctg gctctctgcg gatgaacctc    4080
gacctgctgc aggagcactc ggacgaggct atctgggcag ccctggagac ggtgcagctc    4140
aaagccttgg tggccagcct gcccggccag ctgcagtaca agtgtgctga ccgaggcgag    4200
gacctgagcg tgggccagaa acagctcctg tgtctggcac gtgcccttct ccggaagacc    4260
cagatcctca tcctggacga ggctactgct gccgtggacc ctggcacgga gctgcagatg    4320
caggccatgc tcgggagctg gtttgcacag tgcactgtgc tgcccattgc ccaccgcctg    4380
cgctccgtga tggactgtgc ccgggttctg gtcatggaca aggggcaggt ggcagagagc    4440
ggcagcccgg cccagctgct ggcccagaag ggcctgtttt acagactggc ccaggagtca    4500
ggcctggtc                                                           4509
```

<210> 8
<211> 1503
<212> PRT
<213> Homo sapiens

<400> 8

```
Met Ala Ala Pro Ala Glu Pro Cys Ala Gly Gln Gly Val Trp Asn Gln
 1               5                  10                  15
Thr Glu Pro Glu Pro Ala Ala Thr Ser Leu Leu Ser Leu Cys Phe Leu
            20                  25                  30
Arg Thr Ala Gly Val Trp Val Pro Pro Met Tyr Leu Trp Val Leu Gly
        35                  40                  45
Pro Ile Tyr Leu Leu Phe Ile His His His Gly Arg Gly Tyr Leu Arg
    50                  55                  60
Met Ser Pro Leu Phe Lys Ala Lys Met Val Leu Gly Phe Ala Leu Ile
65                  70                  75                  80
Val Leu Cys Thr Ser Ser Val Ala Val Ala Leu Trp Lys Ile Gln Gln
                85                  90                  95
Gly Thr Pro Glu Ala Pro Glu Phe Leu Ile His Pro Thr Val Trp Leu
            100                 105                 110
Thr Thr Met Ser Phe Ala Val Phe Leu Ile His Thr Glu Arg Lys Lys
        115                 120                 125
Gly Val Gln Ser Ser Gly Val Leu Phe Gly Tyr Trp Leu Leu Cys Phe
    130                 135                 140
Val Leu Pro Ala Thr Asn Ala Ala Gln Gln Ala Ser Gly Ala Gly Phe
145                 150                 155                 160
Gln Ser Asp Pro Val Arg His Leu Ser Thr Tyr Leu Cys Leu Ser Leu
                165                 170                 175
Val Val Ala Gln Phe Val Leu Ser Cys Leu Ala Asp Gln Pro Pro Phe
            180                 185                 190
Phe Pro Glu Asp Pro Gln Gln Ser Asn Pro Cys Pro Glu Thr Gly Ala
        195                 200                 205
Ala Phe Pro Ser Lys Ala Thr Phe Trp Trp Val Ser Gly Leu Val Trp
    210                 215                 220
Arg Gly Tyr Arg Arg Pro Leu Arg Pro Lys Asp Leu Trp Ser Leu Gly
225                 230                 235                 240
Arg Glu Asn Ser Ser Glu Glu Leu Val Ser Arg Leu Glu Lys Glu Trp
                245                 250                 255
Met Arg Asn Arg Ser Ala Ala Arg Arg His Asn Lys Ala Ile Ala Phe
            260                 265                 270
Lys Arg Lys Gly Gly Ser Gly Met Lys Ala Pro Glu Thr Glu Pro Phe
        275                 280                 285
Leu Arg Gln Glu Gly Ser Gln Trp Arg Pro Leu Leu Lys Ala Ile Trp
    290                 295                 300
```

```
Gln Val Phe His Ser Thr Phe Leu Leu Gly Thr Leu Ser Leu Ile Ile
305                 310                 315                 320
Ser Asp Val Phe Arg Phe Thr Val Pro Lys Leu Leu Ser Leu Phe Leu
                325                 330                 335
Glu Phe Ile Gly Asp Pro Lys Pro Pro Ala Trp Lys Gly Tyr Leu Leu
            340                 345                 350
Ala Val Leu Met Phe Leu Ser Ala Cys Leu Gln Thr Leu Phe Glu Gln
        355                 360                 365
Gln Asn Met Tyr Arg Leu Lys Val Pro Gln Met Arg Leu Arg Ser Ala
    370                 375                 380
Ile Thr Gly Leu Val Tyr Arg Lys Val Leu Ala Leu Ser Ser Gly Ser
385                 390                 395                 400
Arg Lys Ala Ser Ala Val Gly Asp Val Val Asn Leu Val Ser Val Asp
                405                 410                 415
Val Gln Arg Leu Thr Glu Ser Val Leu Tyr Leu Asn Gly Leu Trp Leu
            420                 425                 430
Pro Leu Val Trp Ile Val Val Cys Phe Val Tyr Leu Trp Gln Leu Leu
        435                 440                 445
Gly Pro Ser Ala Leu Thr Ala Ile Ala Val Phe Leu Ser Leu Leu Pro
    450                 455                 460
Leu Asn Phe Phe Ile Ser Lys Lys Arg Asn His His Gln Glu Glu Gln
465                 470                 475                 480
Met Arg Gln Lys Asp Ser Arg Ala Arg Leu Thr Ser Ser Ile Leu Arg
                485                 490                 495
Asn Ser Lys Thr Ile Lys Phe His Gly Trp Glu Gly Ala Phe Leu Asp
            500                 505                 510
Arg Val Leu Gly Ile Arg Gly Gln Glu Leu Gly Ala Leu Arg Thr Ser
        515                 520                 525
Gly Leu Leu Phe Ser Val Ser Leu Val Ser Phe Gln Val Ser Thr Phe
    530                 535                 540
Leu Val Ala Leu Val Val Phe Ala Val His Thr Leu Val Ala Glu Asn
545                 550                 555                 560
Ala Met Asn Ala Glu Lys Ala Phe Val Thr Leu Thr Val Leu Asn Ile
                565                 570                 575
Leu Asn Lys Ala Gln Ala Phe Leu Pro Phe Ser Ile His Ser Leu Val
            580                 585                 590
Gln Ala Arg Val Ser Phe Asp Arg Leu Val Thr Phe Leu Cys Leu Glu
        595                 600                 605
Glu Val Asp Pro Gly Val Val Asp Ser Ser Ser Ser Gly Ser Ala Ala
    610                 615                 620
Gly Lys Asp Cys Ile Thr Ile His Ser Ala Thr Phe Ala Trp Ser Gln
625                 630                 635                 640
Glu Ser Pro Pro Cys Leu His Arg Ile Asn Leu Thr Val Pro Gln Gly
                645                 650                 655
Cys Leu Leu Ala Val Val Gly Pro Val Gly Ala Gly Lys Ser Ser Leu
            660                 665                 670
Leu Ser Ala Leu Leu Gly Glu Leu Ser Lys Val Glu Gly Phe Val Ser
        675                 680                 685
Ile Glu Gly Ala Val Ala Tyr Val Pro Gln Glu Ala Trp Val Gln Asn
    690                 695                 700
Thr Ser Val Val Glu Asn Val Cys Phe Gly Gln Glu Leu Asp Pro Pro
705                 710                 715                 720
Trp Leu Glu Arg Val Leu Glu Ala Cys Ala Leu Gln Pro Asp Val Asp
                725                 730                 735
Ser Phe Pro Glu Gly Ile His Thr Ser Ile Gly Glu Gln Gly Met Asn
            740                 745                 750
Leu Ser Gly Gly Gln Lys Gln Arg Leu Ser Leu Ala Arg Ala Val Tyr
        755                 760                 765
Arg Lys Ala Ala Val Tyr Leu Leu Asp Asp Pro Leu Ala Ala Leu Asp
    770                 775                 780
Ala His Val Gly Gln His Val Phe Asn Gln Val Ile Gly Pro Gly Gly
785                 790                 795                 800
Leu Leu Gln Gly Thr Thr Arg Ile Leu Val Thr His Ala Leu His Ile
                805                 810                 815
Leu Pro Gln Ala Asp Trp Ile Ile Val Leu Ala Asn Gly Ala Ile Ala
            820                 825                 830
```

Glu Met Gly Ser Tyr Gln Glu Leu Leu Gln Arg Lys Gly Ala Leu Val
835 840 845
Cys Leu Leu Asp Gln Ala Arg Gln Pro Gly Asp Arg Gly Glu Gly Glu
850 855 860
Thr Glu Pro Gly Thr Ser Thr Lys Asp Pro Arg Gly Thr Ser Ala Gly
865 870 875 880
Arg Arg Pro Glu Leu Arg Arg Glu Arg Ser Ile Lys Ser Val Pro Glu
885 890 895
Lys Asp Arg Thr Thr Ser Glu Ala Gln Thr Glu Val Pro Leu Asp Asp
900 905 910
Pro Asp Arg Ala Gly Trp Pro Ala Gly Lys Asp Ser Ile Gln Tyr Gly
915 920 925
Arg Val Lys Ala Thr Val His Leu Ala Tyr Leu Arg Ala Val Gly Thr
930 935 940
Pro Leu Cys Leu Tyr Ala Leu Phe Leu Phe Leu Cys Gln Gln Val Ala
945 950 955 960
Ser Phe Cys Arg Gly Tyr Trp Leu Ser Leu Trp Ala Asp Asp Pro Ala
965 970 975
Val Gly Gly Gln Gln Thr Gln Ala Ala Leu Arg Gly Gly Ile Phe Gly
980 985 990
Leu Leu Gly Cys Leu Gln Ala Ile Gly Leu Phe Ala Ser Met Ala Ala
995 1000 1005
Val Leu Leu Gly Gly Ala Arg Ala Ser Arg Leu Leu Phe Gln Arg Leu
1010 1015 1020
Leu Trp Asp Val Val Arg Ser Pro Ile Ser Phe Phe Glu Arg Thr Pro
1025 1030 1035 1040
Ile Gly His Leu Leu Asn Arg Phe Ser Lys Glu Thr Asp Thr Val Asp
1045 1050 1055
Val Asp Ile Pro Asp Lys Leu Arg Ser Leu Leu Met Tyr Ala Phe Gly
1060 1065 1070
Leu Leu Glu Val Ser Leu Val Val Ala Val Ala Thr Pro Leu Ala Thr
1075 1080 1085
Val Ala Ile Leu Pro Leu Phe Leu Leu Tyr Ala Gly Phe Gln Ser Leu
1090 1095 1100
Tyr Val Val Ser Ser Cys Gln Leu Arg Arg Leu Glu Ser Ala Ser Tyr
1105 1110 1115 1120
Ser Ser Val Cys Ser His Met Ala Glu Thr Phe Gln Gly Ser Thr Val
1125 1130 1135
Val Arg Ala Phe Arg Thr Gln Ala Pro Phe Val Ala Gln Asn Asn Ala
1140 1145 1150
Arg Val Asp Glu Ser Gln Arg Ile Ser Phe Pro Arg Leu Val Ala Asp
1155 1160 1165
Arg Trp Leu Ala Ala Asn Val Glu Leu Leu Gly Asn Gly Leu Val Phe
1170 1175 1180
Ala Ala Ala Thr Cys Ala Val Leu Ser Lys Ala His Leu Ser Ala Gly
1185 1190 1195 1200
Leu Val Gly Phe Ser Val Ser Ala Ala Leu Gln Val Thr Gln Ala Leu
1205 1210 1215
Gln Trp Val Val Arg Asn Trp Thr Asp Leu Glu Asn Ser Ile Val Ser
1220 1225 1230
Val Glu Arg Met Gln Asp Tyr Ala Trp Thr Pro Lys Glu Ala Pro Trp
1235 1240 1245
Arg Leu Pro Thr Cys Ala Ala Gln Pro Pro Trp Pro Gln Gly Gly Gln
1250 1255 1260
Ile Glu Phe Arg Asp Phe Gly Leu Arg Tyr Arg Pro Glu Leu Pro Leu
1265 1270 1275 1280
Ala Val Gln Gly Val Ser Leu Lys Ile His Ala Gly Glu Lys Val Gly
1285 1290 1295
Ile Val Gly Arg Thr Gly Ala Gly Lys Ser Ser Leu Ala Ser Gly Leu
1300 1305 1310
Leu Arg Leu Gln Glu Ala Ala Glu Gly Gly Ile Trp Ile Asp Gly Val
1315 1320 1325
Pro Ile Ala His Val Gly Leu His Thr Leu Arg Ser Arg Ile Ser Ile
1330 1335 1340
Ile Pro Gln Asp Pro Ile Leu Phe Pro Gly Ser Leu Arg Met Asn Leu
1345 1350 1355 1360

```
Asp Leu Leu Gln Glu His Ser Asp Glu Ala Ile Trp Ala Ala Leu Glu
                1365                1370                1375
Thr Val Gln Leu Lys Ala Leu Val Ala Ser Leu Pro Gly Gln Leu Gln
            1380                1385                1390
Tyr Lys Cys Ala Asp Arg Gly Glu Asp Leu Ser Val Gly Gln Lys Gln
        1395                1400                1405
Leu Leu Cys Leu Ala Arg Ala Leu Leu Arg Lys Thr Gln Ile Leu Ile
    1410                1415                1420
Leu Asp Glu Ala Thr Ala Ala Val Asp Pro Gly Thr Glu Leu Gln Met
1425                1430                1435                1440
Gln Ala Met Leu Gly Ser Trp Phe Ala Gln Cys Thr Val Leu Leu Ile
                1445                1450                1455
Ala His Arg Leu Arg Ser Val Met Asp Cys Ala Arg Val Leu Val Met
            1460                1465                1470
Asp Lys Gly Gln Val Ala Glu Ser Gly Ser Pro Ala Gln Leu Leu Ala
        1475                1480                1485
Gln Lys Gly Leu Phe Tyr Arg Leu Ala Gln Glu Ser Gly Leu Val
    1490                1495                1500
```

<210> 9
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 9
ctdgtdgcdg tdgtdggn 18

<210> 10
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 10
atggccgcgc ctgctgagc 19

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 11
gtctacgaca ccagggtcaa 20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 12
ctgcctggaa gaagttgacc 20

<210> 13
<211> 20
<212> DNA

<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 13
ctggaatgtc cacgtcaacc 20

<210> 14
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 14
ggagacagac acggttgacg 20

<210> 15
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 15
gcagaccagg cctgactcc 19

<210> 16
<211> 24
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 16
rctnavngcn swnarnggnt crtc 24

<210> 17
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 17
cgggatccag rgaraayath ctntttggn 29

<210> 18
<211> 29
<212> DNA
<213> Artificial Sequence

<220>
<223> Sequence source:/note="synthetic construct"

<400> 18
cggaattcnt crtchagnag rtadatrtc 29

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/06644

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :A01N 63/00, A61K 39/395, C12N 15/00, A01N 61/00, C07H 21/02
US CL :Please See Extra Sheet.
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/93.1, 93.2, 130.1; 435/320.1, 325; 514/1; 536/23.1; 800/13, 18

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, STN, MEDLINE, BIOSIS, CAPLUS, SCISEARCH

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Database GENBANK, Accession No. U66687, ALLIKMETS et al. Characterization of the human ABC superfamily: isolation and mapping of 21 new genes using the expressed sequence tags databases. Hum. Mol. Genet. 5(10), pp. 1649-1655, 26 March 1997.	21
X	Database GENBANK, Accesion No. D77412, NISHIGUCHI. S. et al., A catalogue of genes in mouse embryonal carcinoma F9 cells identified with expressed sequence tags. J. Biochem. 119 (4), pp. 749-767, 04 October 1996.	22

[X] Further documents are listed in the continuation of Box C. [ ] See patent family annex.

*	Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E"	earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family
"O"	document referring to an oral disclosure, use, exhibition or other means		
"P"	document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search 20 MAY 1999	Date of mailing of the international search report 01 JUL 1999
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer SHIN-LIN CHEN Telephone No. (703) 308-0196

Form PCT/ISA/210 (second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/06644

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	Database GENBANK, Accession No. U66674, ALLIKMETS, R. et al., Characterization of the human ABC superfamily: isolation and mapping of 21 new genes using the expressed sequence tags database. Hum. Mol. Genet.16 March 1997, 5 (10), pp. 1649-1655.	33
X	Database GENBANK, Accession No. R97754, HILLIER, L. et al., The WashU-Merk EST project. 11 September 1995.	44
Y	KOIKE et al. A Canalicular Multispecific Organic Anion Transporter (cMOAT) Antisense cDNA Enhances Drug Sensitivitiy in Human Hepatic Cancer Cells. Cancer Research. 15 December 1997, Vol. 57, No. 24, pages 5475-5479, see entire document.	55-57
A,P	LEE et al. Isolation of MOAT-B, a Widely Expressed Multidrug Resistance-associated Proteins Canalicular Multispecific Organic Anion Transporter-related Transporter. Cancer Research. 01 July 1998, Vol 58, No. 13, pages 2741-2747, see entire document.	1-58
A,P	BELINSKY et al. Characterization of MOAT-C and MOAT-D, New Nembers of the MRP/cMOAT Subfamily of Transporter Proteins. Natl. Cancer Inst. 18 November 1998, Vol 90, No. 22, pages 1735-1741.	1-58
A	SUZUKI et al. Excretion of GSSG and Glutathione Conjugates Mediated by MRP1 and cMOAT/MRPS. Seminars in Liver Disease. 1998, Vol 18, No. 4, pages 359-376.	1-58

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/06644

A. CLASSIFICATION OF SUBJECT MATTER:
US CL :

424/93.1, 93.2, 130.1; 435/320.1, 325; 514/1; 536/23.1; 800/13, 18